

6

GAUGES / COMPASSES BINOCULARS / ANTENNAS ELECTRONICS



Seagull Binoculars (10x25)

Compact rubber coated totally waterproof binocular. Complete with lace and case. Lens diameter 25 mm.



Code	Magnification	Focus System	Prism Type	UM	€
2530710	10x25	Center Focus	BaK-7	PCS	



Skipper Binoculars (7x50)

Center focus system binocular with extremely bright optics for a high resolution sharp image. Sturdy rubber coated anti-shock structure for a better grip. Supplied with case.



Code	Colour	Magnification	Focus System	Prism Type	UM	€
2530719	Black / Yellow	7x50	Center Focus	BaK-4	PCS	
2530729	Black / Blue Navy	7x50	Center Focus	BaK-4	PCS	



Admiral Binoculars (7x50)

Watertight (Nitrogen filled) floating binocular, perfect for professional and pleasure boating. Excellent luminosity for a clear high resolution image, range finding reticle and compass. Supplied with case.



Code	Colour	Magnification	Focus System	Prism Type	UM	€
2530730	Black / Yellow	7x50	Individual Eye	Porro BaK-4	PCS	
2530731	Black / Blue Navy	7x50	Individual Eye	Porro BaK-4	PCS	



- NIKON BINOCULARS -

Nikon Coolshot 20 GII Laser Hypsometer

Graduated laser rangefinder to measure any distance, even of multiple objects simultaneously. Waterproof, compact, resistant and lightweight, it is ideal for any nautical and sports activity. Measurement range: 5 \leftrightarrow 730 m. High quality monocular with multilayer coating for bright images and rearward projection for a clear field of vision even for eyeglass wearers.



Code	Magnification	Lens ϕ mm	Dim mm	Weight g	UM	€
2530983	6x	20	91 x 73 x 37	130	PCS	



Nikon Forestry Pro Laser Hypsometer

Graduated laser hypsometer, perfect for basic topographic surveys that measures actual distance, horizontal distance and real height. Endowed with three-point measurement system that allows to measure an object's height even if base or top is covered. Measurement range: 10 - 500 m. With internal and external LCD panels and high quality multilayer coated monocular for bright images. Long eye relief for a clear field of view for eyeglass wearers. Waterproof up to 1 meter in depth for 10 min. 2 years warranty.



Code	Magnification	Lens ϕ mm	Dim mm	Weight g	UM	€
2530985	6x	21	130 x 69 x 45	210	PCS	



Nikon Aculon T02 Binoculars

Elegant and compact design pocket-sized binocular. Lightweight and easy to handle. Multilayer coated lenses for bright and high contrast images, eco-glass optic parts without lead or arsenic. 10 years warranty.

Code	Colour	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530911	BLUE	8x	21	87 x 104 x 35	195	PCS	
2530912	RED	8x	21	87 x 104 x 35	195	PCS	



Nikon Aculon A30 Binoculars

Compact and lightweight binocular rubber-coated for a better and safer grip. Multilayer coated fog-free Nitrogen gas filled lenses for bright and high contrast images with eco-glass optic parts without lead or arsenic. 10 years warranty.



Code	Colour	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530916	BLACK	8x	25	122 x 115 x 42	270	PCS	
2530917	SILVER	8x	25	122 x 115 x 42	270	PCS	



Nikon Sportstar Zoom Binoculars

Compact and versatile binoculars with exceptionally smooth mechanical zoom control, ideal for zooming in boat's name or number, people's faces on board or on dock, or for sports spectating. Comfortable fit and easy handling with turn-and-slide rubber eyecups for easy positioning of eyes at the correct eyepoint. Multilayer coated fog-free Nitrogen gas filled lenses for bright and high contrast images. 10 years warranty.



Code	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530926	8x<->24x	25	123 x 109 x 42	350	PCS	



Nikon StabilEyes Binoculars

Binoculars with double stabilization system for a comfortable and perfect vision. Equipped with VR PAUSE control that allows perfect vision for moving objects. Waterproof body with ergonomic design for a stable grip and easy access to controls. Anti-fog optic with O-Ring seals and Nitrogen filling. Multi-coated lenses and phase-corrected prisms for brighter and sharper images. Extractable rubber eyecups with rear projection for a clear field of view even for eyeglass wearers. Suitable for tripods, complete with case and shoulder strap. 10 years warranty.



Code	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530990	12x	32	178 x 142 x 81	1130	PCS	



Nikon Aculon A211 Compact Binoculars

Compact binocular with large lens diameter for a wide field of view. Rubber coated for shock resistance and for better and safer grip. Multilayer-coated optics for brighter and clearer images. Aspherical eyepiece lens elements for distortion-free images on all lens surface. Turn-and-slide eyecups that allows easy eyes positioning. Tripod adaptable, complete with strap and case. 10 years warranty.

Code	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530973	7x	35	118 x 185 x 62	685	PCS	


Nikon Aculon A211 Binoculars

Binocular with large lens diameter for a wide field of view. Rubber coated for shock resistance and for better and safer grip. Multilayer-coated optics for brighter and clearer images. Aspherical eyepiece lens elements for distortion-free images on all lens surface. Turn-and-slide eyecups that allows easy eyes positioning. Tripod adaptable, complete with strap and case. 10 years warranty.

Code	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530975	7x	50	180 x 197 x 68	905	PCS	


Nikon Action EX CF Binoculars

Waterproof binocular with Nitrogen filled fogproof optics. Rubber coated for shock resistance and for better and safer grip. Multilayer-coated optics for brighter and clearer images. Aspherical eyepiece lens elements for distortion-free images on all lens surface. Turn-and-slide eyecups that allows easy eyes positioning. Long eye relief for a clear field of view for eyeglass wearers. Eco-glass optic parts without lead or arsenic. Waterproof up to 1 meter depth for 5 minutes. Tripod adaptable, complete with strap and case. 10 years warranty.

Code	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530976	7x	50	179 x 196 x 68	1000	PCS	


Nikon Navy CF WP Binoculars

Wide field of view binocular, standard-equipped on military ships. Waterproof with Nitrogen filled fogproof optics. Rubber coated for shock resistance and for better and safer grip. Multilayer-coated optics for brighter and clearer images. Aspherical eyepiece lens elements for distortion-free images on all lens surface. Turn-and-slide eyecups that allows easy eyes positioning. Long eye relief for a clear field of view for eyeglass wearers. Complete with strap, case and floating hand belt that prevents the binoculars to be sinked. Available with or without precise global compass.

Code	Compass	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530978	Yes	7x	50	193 x 202 x 81	1120	PCS	
2530979	No	10x	50	195 x 207 x 71	1065	PCS	



PPX Triangle Protractor

45° Perspex metric scale triangle protractor with handle.

Code	mm	UM	€
2432025	260	PCS	



Plexi Triangle Protractor

Plexiglass 45° metric scale triangle protractor with handle.

Code	mm	UM	€
2430025	280	PCS	



Articulated Parallel Rule

Millimeter scales parallel rule.


Code	mm	UM	€
2435540	400	PCS	



Parallel Rule with Goniometer

Millimeter scales parallel rule with goniometer.

Code	mm	UM	€
2436540	400	PCS	



Parallel Rolling Rule

Millimeter scales parallel rolling rule.

Code	mm	UM	€
2437545	450	PCS	



Quick Course Plotter

Quick course plotter.


Code	UM	€
2438500	PCS	



Course Plotter with Goniometer

Course plotter with goniometer.

Code	UM	€
2438200	PCS	



Alu-Mat Divider N

Satinised Aluminum alloy elegant divider.

Code	mm	UM	€
2439318	180	PCS	



Classic BS Divider

Polished Brass elegant divider with Stainless Steel tips perfect for chart plotting.

Code	mm	UM	€
2439319	200	PCS	



One-Hand Divider BS

Polished Brass single hand divider with Stainless Steel tips perfect for chart plotting.

Code	mm	UM	€
2439519	200	PCS	



GAUGES/COMPASSES BINOCULARS/ANTENNAS ELECTRONICS 6



Plotting Kit S

Boat licence complete navigation set.

It contains:

2 Triangle protractors 2432025

1 Divider

1 Pencil and eraser.

Code	UM	€
2430002	PCK	

**Plotting Kit M**

Boat licence complete navigation set.

It contains:

2 Triangle protractors 2430025

1 One hand divider

1 Pencil and eraser.

Code	UM	€
2430001	PCK	

**Plotting Kit L**

Boat licence complete navigation set.

It contains:

1 Parallel ruler 2435540


1 Triangle protractor 2430025

1 Course plotter 2438200

1 Goniometer

1 One hand divider.

Code	UM	€
2430000	PCK	

**Mark 3 Sextant**

Plastic lightweight and simple sextant with 4 sunshades for the observation of the sun.

Graduation from +120° to -5°.

Code	UM	€
2420151	PCS	

**Mark 25 Pro Sextant**

Reinforced Polymer very light and precise professional sextant. Equipped with combined full viewing field between the horizon and the observed celestial body and with 7 sunshades for the observation of the sun. With LED lighting for arc reading and simplified calibration. Graduation from +120° to -5°. Complete with lanyard and shockproof case.

Code	UM	€
2420153	PCS	



Porthole Barometer / Clock

Barometer or clock on Polished Brass porthole.

Code	Ref	ø mm	UM	€
5807618	Barometer	180	PCS	
5807418	Clock	180	PCS	
5807621	Barometer	210	PCS	
5807421	Clock	210	PCS	
5807626	Barometer	260	PCS	
5807426	Clock	260	PCS	



Framed Porthole Barometer / Clock

Barometer or Clock on polished Brass porthole on Mahogany base.

Code	Ref	ø mm	UM	€
5807913	Barometer	230	PCS	
5807813	Clock	230	PCS	
5807916	Barometer	270	PCS	
5807816	Clock	270	PCS	
5807919	Barometer	320	PCS	
5807819	Clock	320	PCS	



BOT Weather Station

Polished Brass plated Zirconium instruments weather station. Barometer, clock, thermo/hygrometer mounted on precious wood plaque. The horizontal station is supplied with table support base. Instruments diameter 100 mm.

Code	Ref	Dim mm	UM	€
2417213	Horizontal	360 x H150	PCS	
2417214	Vertical	130 x H410	PCS	



Class 120 Weather Instruments

120 Class fire polished solid Brass professional weather instruments. Hinge and catch lock for easy battery changing and adjusting. Wing lock and Mineral glass. Sturdy manufacture with high quality finishing.

Code	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2411240	Barometer	120	75	55	PCS	
2411241	Clock	120	75	55	PCS	
2411242	Thermo-Hygrometer	120	75	55	PCS	
2411243	Radio Silence Clock	120	75	55	PCS	



Class 150 Weather Instruments

150 Class fire professional polished solid Brass weather instruments. Hinge and catch lock for easy battery changing and adjusting. Wing lock and Mineral glass. Sturdy manufacture with high quality finishing.

Code	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400310	Barometer	150	100	78,5	PCS	
2400311	Clock	150	100	78,5	PCS	
2400312	Radio Silence Clock	150	100	78,5	PCS	
2400314	Thermo-Hygrometer	150	100	78,5	PCS	



Sea View Gold Weather Instruments

Cap Horizon (by Barigo) weather instruments with Polished Brass case.

Code	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400200	Barometer	88	70	25	PCS	
2400201	Clock	88	70	25	PCS	
2400202	Thermo-Hygrometer	88	70	25	PCS	
2400210	Barometer	110	85	32	PCS	
2400211	Clock	110	85	32	PCS	
2400212	Thermo-Hygrometer	110	85	32	PCS	
2400222	Barometer	120	100	40	PCS	
2400224	Clock	120	100	40	PCS	
2400225	Thermo-Hygrometer	120	100	40	PCS	



CAP HORIZON

Sea View Chrome Weather Instruments

Cap Horizon (by Barigo) weather instruments with Chromed Brass case.

Code	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400203	Barometer	88	70	25	PCS	
2400204	Clock	88	70	25	PCS	
2400205	Thermo-Hygrometer	88	70	25	PCS	
2400213	Barometer	110	85	32	PCS	
2400214	Clock	110	85	32	PCS	
2400215	Thermo-Hygrometer	110	85	32	PCS	
2400226	Barometer	120	100	40	PCS	
2400228	Clock	120	100	40	PCS	
2400229	Thermo-Hygrometer	120	100	40	PCS	



CAP HORIZON

Sea View S/Steel Weather Instruments

Cap Horizon (by Barigo) weather instruments with satinised Stainless Steel case.

Code	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400216	Barometer	110	85	32	PCS	
2400217	Clock	110	85	32	PCS	
2400218	Thermo-Hygrometer	110	85	32	PCS	
2400230	Barometer	120	100	40	PCS	
2400232	Clock	120	100	40	PCS	
2400233	Thermo-Hygrometer	120	100	40	PCS	



CAP HORIZON

Blue Carbon 70/88 Chrome Weather Instruments

Cap Horizon (by Barigo) weather instruments with Chromed Brass case.

Code	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400250	Barometer	88	70	30	PCS	
2400251	Clock	88	70	30	PCS	
2400252	Thermo-Hygrometer	88	70	30	PCS	



CAP HORIZON

e-Racing 100/120 Stainless Steel Weather Instruments

Satinised Stainless Steel Cap Horizon (by Barigo) weather instruments with case.

Code	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400240	Baro-Thermo-Hygrometer	120	100	40	PCS	
2400242	Clock	120	100	40	PCS	
2400244	Tide indicator	120	100	40	PCS	



CAP HORIZON

Skywatch Xplorer 1

Compact anemometer featuring wind speed measurement in km/h, mph, m/s, fps and knots. Balanced instant windspeed, maximum windspeed. With backlight.

Code	Dimensions mm	Weight gr	UM	€
2420003	41 x 93 x 17	50	PCS	

**Skywatch Xplorer 2**

Compact anemometer-thermometer featuring wind speed measurement in km/h, mph, m/s, fps and knots. Balanced instant windspeed, maximum windspeed, temperature measuring (range: -40°C to 80°C). It calculates the wind chill factor. With backlight.

Code	Dimensions mm	Weight gr	UM	€
2420004	41 x 93 x 17	50	PCS	

**Skywatch Eole**

Eole is an anemometer with a 54 mm propeller that can measure wind force accurately. The multidirectional propeller allows precise measurement without having to be perfectly oriented in the wind axis. Thanks to its display backlight, it allows use even in problematic light conditions. It can fall into the water without sinking. Measurement units: km/h, mph, m/s, fps, knots and bts.

Code	Dimensions mm	Weight gr	UM	€
2422022	ø 65 x 155	235	PCS	

**Skywatch Meteos**

Meteos is an anemometer-thermometer with a 54 mm propeller capable of accurately measuring wind force regardless of its direction. Meteos is able to provide the temperature perceived by the person quickly and accurately. Thanks to its display backlight, it allows use even in problematic light conditions. It can fall into the water without sinking. Wind measurement units: km/h, mph, m/s, fps, knots and bts.

Code	Dimensions mm	Weight gr	UM	€
2422024	ø 65 x 155	235	PCS	

**Skywatch Atmos**

Anemometer, thermometer and hygrometer, all-in-one instrument. Perfect to measure with precision wind, temperature and humidity. It calculates the wind chill factor. The LCD screen is divided in three parts: wind speed – humidity – temperature.

Code	Dimensions mm	Weight gr	UM	€
2422002	62 x 120 x 32	115	PCS	

**Skywatch Smartphone BL Bluetooth**

Complete weather station which is connected to the smartphone via Bluetooth. Ideal for all professional and outdoor activities like sailing, kite surfing, paragliding, hiking, etc. Built IP67 Anodized Aluminum, with micro USB rechargeable battery. Dimensions Ø26 x 116 mm. Complete with lace, metal clip and storage box. Compatible with iPhone/iPad and Android.

Code	Ref	Sensors	UM	€
2422010	BL300	Anemometer - Thermometer - Hygrometer	PCS	
2422011	BL400	Anemometer - Thermometer - Hygrometer - Barometer	PCS	
2422012	BL500	Anemometer - Thermometer - Hygrometer - Barometer - UV Index	PCS	



Windex Wind Indicator

Sapphire jewel bearing suspension wind indicator. Reflective reference flags can be adjusted to the close-hauled angle.

Code	L '' (mm)	Type	Accessories	UM	€
2420008	10 (250)	10" Dinghy		PCS	
2420010	10 (250)	10"		PCS	
2420015	15 (380)	15"		PCS	
2421023	23 (580)	23" Maxi		PCS	
2420016			Light	PCS	



Bora Wind Indicator

Ball bearing suspension wind indicator. Stainless Steel pole bracket and Plastic sensor. Reflective reference flags can be adjusted to the close-hauled angle.


Code	L mm	UM	€
2420018	360	PCS	



Sail Telltales Wind Indicators

Wind direction indicators for sailing boats. With 5 red and 5 green adhesive disks.

Code	UM	€
2420114	PCK	



Telltales Wind Indicators

Stay wind indicators. No tools needed for attachment to the stay. 360° rotating connection.

Code	Stay ø mm	UM	€
2420102	3	PCK	
2420103	5	PCK	
2420104	6	PCK	



Marine 2000 Clinometer

Clinometer with scale: 45°-0°-45°.


Code	mm	UM	€
2420002	90 x 40	PCS	



Marine 2001 Clinometer

Clinometer with scale: 45°-0°-45°. Magnified Scale: 5°-0°-5°.

Code	mm	UM	€
2420006	100 x 82	PCS	



Silva Clinometer

Clinometer with scale: 35°-0°-35°. Magnified trim scale: 5°-0°-5°.

Code	mm	UM	€
2420000	100 x 80	PCS	



Mizar Hand Bearing Compass

Floating handbearing Riviera Mizar compass with 1" 7/8 (-50 mm) rose. Shock resistant. 10° Graduated rotating bezel. Dimensions: 80 x 60 x 22 mm.



Code	Colour	UM	€
2511050	BLACK	PCS	
2511051	YELLOW	PCS	
2511053	BLUE	PCS	
2511054	RED	PCS	



Orion Hand Bearing Compass

Floating handbearing Riviera Orion compass with 1" 7/8 (-50 mm) rose. Shock resistant. 10° Graduated rotating bezel. Dimensions: 100 x 70 x 27 mm.



Code	Colour	UM	€
2511040	BLACK	PCS	
2511041	YELLOW	PCS	
2511043	BLUE	PCS	
2511044	RED	PCS	



Diving Compass

Diving compass with 60mm luminescent rose. Read from above or from the side through the special window. Very fast response thanks to the 2 magnets inside. Swivel trigger graduated ring. Ideal for underwater activities, tested up to 300 mt depth.



Code	Type	UM	€
2511010	Compass without wriststrap	PCS	



Wriststrap Diving Compass

Diving compass with 60mm luminescent rose. Read from above or from the side through the special window. Very fast response thanks to the 2 magnets inside. Swivel trigger graduated ring. Ideal for underwater activities, tested up to 300 mt depth. Complete with wriststrap.



Code	Type	UM	€
2511012	Compass with wriststrap	PCS	




- CEILING MOUNT COMPASSES -

Astra Riviera BAS1 Compass

Astra BAS1 ceiling flush mount compass with 12V LED lighting (24V on request). Internal gimbal. Direct reading card with apparent 4" (-100 mm) diameter.




Code	Compass	Card Scale°	UM	€
2504400	Standard - Black	5	PCS	



Pegasus 3-BP1 Compass

Pegasus BP1 bulkhead mount sailboat compass. Internal gimbal and built-in compensator magnets. Complete with clinometer and 12/24V LED lighting. Front reading 5° graduated rose with 3" (80 mm) apparent diameter.


Code	Frame	Rose	Accessories	UM	€
2521020	Black	Black		PCS	
2521021	Black	Red		PCS	
2521022	White	White		PCS	
2521025			Protective Cover	PCS	



Pegasus 4-BP2 Compass

Pegasus BP2 bulkhead mount sailboat compass. Internal gimbal and built-in compensator magnets. Complete with clinometer and 12/24V LED lighting. Front reading 5° graduated rose with 4" (100 mm) apparent diameter.


Code	Frame	Rose	Accessories	UM	€
2521006	Black	Black		PCS	
2521009	Black	Red		PCS	
2521008	White	White		PCS	
2521017			Protective Cover	PCS	



Zenith BZT Tactic Compass

Flush mount compass with tactic rose. Built-in compensator magnets. Internal gimbal. Specifically designed with 3" (-80 mm) tactic rose with one digit for olympic sailing routes.

Code	Compass	UM	€
2501920	Black	PCS	
2501921	White	PCS	




Riviera Comet BC1 Compass

Deck mount anti-glare screen Comet BC1 compass. Front-reading 2" (-48mm) card.



Code	Compass	UM	€
2500011	BC1 - Black	PCS	
2500013	BC1 - White	PCS	




Riviera Comet BC2 Compass

Bracket mount anti-glare screen Comet BC2 compass. Front-reading 2" (-48 mm) card.



Code	Compass	UM	€
2500012	BC2 - Black	PCS	
2500014	BC2 - White	PCS	




Riviera Stella BS1 Compass

Deck mount Stella BS1 compass with anti-glare screen. Front-reading 2" 1/2 (-65 mm) card. Easy to remove thanks to the bayonet mount.



Code	Compass	UM	€
2500001	BS1 - Black	PCS	
2500003	BS1 - White	PCS	
2500004	BS1 - Grey	PCS	




Riviera Stella BS2 Compass

Bracket mount Stella BS2 compass with anti-glare screen. Front-reading 2" 1/2 (-65 mm) card.



Code	Compass	UM	€
2500000	BS2 - Black	PCS	
2500002	BS2 - White	PCS	
2500005	BS2 - Grey	PCS	




Riviera Aries Compass

Deck mount Aries compass with anti-glare screen. Front-reading 2" 1/2 (-65 mm) card. Night time reading with luminous digits. Easy to remove thanks to the bayonet mount.



Code	Compass	UM	€
2500007	Aries - White/Black	PCS	
2500008	Aries - White	PCS	
2500009	Aries - Black	PCS	




Riviera Aries Light Compass

Deck mount Aries compass with anti-glare screen. Front-reading 2" 1/2 (-65 mm) card. Night time reading with luminous digits. Easy to remove thanks to the bayonet mount. 12V LED lighting model.



Code	Compass	UM	€
2500017	Aries - White/Black	PCS	
2500018	Aries - White	PCS	
2500019	Aries - Black	PCS	




Riviera Artica BA1 Compass

Artica BA1 flush mount compass with anti-glare screen. 12V Night lighting, built-in compensator magnets, internal half-gimbal. Apparent dia 2" 3/4 (-70 mm) flat reading card. EC Type Certificate. MED certification upon request.



Code	Compass	Spare Parts	UM	€
2501007	Standard - Black		PCS	
2501008	Standard - White		PCS	
2501017	Standard - Grey		PCS	
2160412		12V Light Bulb	PCS	




Riviera Artica BA2 Compass

Artica BA2 bracket mount compass with anti-glare screen and 12V night lighting. Built-in compensator magnets and internal half-gimbal. Apparent dia 2" 3/4 (-70 mm) flat reading card. EC Type Certificate. MED certification upon request.



Code	Compass	Spare Parts	UM	€
2501005	Standard - Black		PCS	
2501009	Standard - White		PCS	
2501015	Standard - Grey		PCS	
2160412		12V Light Bulb	PCS	




Riviera Artica BA3 Compass

Artica BA3 deck mount compass with anti-glare screen and 12V night lighting. Built-in compensator magnets and internal half-gimbal. Apparent dia 2" 3/4 (-70 mm) flat reading card. EC Type Certificate. MED certification upon request.



Code	Compass	Spare Parts	UM	€
2501006	Standard - Black		PCS	
2501010	Standard - White		PCS	
2501016	Standard - Grey		PCS	
2160412		12V Light Bulb	PCS	




Riviera Zenith BZ1 Compass

Zenith BZ1 flush mount compass with anti-glare screen and 12V night lighting. Built-in compensator magnets and internal gimbal. Flat reading card with apparent 3"(-80 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request.



Code	Compass	Spare Parts	UM	€
2501907	Standard - Black		PCS	
2502104	Standard - White		PCS	
2502007	High Speed - Black		PCS	
2502114	High Speed - White		PCS	
2160412		12V Light Bulb	PCS	




Riviera Zenith BZ1 Compass with Cover

Zenith BZ1C flush mount compass with anti-glare screen and protection cover. 12V night lighting, built-in compensator magnets and internal gimbal. Flat reading card with apparent 3"(-80 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request.



Code	Compass	Spare Parts	UM	€
2502108	Standard - Black		PCS	
2502107	Standard - White		PCS	
2502118	High Speed - Black		PCS	
2502117	High Speed - White		PCS	
2160412		12V Light Bulb	PCS	




Riviera Zenith BZ2 Compass

Zenith BZ1 bracket mount compass with anti-glare screen, 12V night lighting. Built-in compensator magnets, internal gimbal. Flat reading card with apparent 3"(-80 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request.



Code	Compass	Spare Parts	UM	€
2501905	Standard - Black		PCS	
2502105	Standard - White		PCS	
2502005	High Speed - Black		PCS	
2502115	High Speed - White		PCS	
2160412		12V Light Bulb	PCS	




Riviera Zenith BZ3 Compass

Zenith BZ1 deck mount compass with anti-glare screen, 12V night lighting. Built-in compensator magnets and internal gimbal. Flat reading card with apparent 3"(-80 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request.




Code	Compass	Spare Parts	UM	€
2501906	Standard - Black		PCS	
2502106	Standard - White		PCS	
2502006	High Speed - Black		PCS	
2502116	High Speed - White		PCS	
2160412		12V Light Bulb	PCS	



Urania Riviera BU1 Compass

Urania BU1 flush mount compass with anti-glare screen and 12V night lighting (24V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 4" (-100 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2504214 Compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2504200	Standard - Black	5		PCS	
2504210	High Speed - Black	5		PCS	
2504212	Standard - Black	2		PCS	
2504214	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Urania Riviera BU2 Compass

Urania BU2 deck mount compass with anti-glare screen and 12V night lighting (24V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 4" (-100 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2503914 compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2503900	Standard - Black	5		PCS	
2503910	High Speed - Black	5		PCS	
2503912	Standard - Black	2		PCS	
2503914	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Urania Riviera BU3 Compass

Urania BU3 flush mount compass with anti-glare screen and 12V night lighting (24V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 4" (-100 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2504014 compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2504000	Standard - Black	5		PCS	
2504010	High Speed - Black	5		PCS	
2504012	Standard - Black	2		PCS	
2504014	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Urania Riviera BU4 Compass

Urania BU4 deck mount compass with anti-glare screen and 12V night lighting (24V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 4" (-100 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t.


Code	Compass	Card Scale°	Spare Parts	UM	€
2504500	Standard - Black	5		PCS	
2504510	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Urania Riviera BU5 Compass

Urania BU5 deck mount compass with anti-glare screen and 12V night lighting (24V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 4" (-100 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t.


Code	Compass	Card Scale°	Spare Parts	UM	€
2504605	Standard - Black	5		PCS	
2504606	Standard - White	5		PCS	
2504611	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Urania Riviera BU7 S/Steel Compass

Urania BU7 S/Steel deck mount compass with anti-glare screen and 12V night lighting (24V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 4"(-100 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t.


Code	Compass	Card Scale°	Spare Parts	UM	€
2504700	Standard	5		PCS	
2504710	High Speed	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera BW1 Compass

White Star BW1 flush mount compass with anti-glare screen and 24V lighting (12V on request). Built-in compensator magnets and internal gimbal with 130 mm card. Standard or High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505007	Standard - Black	5		PCS	
2505017	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera BW2 Compass

White Star BW2 deck mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal with 130 mm card. Standard or High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2505026 Compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505004	Standard - Black	5		PCS	
2505014	High Speed - Black	5		PCS	
2505024	Standard - Black	2		PCS	
2505026	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera BW3 Compass

White Star BW3 flush mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal with 130 mm card. Standard or High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2505030 Compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505009	Standard - Black	5		PCS	
2505019	High Speed - Black	5		PCS	
2505029	Standard - Black	2		PCS	
2505030	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera BW4 Compass

White Star BW4 deck mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal with 130 mm card. Standard or High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505003	Standard - Black	5		PCS	
2505002	Standard - White	5		PCS	
2505013	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera BW6 Compass

White Star BW6 S/Steel deck mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal with 130 mm card. Standard or High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505010	Standard	2		PCS	
2505020	High Speed	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera B6W3 Compass

White Star B6W3 flush mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 6" (-150 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2505074 compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505061	Standard - Black	5		PCS	
2505071	High Speed - Black	5		PCS	
2505072	Standard - Black	2		PCS	
2505074	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera B6W4 Compass

White Star B6W4 deck mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 6" (-150 mm) diameter. Standard and High Speed version for fast boats. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2505054 compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505041	Standard - Black	5		PCS	
2505051	High Speed - Black	5		PCS	
2505052	Standard - Black	2		PCS	
2505054	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera B6W5 Compass

White Star B6W5 deck mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 6" (-150 mm) diameter. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t. 2505034 compass comes with R.I.Na. test certification.


Code	Compass	Card Scale°	Spare Parts	UM	€
2505031	Standard - White	5		PCS	
2505032	Standard - White	2		PCS	
2505034	Standard - White - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



White Star Riviera B6W6 S/Steel Compass

White Star B6W6 Stainless Steel deck mount compass with anti-glare screen and 24V night lighting (12V on request). Built-in compensator magnets and internal gimbal. Back reading card with apparent 6" (-150 mm) diameter. EC Type Certificate. MED certification upon request. Approved for pleasure and commercial boats up to 150t.

Code	Compass	Card Scale°	Spare Parts	UM	€
2505021	Standard	5		PCS	
2505022	Standard	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Ecms All Black Gauges

Ecms 12/24V All Black gauges complete with wired Molex connector. 316 Stainless Steel black bezel. Watertight IP67 protected anti-fog curved lens. Customizable multi-color LED backlighted dial. The standard setup 0-190 Ohm of the Level Gauges 2361006 - 2361016 - 2361026 can be easily changed to 240-33 Ohm with back button. The ammeter 2361079 is complete with shunt.

Code	Instrument	Range	ø mm	UM	€
2361006	Fuel Level Gauge	E-1/2-F	52	PCS	
2361016	Water Level Gauge	E-1/2-F	52	PCS	
2361026	Sewage Level Gauge	E-1/2-F	52	PCS	
2361045	Oil Pressure Gauge	0-5 bar	52	PCS	
2361051	Oil Pressure Gauge	0-10 bar	52	PCS	
2361054	Oil Pressure Gauge	0-30 bar	52	PCS	
2361036	Water Temperature Gauge	40-120°	52	PCS	
2361060	Voltmeter 12/24V	8-32V	52	PCS	
2361074	Analogic Ammeter with Shunt	-80+80A	52	PCS	
2361079	Digital Ammeter with Shunt	-150+150A	52	PCS	
2361096	Hourmeter	0-99999.9H	52	PCS	
2361071	Rudder Angle Gauge	Port-Starboard	52	PCS	



Ecms All Black Tach/Hourmeter

Ecms All Black 12/24V Tach/Hourmeter complete with wired Molex connector. 316 Stainless Steel black bezel. Watertight IP67 protected anti-fog curved lens. Customizable multi-color LED backlighted dial.

Code	Instrument	Range	ø mm	UM	€
2361412	Tachometer/Hourmeter	4000 RPM	85	PCS	
2361426	Tachometer/Hourmeter	6000 RPM	85	PCS	



Ecms All Black GPS Speedometer

Ecms 12/24V All Black GPS Speedometer complete with GPS sensor and wired Molex connector. 316 Stainless Steel black bezel. Watertight IP67 protected anti-fog curved lens. It calculates the traveled distance and allows to manage the distance of singles trips measuring the speed in Knots, MPH or Km/h. Customizable multi-color LED backlighted dial.

Code	Instrument	Range	ø mm	UM	€
2361436	GPS Speedometer	0-999	85	PCS	



GAUGES/COMPASSES BINOCULARS/ANTENNAS ELECTRONICS 6

Ecms Black Chrome Gauges

Ecms Black Chrome 12/24V gauges complete with wired Molex connector. 316 Stainless Steel chrome bezel. Watertight IP67 protected anti-fog curved lens. Customizable multi-color LED backlighted dial. The standard setup 0-190 Ohm of the Level Gauges 2361004 - 2361014 - 2361024 can be easily changed to 240-33 Ohm with back button. The ammeter 2361078 is complete with shunt.

Code	Instrument	Range	ø mm	UM	€
2361004	Fuel Level Gauge	E-1/2-F	52	PCS	
2361014	Water Level Gauge	E-1/2-F	52	PCS	
2361024	Sewage Level Gauge	E-1/2-F	52	PCS	
2361044	Oil Pressure Gauge	0-5 bar	52	PCS	
2361049	Oil Pressure Gauge	0-10 bar	52	PCS	
2361053	Oil Pressure Gauge	0-30 bar	52	PCS	
2361034	Water Temperature Gauge	40-120°	52	PCS	
2361059	Voltmeter 12/24V	8-32V	52	PCS	
2361073	Analogic Ammeter with Shunt	-80+80A	52	PCS	
2361078	Digital Ammeter with Shunt	-150+150A	52	PCS	
2361093	Hourmeter	0-99999.9H	52	PCS	
2361069	Rudder Angle Gauge	Port-Starboard	52	PCS	



Ecms Black Chrome Tach/Hourmeter

Ecms Black Chrome 12/24V Tach/Hourmeter complete with wired Molex connector. 316 Stainless Steel chrome bezel. Watertight IP67 protected anti-fog curved lens. Customizable multi-color LED backlighted dial.

Code	Instrument	Range	ø mm	UM	€
2361409	Tachometer/Hourmeter	4000 RPM	85	PCS	
2361423	Tachometer/Hourmeter	6000 RPM	85	PCS	



Ecms Black Chrome GPS Speedometer

Ecms Black Chrome 12/24V GPS Speedometer complete with GPS sensor and wired Molex connector. 316 Stainless Steel chrome bezel. Watertight IP67 protected anti-fog curved lens. Calculates the traveled distance and allows to manage the distance of singles trips measuring the speed in Knots, MPH or Km/h. Customizable multi-color LED backlighted dial.


Code	Instrument	Range	ø mm	UM	€
2361433	GPS Speedometer	0-999	85	PCS	



Ecms White Chrome Gauges

Ecms White Chrome 12/24V gauges complete with wired Molex connector. 316 Stainless Steel chrome bezel. Watertight IP67 protected anti-fog curved lens. Customizable multi-color LED backlighted dial. The standard setup 0-190 Ohm of the Level Gauges 2361001 - 2361011 - 2361021 can be easily changed to 240-33 Ohm with back button. The ammeter 2361075 is complete with shunt.


Code	Instrument	Range	ø mm	UM	€
2361001	Fuel Level Gauge	E-1/2-F	52	PCS	
2361011	Water Level Gauge	E-1/2-F	52	PCS	
2361021	Sewage Level Gauge	E-1/2-F	52	PCS	
2361041	Oil Pressure Gauge	0-5 bar	52	PCS	
2361046	Oil Pressure Gauge	0-10 bar	52	PCS	
2361052	Oil Pressure Gauge	0-30 bar	52	PCS	
2361031	Water Temperature Gauge	40-120°	52	PCS	
2361056	Voltmeter 12/24V	8-32V	52	PCS	
2361072	Analogic Ammeter with Shunt	-80+80A	52	PCS	
2361075	Digital Ammeter with Shunt	-150+150A	52	PCS	
2361090	Hourmeter	0-99999.9H	52	PCS	
2361066	Rudder Angle Gauge	Port-Starboard	52	PCS	



Ecms White Chrome Tach/Hourmeter

Ecms White Chrome 12/24V Tach/Hourmeter complete with wired Molex connector. 316 Stainless Steel chrome bezel. Watertight IP67 protected anti-fog curved lens. Customizable multi-color LED backlighted dial.

Code	Instrument	Range	ø mm	UM	€
2361406	Tachometer/Hourmeter	4000 RPM	85	PCS	
2361420	Tachometer/Hourmeter	6000 RPM	85	PCS	



Ecms White Chrome Speedometer GPS

Ecms White Chrome 12/24V GPS Speedometer complete with GPS sensor and wired Molex connector. 316 Stainless Steel chrome bezel. Watertight IP67 protected anti-fog curved lens. Calculates the traveled distance and allows to manage the distance of singles trips measuring the speed in Knots, MPH or Km/h. Customizable multi-color LED backlighted dial.

Code	Instrument	Range	ø mm	UM	€
2361430	GPS Speedometer	0-999	85	PCS	



GAUGES/COMPASSES BINOCULARS/ANTENNAS ELECTRONICS 6

Ultra Black Uflex Gauges

Uflex IP67 waterproof instruments with double layer reinforced anti-condensation lens. Universal voltage 12/24V with customizable red or yellow backlight. Plug and play installation complete with wired Molex connector. All pressure, temperature, level and angle indicators must be completed with sensors. The GPS speed indicator is complete with receiver and antenna.



Code	ø mm	Ref	Range	UM	€
2360521	52	Oil Pressure Gauge	0-5 bar	PCS	
2360522	52	Oil Pressure Gauge	0-10 bar	PCS	
2360526	52	Water Temperature Gauge	40-120°	PCS	
2360529	52	Voltmeter 12V	8-16V	PCS	
2360741	52	Voltmeter 24V	18-32V	PCS	
2360532	52	Ammeter with Shunt 100A	-80+80A	PCS	
2360530	52	Hourmeter	0-99999H	PCS	
2360518	52	Fuel Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360520	52	Water Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360570	52	Trim Gauge 160-10 Ohm	Up-Down	PCS	
2360571	52	Trim Gauge 0-190 Ohm	Up-Down	PCS	
2360699	85	Rudder Angle Gauge	Port-Stbd	PCS	
2360512	85	Pitot Speed Gauge	35 Knots	PCS	
2360513	85	Pitot Speed Gauge	55 Knots	PCS	
2360580	85	GPS Speed Gauge	60 Knots	PCS	
2360908	85	Tachometer/Hourmeter	8000 RPM	PCS	
2360909	85	Tachometer/Hourmeter	6000 RPM	PCS	
2360911	85	Tachometer/Hourmeter	4000 RPM	PCS	
2360400	52	Chromed Frame D52		PCS	
2360401	85	Chromed Frame D85		PCS	




Ultra White Uflex Gauges

Uflex IP67 waterproof instruments with double layer reinforced anti-condensation lens. Universal voltage 12/24V with customizable red or yellow backlight. Plug and play installation complete with wired Molex connector. All pressure, temperature, level and angle indicators must be completed with sensors. The GPS speed indicator is complete with receiver and antenna.



Code	ø mm	Ref	Range	UM	€
2360545	52	Oil Pressure Gauge	0-5 bar	PCS	
2360546	52	Oil Pressure Gauge	0-10 bar	PCS	
2360550	52	Water Temperature Gauge	40-120°	PCS	
2360553	52	Voltmeter 12V	10-16V	PCS	
2360742	52	Voltmeter 24V	20-32V	PCS	
2360540	52	Ammeter with Shunt	-60+60A	PCS	
2360554	52	Hourmeter	0-99999H	PCS	
2360542	52	Fuel Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360544	52	Water Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360575	52	Trim Gauge 160-10 Ohm	Up-Down	PCS	
2360576	52	Trim Gauge 0-190 Ohm	Up-Down	PCS	
2360700	85	Rudder Angle Gauge	Port-Starboard	PCS	
2360536	85	Pitot Speed Gauge	35 Knots	PCS	
2360537	85	Pitot Speed Gauge	55 Knots	PCS	
2360582	85	GPS Speed Gauge	60 Knots	PCS	
2360918	85	Tachometer/Hourmeter	8000 RPM	PCS	
2360919	85	Tachometer/Hourmeter	6000 RPM	PCS	
2360921	85	Tachometer/Hourmeter	4000 RPM	PCS	
2360400	52	Chromed Frame D52		PCS	
2360401	85	Chromed Frame D85		PCS	



VDO Black View-Line Gauges

View-Line 8-32V VDO gauges complete with connection cables, bezel and instructions.
Anti-fog double lens with IP67 protection rating. Integrated LED light.

VDO


Code	Ref	Range	ø mm	UM	€
2300220	Oil-Pressure Gauge	5 bar	52	PCS	
2300221	Oil-Pressure Gauge	10 bar	52	PCS	
2300222	Oil-Pressure Gauge	30 bar	52	PCS	
2300225	Water Temp. Gauge	40° - 120°	52	PCS	
2300229	Voltmeter	8-16V	52	PCS	
2300230	Voltmeter	18-32V	52	PCS	
2300227	Ammeter	-60+60A	52	PCS	
2300232	Fuel Gauge (3-180 ohm)	0 - 1/1	52	PCS	
2300233	Fuel Gauge (60/90-0,5 ohm)	0 - 1/1	52	PCS	
2300234	Fuel Gauge (240-30 ohm)	0 - 1/1	52	PCS	
2300236	Water Level (3-180 ohm)	0 - 1/1	52	PCS	
2300237	Water Level (20 mA)	0 - 1/1	52	PCS	
2300239	Waste Water Level (20 mA)	0 - 1/1	52	PCS	
2300242	Rudder Angle	40° - 40°	52	PCS	
2300245	Hourmeter		52	PCS	
2300205	Tachometer/Hourmeter	3000 RPM	85	PCS	
2300206	Tachometer/Hourmeter	4000 RPM	85	PCS	
2300207	Tachometer/Hourmeter	5000 RPM	85	PCS	
2300208	Tachometer/Hourmeter	6000 RPM	85	PCS	

**VDO White View-Line Gauges**

View-Line 8-32V VDO gauges complete with connection cables, bezel and instructions.
Anti-fog double lens with IP67 protection rating. Integrated LED light.

VDO

Code	Ref	Range	ø mm	UM	€
2300270	Oil-Pressure Gauge	5 bar	52	PCS	
2300271	Oil-Pressure Gauge	10 bar	52	PCS	
2300272	Oil-Pressure Gauge	30 bar	52	PCS	
2300275	Water Temp. Gauge	40° - 120°	52	PCS	
2300279	Voltmeter	8-16V	52	PCS	
2300280	Voltmeter	18-32V	52	PCS	
2300277	Ammeter	-60+60A	52	PCS	
2300282	Fuel Gauge (3-180 ohm)	0 - 1/1	52	PCS	
2300283	Fuel Gauge (60/90-0,5 ohm)	0 - 1/1	52	PCS	
2300285	Fuel Gauge (240-30 ohm)	0 - 1/1	52	PCS	
2300286	Water Level (3-180 ohm)	0 - 1/1	52	PCS	
2300287	Water Level (20 mA)	0 - 1/1	52	PCS	
2300289	Waste Water Level (20 mA)	0 - 1/1	52	PCS	
2300292	Rudder Angle	40° - 40°	52	PCS	
2300296	Hourmeter		52	PCS	
2300255	Tachometer/Hourmeter	3000 RPM	85	PCS	
2300256	Tachometer/Hourmeter	4000 RPM	85	PCS	
2300257	Tachometer/Hourmeter	5000 RPM	85	PCS	
2300258	Tachometer/Hourmeter	6000 RPM	85	PCS	

**VDO View-Line Spare Parts and Accessories**

VDO View-Line spare parts and accessories.

VDO

Code	Ref	UM	€
2300300	BLACK Bezel for ø 52 mm Gauges	PCS	
2300301	WHITE Bezel for ø 52 mm Gauges	PCS	
2300302	CHROMED Bezel for ø 52 mm Gauges	PCS	
2300304	BLACK Bezel for ø 85 mm Gauges	PCS	
2300305	WHITE Bezel for ø 85 mm Gauges	PCS	
2300306	CHROMED Bezel for ø 85 mm Gauges	PCS	
2300303	24V Circuit Resistance	PCS	
2300307	60A Amperometer Shunt	PCS	
2300309	View Line Gauges 8 PIN Cable	PCS	
2300310	View Line LCD Tachometer 14 PIN Cable	PCS	




Temperature Senders

12V/24V power supply temperature senders.



Code	C°	Thread	L x ø mm	Ref VDO	Type	UM	€
2300106	40-120	14 x 1,5	29 x 9	323-801-001-006N	1 Pole	PCS	
2300108	40-120	14 x 1,5	29 x 11	323-805-001-001N	2 Poles	PCS	
2300110	40-120	1/2" x 14 NPTF	29 x 9	323-801-001-010N	1 Pole	PCS	
2300140	40-120	16 x 1,5	29 x 9	323-801-001-040N	1 Pole	PCS	
2300501	40-120	14 x 1,5	40 x 10,8	323-803-001-006D	1 Pole+Alarm	PCS	
2300504	40-120	1/2" x 14 NPTF	40 x 10,8	323-803-001-019D	1 Pole+Alarm	PCS	
2300121	40-120	1/4" x 18 NPTF	29 x 10,9	325-805-003-001C	2 Poles	PCS	

**Pressure Senders**

12V/24V power supply pressure senders. Diameter: 46 mm. External part height (without poles): 40 mm.



Code	Bar	Thread	Ref VDO	Type	UM	€
2301104	5	1/8" x 27 NPTF	360-081-029-004C	1 Pole	PCS	
2301112	10	1/8" x 27 NPTF	360-081-029-012C	1 Pole	PCS	
2301111	10	10 x 1	360-081-032-003C	2 Poles	PCS	
2301108	25	1/8" x 27 NPTF	360-081-038-003C	2 Poles	PCS	
2301101	25	14 x 1,5	360-081-038-001C	2 Poles	PCS	
2301149	5	1/8" x 27 NPTF	360-081-030-086C	1 Pole+Alarm 0,5 Bar	PCS	
2301102	5	10 x 1	360-081-030-004C	1 Pole+Alarm 0,7 Bar	PCS	
2301152	10	1/8" x 27 NPTF	360-081-030-015C	1 Pole+Alarm 0,8 Bar	PCS	
2301109	10	10 x 1	360-081-030-009C	1 Pole+Alarm 0,5 Bar	PCS	
2301122	10	12 x 1,5	360-081-030-022C	1 Pole+Alarm 0,5 Bar	PCS	
2301132	10	1/8" x 27 NPTF	360-081-032-014C	2 Poles	PCS	
2301135	25	1/8" x 27 NPTF	362-081-002-001K	2 Poles	PCS	

**ECMS Temperature Senders**

12/24V Ecms temperature senders.



Code	C°	Thread	L x ø mm	Ref VDO	Type	UM	€
2301274	40-120°	1/8" x 27 NPTF	22 x 8,5	323-801-005-001D	1 Pole	PCS	
2301278	40-120°	1/4" x 18 NPTF	29 x 9	323-801-001-009N	1 Pole	PCS	
2301283	40-120°	1/2" x 14 NPTF	29 x 9	323-801-001-010N	1 Pole	PCS	
2301280	40-120°	1/2" x 14 NPTF	40 x 10,8	323-803-001-019D	1 Pole+Alarm	PCS	
2301277	40-120°	1/2" x 14 NPTF	29 x 11	323-805-001-004N	2 Poles	PCS	
2301285	40-120°	M14 x 1,5	29 x 9	323-801-001-006N	1 Pole	PCS	
2301281	40-120°	M14 x 1,5	40 x 10,8	323-803-001-006D	1 Pole+Alarm	PCS	
2301284	40-120°	M14 x 1,5	29 x 11	323-805-001-001K	2 Poles	PCS	
2301282	40-120°	M16 x 1,5	29 x 9	323-801-001-040N	1 Pole	PCS	

**ECMS Pressure Senders**

12/24V Ecms pressure senders.



Code	Bar	Thread	Ref VDO	Type	UM	€
2301299	5	1/8" x 27 NPTF	360-081-029-004C	1 Pole	PCS	
2301295	5	1/8" x 27 NPTF	360-081-030-049C	1 Pole+Alarm	PCS	
2301289	5	1/8" x 27 NPTF	360-081-032-001C	2 Poles 10/184	PCS	
2301276	5	1/8" x 27 NPTF	362-081-001-001K	2 Poles 5/90	PCS	
2301288	5	M10 x 1	360-081-029-001C	1 Pole	PCS	
2301294	5	M10 x 1	360-081-030-002C	1 Pole+Alarm	PCS	
2301287	5	M10 x 1	360-081-032-002C	2 Poles	PCS	
2301297	10	1/8" x 27 NPTF	360-081-029-012C	1 Pole	PCS	
2301293	10	1/8" x 27 NPTF	360-081-030-015C	1 Pole+Alarm	PCS	
2301286	10	1/8" x 27 NPTF	360-081-032-014C	2 Poles 10/184	PCS	
2301298	10	M10 x 1	360-081-029-010C	1 Pole	PCS	
2301292	10	M10 x 1	360-081-030-009C	1 Pole+Alarm	PCS	
2301296	10	M10 x 1	360-081-032-003C	2 Poles	PCS	



Fuel Level Tubular Sender

Aluminum tubular fuel sender grounded to the tank. 5 Holes VDO flange, with wheelbase holes diameter 54 mm. Universal 12/24V power supply. Compatible with any instrument with impedance 60-90 / 2-5 Ohm.

Code	L mm	Ref VDO	UM	€
2301303	200	224-011-000-200X	PCS	
2301304	250	224-011-000-250X	PCS	
2301306	300	224-011-000-300X	PCS	
2301308	350	224-011-000-350X	PCS	
2301310	400	224-011-000-400X	PCS	
2301315	450	224-011-000-450X	PCS	
2301324	500	224-011-000-500X	PCS	
2301325	550	224-011-000-550X	PCS	
2301328	600	224-011-000-600X	PCS	
2301329	650	224-011-000-650X	PCS	
2301331	700	224-011-000-700X	PCS	
2301332	750	224-011-000-750X	PCS	
2301333	800	224-011-000-800X	PCS	



Universal Level Tubular Senders

Stainless Steel waterproof tubular sensors for the monitoring of any type of liquid levels, from water to fuel. 5 Holes VDO flange, with wheelbase holes diameter 54 mm. Universal 12/24V power supply. Compatible with any instrument with impedance 0-180 Ohm.

Code	L mm	Ref VDO	UM	€
2301407	200	ES-224-011-0200	PCS	
2301411	250	ES-224-011-0250	PCS	
2301413	300	ES-224-011-0300	PCS	
2301416	350	ES-224-011-0350	PCS	
2301417	400	ES-224-011-0400	PCS	
2301418	450	ES-224-011-0450	PCS	
2301419	500	ES-224-011-0500	PCS	
2301420	550	ES-224-011-0550	PCS	
2301421	600	ES-224-011-0600	PCS	
2301423	700	ES-224-011-0700	PCS	
2301425	800	ES-224-011-0800	PCS	
2301427	900	ES-224-011-0900	PCS	
2301428	1000	ES-224-011-1000	PCS	



ECMS Water / Fuel Level Senders

316 Stainless Steel water and fuel level senders. VDO Type 5 holes dia 54 mm flange. 12/24V Power supply. Average impedance 0 - 190 Ohm.

Code	L mm	UM	€
2362430	150	PCS	
2362431	200	PCS	
2362432	250	PCS	
2362433	300	PCS	
2362434	350	PCS	
2362435	400	PCS	
2362436	450	PCS	
2362437	500	PCS	
2362438	600	PCS	
2362439	700	PCS	
2362440	800	PCS	
2362441	900	PCS	
2362442	1000	PCS	



Water / Fuel Level Sic Senders

Vertical water/fuel level senders with VDO type 5 hole flange. 316 Stainless Steel body. Impedance 10 - 180 Ohm (empty-full). Suitable for VDO - YAZAKI - FARIA EUROPE instruments.

Code	L mm	UM	€
2360756	170	PCS	
2360758	200	PCS	
2360757	250	PCS	
2360759	300	PCS	
2360761	400	PCS	
2360762	450	PCS	
2360763	500	PCS	
2360764	550	PCS	
2360765	600	PCS	
2360766	650	PCS	
2360806	700	PCS	
2360807	750	PCS	
2360808	800	PCS	



Water Level Sender

Water level sender. The waste water model is complete with alarm contact. For 4 - 20 mA water level instruments.


Code	Water	mm	Ref VDO	UM	€
2322236	Fresh	80<>600	N02-240-402	PCS	
2322238	Fresh	600<>1200	N02-240-404	PCS	
2322240	Waste	200<>600	N02-240-902	PCS	



VDO 240/33 Fuel Level Sender

12/24V VDO fuel lever sender endowed with fixing flange. For 150 to 600 mm depth tanks.

Code	Impedance Ohm	Ref VDO	UM	€
2301340	240-33,6	A2C1364580001	PCS	



VDO 3/180 Fuel Level Sender

12/24V VDO fuel lever sender endowed with fixing flange. For 150 to 600 mm depth tanks.


Code	Impedance Ohm	Ref VDO	UM	€
2301302	3-180	226-801-015-001G	PCS	
2301342	2-90	N02-240-106	PCS	



Uflex Fuel Level Sensor

Uflex fuel lever sender for 200-600 mm tanks.

Code	Impedance Ohm	UM	€
2360608	10-180	PCS	



GAUGES/COMPASSES BINOCULARS/ANTENNAS ELECTRONICS 6

VDO Rudder Angle Sender

12V/24V power supply rudder's angle sender.

Code	Station	Ref VDO	UM	€
2302901	Single	440-102-001-001D	PCS	
2302902	Dual	440-102-002-001	PCS	



Pitot Speedometer Sensor

Pitot speedometer sensor complete with mounting bracket.

Code	Ref	UM	€
2360515	Pitot Sensor	PCS	
2360516	Pitot Sensor with 6 m Tube	PCS	



I Warning Buzzer

Universal warning buzzer for instruments. For indoor use only.

Code	V	UM	€
2323062	12	PCS	
2323064	24	PCS	



12V 6MM LED CB Pilot Lights

Watertight Chromed Brass 12V LED pilot lights. Complete with nut, seal and lock washer. Max panel thickness 6 mm.

Code	Colour	UM	€
2105017	YELLOW	PCS	
2105019	RED	PCS	
2105018	GREEN	PCS	



12V 12MM LED CB Pilot Lights

Watertight Chromed Brass 12V LED pilot lights. Complete with nut, seal and lock washer. Max panel thickness 10 mm.

Code	Colour	UM	€
2105006	YELLOW	PCS	
2105009	RED	PCS	
2105013	GREEN	PCS	



ECMS Rudder Angle Sender

Single station 0-190 Ohm Ecms rudder angle sender.

Code	UM	€
2301273	PCS	



Faria Thread Adapter Kit

Faria adapter bushing kit for temperature and pressure senders.

Code	Thread	UM	€
2360619	1/8 NPTF > M12x1	PCS	
2360620	1/8 NPTF > M16x1,5	PCS	



R Warning Buzzer

Universal warning buzzer used for instruments and vehicle warning movement. Universal 12/24 power supply. Outdoor and indoor use.

Code	UM	€
2323066	PCS	



12V 8MM LED CB Pilot Lights

Watertight Chromed Brass 12V LED pilot lights. Complete with nut, seal and lock washer. Max panel thickness 13 mm.

Code	Colour	UM	€
2105005	YELLOW	PCS	
2105008	RED	PCS	
2105012	GREEN	PCS	



12V 19MM LED Stainless Steel Pilot Lights

Watertight Stainless Steel 12V LED pilot lights. Complete with nut and seal. Max panel thickness 21 mm.

Code	Colour	UM	€
2105007	YELLOW	PCS	
2105010	RED	PCS	
2105014	GREEN	PCS	



i40 Speed Pack

Compact and functional Raymarine i40 Speed Pack instrument with LCD display with 28 mm large digits for easy reading, offers full integration with Raymarine navigation equipment. It shows current, maximum and average boat speed, log trip and sea temperature. Complete with P371 Speed/Temp through-hull Plastic transducer.

Code	Dim mm	UM	€
5653041	128 x H72	PCS	



Raymarine



i40 Depth Pack

Compact and functional Raymarine i40 Depth Pack instrument with LCD display with 28 mm large digits for easy reading, offers full integration with Raymarine navigation equipment. It displays depth with various alarm settings for the boat and anchor. Complete with through-hull P7 Plastic transducer.

Code	Dim mm	UM	€
5653042	128 x H72	PCS	



Raymarine



i40 Bidata Pack

Compact and functional Raymarine i40 Bidata Pack instrument with LCD display with 28 mm large digits for easy reading, offers full integration with Raymarine navigation equipment. It shows speed, depth, log and sea temperature, displaying more data simultaneously. Complete with Speed/Temp P371 and Depth P7 through-hull Plastic transducers.

Code	Dim mm	UM	€
5653043	128 x H72	PCS	



Raymarine



i40 Wind Pack

Compact and functional Raymarine i40 Wind Pack instrument with LCD display with 28 mm large digits for easy reading, offers full integration with Raymarine navigation equipment. It shows apparent and true wind direction, sends data to your autopilot in order to steer your boat to a selected apparent wind angle. Surface or bracket mount. Complete with Wind Rotavecta transducer.

Code	Dim mm	UM	€
5653045	128 x H72	PCS	



Raymarine



i50 Speed Pack

Compact and functional Raymarine i50 Speed Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It shows speed over water or Speed over ground (with GPS), sea water temperature, partial and total miles counter. Complete with extractable Plastic through-hull P120 Speed/Temp transducer. With built-in transducer interface.

Code	Dim mm	UM	€
5665051	110 x H115	PCS	



Raymarine



i50 Depth Pack

Compact and functional Raymarine i50 Depth Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It shows depth trend indicator, min/max depth with anchor and deep water alarms. Complete with Plastic through-hull P19 transducer. With built-in transducer interface.

Code	Dim mm	UM	€
5665052	110 x H115	PCS	



Raymarine



i50 Tridata Pack

Compact and functional Raymarine i50 Tridata Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It combines depth and speed data in an easy-to-read 3-line display, partial and total miles counter, sea water temperature and SOG. Complete with through-hull Plastic P120 extractable Speed/Temp and P19 Depth transducers. With built-in transducer interface.

Code	Dim mm	UM	€
5665053	110 x H115	PCS	



Raymarine



i60 Wind Pack

Compact and functional Raymarine i60 Wind Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It displays analogue and digital data, calculates apparent (relative) and true wind speed/angle (with SeaTalk speed through water data). Complete with Wind transducer with 30 meters cable and a built-in transducer interface.

Code	Dim mm	UM	€
5665055	110 x H115	PCS	



Raymarine



i60 Close Hauled Wind

Compact and functional Raymarine i60 Close Hauled Wind instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It displays 20° < > 60° wind angle amplifier, the perfect race instrument when a single degree can make the difference. With built-in transducer interface.

Code	Dim mm	UM	€
5665056	110 x H115	PCS	



Raymarine

i70s Multifunction Display

Raymarine i70s multifunction display with wide angle view 4,1" LCD screen and bright colours in any weather condition. Easy to use interface with raised buttons for precise application. Customizable view of many data sources according to boat requirements and characteristics. Capable to display analog and graphic data, works also as AIS repeater. SeaTalk and NMEA2000 connectivity for a complete integration with other devices on board. Complete with screen cover and mount kit.

Code	Dim mm	UM	€
5667001	110 x 115	PCS	



Raymarine

p70s Sailboat Control Unit

Raymarine p70s autopilot control unit with wide angle view 3.5" 320x240 pixel LCD display and bright colours in any weather condition. Easy to use interface with sailboat type raised buttons for precise application. Endowed with wizard to configure the pilot in few minutes. SeaTalk connectivity for a complete integration with other devices on board.

Code	Dim mm	UM	€
5667002	110 x 115	PCS	



Raymarine

p70Rs Motorboat Control Unit

Raymarine p70Rs autopilot control unit with wide angle view 3.5" 320x240 pixel LCD display and bright colours in any weather condition. Easy to use interface with motorboat type raised buttons and knob for precise application. Endowed with wizard to configure the pilot in few minutes. SeaTalk connectivity for a complete integration with other devices on board.

Code	Dim mm	UM	€
5667003	110 x 115	PCS	



Raymarine

Garmin GNX Display

Backlighted LCD display with glass-bonded non-glare technology. Great brightness and low energy consumption. Touchscreen buttons, it can display more than 50 different data views. NMEA2000 compatible, it integrates with all systems on board. Flush or surface mount thanks to the optional brackets. Complete with NMEA2000 cable, connectors kit and screen cover. The optional GNX keyboard allows to control the display from remote.

Code	Ref	Display	Dim mm	Accessories	UM	€
5627122	GNX 120	7"	181 x 115 x 17		PCS	
5627123	GNX 130	10"	249 x 153 x 19		PCS	
5627130				GNX Keyboard	PCS	
5627132				2 Display Mast Bracket	PCS	
5627133				3 Display Mast Bracket	PCS	
5627134				4 Display Mast Bracket	PCS	



Garmin gWind V1

Garmin gWind V1 includes GMI20 display, GND10 converter and the transducers gWind and DST810.

GMI20: low energy consumption 4" colour back-lighted and glass-bonded LED display that allows to keep under control more than 100 configurable data pages. NMEA0183/2000 compatible.

GND10: converter module that grants compatibility between Nexus sensors and Garmin products.

gWind: wind transducer with stable reading double weathercock and anemometer.

DST810: Plastic thru-hull transducer for depth, speed and temperature.

Code	Ref	Spare Parts	UM	€
5627111	gWind V1		PCS	
5628173		DST810 6m Cable Thru-Hull Transducer	PCS	



Garmin gWind V2

Garmin gWind V2 includes GMI20 display, GNX20 display, GND10 converter and the transducers gWind and DST810.

GMI20: low energy consumption 4" colour back-lighted and glass-bonded LED display that allows to keep under control more than 100 configurable data pages. NMEA0183/2000 compatible.

GNX20: low energy consumption 4" back-lighted and glass-bonded LCD display that allows to keep under control more than 50 configurable data pages. NMEA0183/2000 compatible.

GND10: converter module that grants compatibility between Nexus sensors and Garmin products.

gWind: wind transducer with stable reading double weathercock and anemometer.

DST810: Plastic thru-hull transducer for depth, speed and temperature.

Code	Ref	Spare Parts	UM	€
5627112	gWind V2		PCS	
5628173		DST810 6m Cable Thru-Hull Transducer	PCS	



Garmin gWind V3

Garmin gWind V3 includes GNX20 display, GNXWind display, GND10 converter and the transducers gWind and DST810.

GNX20: low energy consumption 4" back-lighted and glass-bonded LCD display that allows to keep under control more than 50 configurable data pages. NMEA0183/2000 compatible.

GNXWind: low energy consumption 4" glass-bonded LCD display that allows to keep under control important sailboats data. NMEA2000 compatible.

GND10: converter module that grants compatibility between Nexus sensors and Garmin products.

gWind: wind transducer with stable reading double weathercock and anemometer.

DST810: Plastic thru-hull transducer for depth, speed and temperature.

Code	Ref	Spare Parts	UM	€
5627113	gWind V3		PCS	
5628173		DST810 6m Cable Thru-Hull Transducer	PCS	





Compact Reactor 40 Hydraulic Garmin Autopilot

Garmin Compact Reactor is the ideal autopilot for small and medium boats with hydraulic steering systems. Endowed with 9 axis AHRS technology to ensure compass accuracy data, less rudder movement, less energy loss and an excellent course hold in any weather conditions.

GHC20: Wireless display which allows to control the autopilot from any position on the boat. Shadow Drive: allows to control manually the rudder or to modify the course to avoid barriers without turning off the autopilot, which can be easily activated again with a button.

Contains: electronic control unit (ECU), CCU reactor 40, pump (for cylinders up to 262cc), power supply and connection cables, NMEA2000 installation kit and alarm device.

Code	Ref	UM	€
5626010	Compact Reactor 40 AP	PCS	
5626011	Compact Reactor 40 AP with GHC20	PCS	
5626012	Compact Reactor 40 AP with GHC20 and Shadow Drive	PCS	



Reactor 40 Hydraulic Garmin Autopilot

Garmin Reactor is the ideal autopilot for boats with hydraulic steering systems. Thanks to Shadow Drive technology it is possible to manually control the rudder at any time in order to avoid obstacle or modify the course without turning off the autopilot. When course is resumed, autopilot can be easily activated with a button. The aerospace technology derivation and 3 axis compass grants an excellent course hold in any weather conditions. It does not require rudder angle sensor, it is endowed with preset Man Over Board and fish courses and with Auto Guidance, where the course is automatically set with Garmin chartplotter. Contains GHC 20 display, shadow drive, electronic control unit (ECU), CCU reactor 40, power supply and connection cables, NMEA2000 installation kit and alarm device.

Code	Ref	Accessories	UM	€
5626000	Reactor 40 AP		PCS	
5626100		Reversible Pump 1.2L / 12V	PCS	
5626101		Reversible Pump (No Verado) 2.0L / 12V	PCS	



Reactor 40 Mechanic/Hydraulic/Solenoid Garmin Autopilot

Automatic Reactor autopilot for sail and motor boats with mechanic, solenoid and hydraulic steering systems designed with aerospace derived technology. The integrated gyrocompass sensor grants perfect boat course control and precision. On sailboats, when autopilot is linked with wind sensor, all manouvers are simplified and allow to follow any course according to wind direction or to simply set any turn.

Contains GHC 20 display, electronic control unit (ECU), CCU reactor 40, power supply and connection cables, NMEA2000 installation kit and alarm device.

Code	Ref	Accessories	UM	€
5626001	Reactor 40 AP		PCS	
5626102		GRF10 Rudder Angle Transducer with 2m Cable	PCS	
5626103		5m GRF10 Cable Extension	PCS	
5626104		Rudder Angle Transducer Cable	PCS	
5626105		Tiller Power Cable	PCS	
5626106		12V Inline Mechanical Actuator up to 13t	PCS	
5626108		12/24V Hydraulic Actuator up to 22t	PCS	
5626109		12/24V Hydraulic Actuator up to 36t	PCS	



ST1000+ Autopilot

Removable Raymarine ST1000 cockpit autopilots for tiller steered yachts. The AutoTack automatically turns the boat and allows you to keep your hands free and to steer the sheets, while the AutoSeastate intelligently keeps the boat on its course with less energy consumption. It can be used as a stand-alone pilot or with a SeaTalk/NMEA GPS.

Recommended Maximum Displacement: 3000 kg (6600 lbs).

Always consider the fully laden displacement weight of your vessel (often 20% more than the designed displacement).

Code	Ref	Accessories	UM	€
5660010	ST1000+ AP		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine

ST2000+ Autopilot

Removable Raymarine ST2000 cockpit autopilots for tiller steered yachts. The AutoTack automatically turns the boat and allows you to keep your hands free and to steer the sheets, while the AutoSeastate intelligently keeps the boat on its course with less energy consumption. Can be used as a stand-alone pilot or with a SeaTalk/NMEA GPS.

Recommended Maximum Displacement: 4500 kg (10000 lbs).

Always consider the fully laden displacement weight of your vessel (often 20% more than the designed displacement).

Code	Ref	Accessories	UM	€
5660020	ST2000+ AP		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine

Raymarine EV-100 Tiller Package Autopilot

Raymarine Evolution EV-100 Pack autopilot for tiller steering systems of small sailboats with maximum displacement of up to 6000 Kg. Includes ACU-100 course computer, p70s control unit and tiller actuator. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching.

Code	Ref	Accessories	UM	€
5660051	EV-100 Tiller		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine

Raymarine EV-200 Linear Package Autopilot

Raymarine Evolution EV-200 Pack autopilot for mechanical steering systems of sailboats with maximum displacement up to 11000 Kg. Includes ACU-200 course computer, p70s control unit and linear type 1 actuator. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching.

Code	Ref	Accessories	UM	€
5660052	EV-200 Linear		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine

Raymarine EV-100 Wheel Package Autopilot

Raymarine Evolution EV-100 Pack wheel autopilot for small sailboats with maximum displacement of up to 7500 Kg. Includes ACU-100 course computer, p70s control unit and wheel actuator. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching.

Code	Ref	Accessories	UM	€
5660055	EV-100 Wheel		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine



Raymarine EV-100 Hydraulic Package Autopilot

Raymarine Evolution EV-100 Pack hydraulic autopilot for small motorboats. Includes ACU-100 course computer, p70Rs control unit and 0.5 type hydraulic pump supporting 50 - 110 cc. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching.

Code	Ref	Accessories	UM	€
5660045	EV-100 Hydraulic		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine



Raymarine EV-150 Hydraulic Package Autopilot

Raymarine Evolution EV-150 Pack hydraulic autopilot for small motorboats. Includes ACU-150 course computer, p70Rs control unit and type 1 hydraulic pump supporting 80 - 230 cc. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching.

Code	Ref	Accessories	UM	€
5660048	EV-150 Hydraulic		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine



Raymarine EV-200 Hydraulic Package Autopilot

Raymarine Evolution EV-200 Pack hydraulic autopilot for motorboats. Includes ACU-200 course computer, p70Rs control unit and type 1 hydraulic pump supporting 80 - 230 cc. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching.

Code	Ref	Accessories	UM	€
5660046	EV-200 Hydraulic		PCS	
5660001		S100 Wireless Remote Control	PCS	



Raymarine



Garmin Striker Cast Fishfinder

Garmin Striker Cast portable launch fishfinder, is used as a floating buoy with integrated fishfinder. It connects wirelessly to smartphones or tablets, turning them into real displays designed for fishing. Frequency 260/455 kHz, maximum depth 45 m, action range up to 60 m. Version with integrated GPS is also endowed with Quickdraw Contours function which allows to plot real-time bathymetrics and share them online. Complete with 10-hour internal rechargeable battery, carrying bag and USB cable. Dimensions 76 x 76 x 58 mm.

Code	Ref	UM	€
5600720	Striker Cast	PCS	
5600722	Striker Cast GPS	PCS	



Garmin Portable Kit

Soft portable bag kit with rigid frame for all Garmin Striker fishfinders. Suitable for small boats, kayaks, canoes or for pier fishing. Includes a sealed AGM rechargeable battery with smart charger, built-in transducer cable management and storage, suction cup transducer mount and float for the cable.

Code	UM	€
5600750	PCS	



Garmin Striker Plus 4 Fishfinder

Garmin Striker Plus 4 fishfinder with integrated GPS system. Endowed with standard and CHIRP technology. Power 200W. 3.5" / 480x320 pixel screen. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer

Code	Ref	Accessories and Spare Parts	UM	€
5620730	Striker Plus 4		PCS	
5628164		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628104		STD 77/200 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	



Garmin Striker Vivid 4CV Fishfinder

Garmin Striker Vivid 4CV fishfinder with integrated GPS receiver. Endowed with standard, CHIRP and ClearVu technology. Power 300W. New bright 4.3" / 480x272 pixel display with wide colour range to identify even the smallest targets. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer

Code	Ref	Accessories and Spare Parts	UM	€
5620732	Striker Vivid 4CV		PCS	
5628164		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628138		GT20-TM STD 77/200 CHIRP CV 455/800 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	



Garmin Striker Vivid 5CV Fishfinder

Garmin Striker Vivid 5CV fishfinder with integrated GPS receiver. Endowed with standard, CHIRP and ClearVu technology. Power 500W. New bright 5" / 800x400 pixel display with wide colour range to identify even the smallest targets. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer

Code	Ref	Accessories and Spare Parts	UM	€
5620734	Striker Vivid 5CV		PCS	
5628160		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628138		GT20-TM STD 77/200 CHIRP CV 455/800 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	



Garmin Striker Vivid 7CV Fishfinder

Garmin Striker Vivid 7CV fishfinder with integrated Wi-Fi and GPS system. Endowed with standard, CHIRP and ClearVu technology. Power 500W. New bright 7"/800x400 pixel display with wide colour range to identify even the smallest targets. The fishfinder and all aboard Garmin Marine instruments can be easily managed with the smartphone, thanks to the new ActiveCaptain free App. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer

Code	Ref	Accessories and Spare Parts	UM	€
5620736	Striker Vivid 7CV		PCS	
5628168		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628111		GT23M-TH CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Thru-Hull TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628138		GT20-TM STD 77/200 CHIRP CV 455/800 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	



Garmin Striker Vivid 7SV Fishfinder

Garmin Striker Vivid 7SV fishfinder with integrated Wi-Fi and GPS system. Endowed with standard, CHIRP, ClearVu and SideVu technology. Power 500W. New bright 7"/800x400 pixel display with wide colour range to identify even the smallest targets. The fishfinder and all aboard Garmin Marine instruments can be easily managed with the smartphone, thanks to the new ActiveCaptain free App. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit, power/data cable and Y cable for 12 pin transducer to 2 displays with 4 pin codes.

TD = Transducer

Code	Ref	Accessories and Spare Parts	UM	€
5620738	Striker Vivid 7SV		PCS	
5628168		Screen Cover	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628100		GT50M-TH CHIRP 80/160 CHIRP CV/SV 455/800 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628170		GT51M-TH CHIRP 80/160 CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628110		GT52HW-TM CHIRP 150/240 CHIRP CV/SV 455/800 kHz 12 Pin 6m Cable Stern TD (Replacement)	PCS	



Garmin Striker Vivid 9SV Fishfinder

Garmin Striker Vivid 9SV fishfinder with integrated Wi-Fi and GPS system. Endowed with standard, CHIRP, ClearVu and SideVu technology. Power 500W. New bright 9"/800x400 pixel display with wide colour range to identify even the smallest targets. The fishfinder and all aboard Garmin Marine instruments can be easily managed with the smartphone, thanks to the new ActiveCaptain free App. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit, power/data cable and Y cable for 12 pin transducer to 2 displays with 4 pin codes.

TD = Transducer

Code	Ref	Accessories and Spare Parts	UM	€
5620740	Striker Vivid 9SV		PCS	
5628178		Screen Cover	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628100		GT50M-TH CHIRP 80/160 CHIRP CV/SV 455/800 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628170		GT51M-TH CHIRP 80/160 CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628110		GT52HW-TM CHIRP 150/240 CHIRP CV/SV 455/800 kHz 12 Pin 6m Cable Stern TD (Replacement)	PCS	



Transom Transducer Bracket

Stainless Steel telescopic transducer extensions. Allows to lift, lower or to slip off all kinds of transducers for fishfinders.

Code	L mm	UM	€
5645020	20<->35	PCS	
5645030	30<->55	PCS	
5645040	40<->65	PCS	



Garmin echoMAP Plus CHIRP 42CV

Garmin echoMAP Plus 42CV chartplotter/fishfinder with integrated GPS receiver and HD-ID module with CHIRP and ClearVu technology. Power 500W. 4.3"/272x480 pixel screen. Compatible with NMEA0183, BlueChart G3-G3 Vision cartography and Quickdraw Contours which allows to plot personalized bathymetrics and share them online.

Complete with quick release rotating tilt bracket and power/data cable.

The model without transducer is complete with 8 pin from transducer to 4 pin to fishfinder adapter cable.



TD = Transducer

Code	Ref	TD	Accessories and Spare Parts	UM	€
5627810	echoMAP Plus 42CV	Yes		PCS	
5627811	echoMAP Plus 42CV	No		PCS	
5628161			Screen Cover	PCS	
5628114			50/200kHz 40°/10° 500W 8 Pin 9m Cable Stern/Temp TD	PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628115			GT22HW-TM CHIRP CV 455/800kHz 24°/16° 500W 8 Pin 6m Cable Stern TD	PCS	
5628113			GT23M-TM CHIRP CV 260/455kHz 40°/10° 500W 8 Pin 9m Cable Stern TD	PCS	
5628163			Power/Data Cable (Replacement)	PCS	
5628138			GT20-TM STD 77/200 CHIRP CV 455/800 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP UHD 62CV

Garmin echoMAP UHD 62CV chartplotter/fishfinder with 6"/800x480 pixel touchscreen display, integrated keypad and inner GPS receiver. 500W integrated CHIRP, ClearVu and UHD module. Compatible with all traditional, All-in-One and UHD transducers. BlueChart G3 and G3 Vision cartography compatible, with integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.

Complete with adjustable bracket, screen cover, power/data cable and NMEA2000 4 to 5 pin adapter cable.



TD = Transducer

Code	Ref	TD	Accessories and Spare Parts	UM	€
5627812	echoMAP Plus 62CV	Yes		PCS	
5627813	echoMAP Plus 62CV	No		PCS	
5628114			50/200kHz 40°/10° 500W 8 Pin 9m Cable Stern/Temp TD	PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628115			GT22HW-TM CHIRP CV 455/800kHz 24°/16° 500W 8 Pin 6m Cable Stern TD	PCS	
5628113			GT23M-TM CHIRP CV 260/455kHz 40°/10° 500W 8 Pin 9m Cable Stern TD	PCS	
5628185			Screen Cover (Replacement)	PCS	
5628163			Power/Data Cable (Replacement)	PCS	
5628123			GT24UHD-TM CHIRP 150/240 UHD CV 760/880 kHz 24°/16° 350W 8 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP UHD 72CV

Garmin echoMAP UHD 72CV chartplotter/fishfinder with 7"/800x480 pixel touchscreen display, integrated keypad and inner GPS receiver. 500W integrated CHIRP, ClearVu and UHD module. Compatible with all traditional, All-in-One and UHD transducers. BlueChart G3 and G3 Vision cartography, integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.

Complete with adjustable bracket, screen cover and power/data cable.



TD = Transducer

Code	Ref	TD	Accessories and Spare Parts	UM	€
5627814	echoMAP Plus 72CV	Yes		PCS	
5627815	echoMAP Plus 72CV	No		PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628115			GT22HW-TM CHIRP CV 455/800kHz 24°/16° 500W 8 Pin 6m Cable Stern TD	PCS	
5628113			GT23M-TM CHIRP CV 260/455kHz 40°/10° 500W 8 Pin 9m Cable Stern TD	PCS	
5628111			GT23M-TM CHIRP CV 260/455kHz 40°/10° 500W 8 Pin 9m Cable Thru-Hull TD	PCS	
5628186			Screen Cover (Replacement)	PCS	
5628179			Power/Data Cable (Replacement)	PCS	
5628123			GT24UHD-TM CHIRP 150/240 UHD CV 760/880 kHz 24°/16° 350W 8 Pin 6m Cable Stern TD (Replacement)	PCS	



Garmin echoMAP UHD 72SV

Garmin echoMAP UHD 72SV chartplotter/fishfinder with 7"/800x480 pixel touchscreen display, integrated keypad and inner GPS receiver. 500W integrated CHIRP, ClearVu, SideVu and UHD module. Compatible with all traditional, All-in-One, Panoptix and UHD transducers. BlueChart G3 and G3 Vision cartography, integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours. Complete with adjustable bracket, screen cover and power/data cable. The model without transducer is supplied with adapter cable from 8-pin transducer to 12-pin eco.



TD = Transducer

Code	Ref	TD	Accessories and Spare Parts	UM
5627826	echoMAP UHD 72SV	Yes		PCS
5627817	echoMAP UHD 72SV	No		PCS
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS
5628121			GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS
5628170			GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS
5628110			GT52HW-TM CHIRP 150-240 CHIRP CV/SV 455/800 kHz 12 pin 6m cable Stern TD	PCS
5628100			GT50M-TH CHIRP CV/SV 455/800kHz 26°/15° 500W 12 Pin 9m Cable Thru-Hull TD	PCS
5628125			GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	PR
5628186			Screen Cover (Replacement)	PCS
5628179			Power/Data Cable (Replacement)	PCS
5628126			GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD (Replacement)	PCS



Garmin echoMAP UHD 92SV

Garmin echoMAP UHD 92SV chartplotter/fishfinder with 9"/800x480 pixel touchscreen display, integrated keypad and inner GPS receiver. 500W integrated CHIRP, ClearVu, SideVu and UHD module. Compatible with all traditional, All-in-One, Panoptix and UHD transducers. BlueChart G3 and G3 Vision cartography, integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours. Complete with adjustable bracket, screen cover and power/data cable. The model without transducer is supplied with adapter cable from 8-pin transducer to 12-pin eco.



TD = Transducer

Code	Ref	TD	Accessories and Spare Parts	UM
5627828	echoMAP UHD 92SV	Yes		PCS
5627819	echoMAP UHD 92SV	No		PCS
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS
5628121			GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS
5628170			GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS
5628110			GT52HW-TM CHIRP CV/SV 455/800kHz 24°/16° 500W 12 Pin 6m Cable Stern TD	PCS
5628100			GT50M-TH CHIRP CV/SV 455/800kHz 26°/15° 500W 12 Pin 9m Cable Thru-Hull TD	PCS
5628125			GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	PR
5628166			Screen Cover (Replacement)	PCS
5628179			Power/Data Cable (Replacement)	PCS
5628126			GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 pin 8m Cable Stern TD (Replacement)	PCS



Garmin echoMAP ULTRA 102/122SV

Garmin echoMAP ULTRA 102SV and 122SV chartplotter/fishfinder with 10" and 12" 1280x800 pixel touchscreen display and integrated GPS receiver. 600kW Power integrated CHIRP, ClearVu, SideVu and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. BlueChart G3 and G3 Vision cartography, with integrated wireless connectivity, NMEA0183/2000, Garmin Marine Network, Fusion-Link and ANT compatible, it can be easily integrated with all other devices. Complete with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours. Complete with adjustable bracket, built-in installation kit, screen cover and power cable.



TD = Transducer

Code	Ref	TD	Accessories and Spare Parts	UM	€
5628045	echoMAP ULTRA 102SV	Yes		PCS	
5628056	echoMAP ULTRA 102SV	No		PCS	
5628047	echoMAP ULTRA 122SV	Yes		PCS	
5628058	echoMAP ULTRA 122SV	No		PCS	
5628118			GT8HW-TM CHIRP 150/240 kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165 kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165 kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121			GT51M-TM CHIRP CV/SV 260/455 kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628100			GT50M-TH CHIRP CV/SV 455/800 kHz 26°/15° 500W 12 Pin 9m Cabel Thru-Hull TD	PCS	
5628170			GT51M-TH CHIRP CV/SV 260/455 kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628125			GT51M-THP CHIRP CV/SV 260/455 kHz 24°/13° 500W 12 Pin 9m Cable Pair Thru-Hull TD	PR	
5628123			GT24UHD-TM CHIRP 150/240 UHD CV 760/880 kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PCS	
5628126			GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD (Replacement)	PCS	



6 GAUGES/COMPASSES BINOCULARS/ANTENNAS ELECTRONICS



Garmin GPSMAP 723xsv

Garmin GPSMAP 723xsv chartplotter/fishfinder with 7"/1024x600 pixel touchscreen display with high backlight and anti-reflective finish. With integrated GPS receiver, 1W integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. BlueChart G3 and G3 Vision cartography compatible. Endowed with 2 microSD slots, USB port, J1939 port, wireless connectivity, NMEA2000, Garmin Marine Network and ANT. It integrates completely with all on-board systems. Equipped with Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours and OneHelm functions. Complete with adjustable bracket, flush mount kit, screen cover and power/data cable. To be completed with transducer.

TD = Transducer



Code	Ref	Accessories and Spare Parts	UM	€
5628026	GPSMAP 723xsv		PCS	
5628118		GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121		GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628100		GT50M-TH CHIRP CV/SV 455/800kHz 26°/15° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628170		GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628125		GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	PR	
5628123		GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PCS	
5628124		GT54UHD-TM UHD CV 760/880 SV 1060/1170kHz 24°/16° 500W 12 Pin 6m Cable Stern TD	PCS	
5628126		GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PCS	
5628174		Screen Cover (Replacement)	PCS	



Garmin GPSMAP 923xsv

Garmin GPSMAP 923xsv chartplotter/fishfinder with IPS glassbonded 9"/1280x720 pixel touchscreen display with high backlight and anti-reflective finish. With integrated GPS receiver, 1W integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. BlueChart G3 and G3 Vision cartography compatible. Endowed with 2 microSD slots, USB port, J1939 port, wireless connectivity, NMEA2000, Garmin Marine Network and ANT. It integrates completely with all on-board systems. Equipped with Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours and OneHelm functions. Complete with adjustable bracket, flush mount kit, screen cover and power/data cable. To be completed with transducer.

TD = Transducer



Code	Ref	Accessories and Spare Parts	UM	€
5628028	GPSMAP 923xsv		PCS	
5628118		GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121		GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628100		GT50M-TH CHIRP CV/SV 455/800kHz 26°/15° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628170		GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628125		GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	PR	
5628123		GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PCS	
5628124		GT54UHD-TM UHD CV 760/880 SV 1060/1170kHz 24°/16° 500W 12 Pin 6m Cable Stern TD	PCS	
5628126		GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PCS	
5628175		Screen Cover (Replacement)	PCS	



Garmin GPSMAP 1223xsv

Garmin GPSMAP 1223xsv chartplotter/fishfinder with IPS glassbonded 12"/1280x800 pixel touchscreen display with high backlight and anti-reflective finish. With integrated GPS receiver, 1W integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. BlueChart G3 and G3 Vision cartography compatible. Endowed with 2 microSD slots, USB port, HDMI port, J1939 port, wireless connectivity, NMEA2000, Garmin Marine Network and ANT. It integrates completely with all on-board systems. Equipped with Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours and OneHelm functions. Complete with adjustable bracket, flush mount kit, screen cover and power/data cable. To be completed with transducer.

TD = Transducer



Code	Ref	Accessories and Spare Parts	UM	€
5628030	GPSMAP 1223xsv		PCS	
5628118		GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121		GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628100		GT50M-TH CHIRP CV/SV 455/800kHz 26°/15° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628170		GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628125		GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	PR	
5628123		GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PCS	
5628124		GT54UHD-TM UHD CV 760/880 SV 1060/1170kHz 24°/16° 500W 12 Pin 6m Cable Stern TD	PCS	
5628126		GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PCS	
5628167		Screen Cover (Replacement)	PCS	



Garmin GPSMAP 8400 Series Chartplotter

Garmin GPSMAP 8400 series multifunction chartplotter with touchscreen display and integrated GPS receiver. BlueChart G3 and G3 Vision cartography compatible with world basemap installed. NMEA0183/2000, Garmin Marine Network, Fusion-Link and ANT compatible, with integrated wireless connectivity, it can be easily integrated with all other devices. Endowed with J1939 port for engine data. Complete with all Garmin functions, such as Auto Guidance, Active Captain and Sail Assist. Complete with adjustable bracket (only 10"/12"), built-in installation kit, screen cover, NMEA2000 cable, power cable and T-connector.



Code	Ref	Display	UM	€
5628085	GPSMAP 8410	10" (1920 x 1200) XGA	PCS	
5628086	GPSMAP 8412	12" (1920 x 1080) FHD	PCS	
5628087	GPSMAP 8416	16" (1920 x 1080) FHD	PCS	



Garmin GPSMAP 8400xsv Series Chartplotter/Fishfinder

Garmin GPSMAP 8400xsv series multifunction chartplotter/fishfinder with touchscreen display and integrated GPS receiver. 1kW power dual channel integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One and Panoptix transducers. BlueChart G3 and G3Vision cartography compatible with world basemap installed. NMEA0183/2000, Garmin Marine Network, Fusion-Link and ANT compatible, with integrated wireless connectivity, it can be easily integrated with all other devices. Endowed with J1939 port for engine data. Complete with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours. Complete with adjustable bracket (only 10"/12"), built-in installation kit, screen cover, NMEA2000 cable, power cable and T-connector. To be completed with transducer. TD = Transducer

Code	Ref	Display	Accessories	UM	€
5628065	GPSMAP 8410xsv	10" (1920 x 1200) XGA		PCS	
5628066	GPSMAP 8412xsv	12" (1920 x 1080) FHD		PCS	
5628067	GPSMAP 8416xsv	16" (1920 x 1080) FHD		PCS	
5628127			GT50M-TM CHIRP 80/160 kHz CHIRP CV/SV 455/800 kHz 12 Pin 9m Cable Stern TD	PCS	
5628100			GT50M-TH CHIRP 80/160 kHz CHIRP CV/SV 455/800 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628121			GT51M-TM CHIRP 80/160 kHz CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Stern TD	PCS	
5628170			GT51M-TH CHIRP 80/160 kHz CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628125			GT51M-THP CHIRP 80/160 kHz CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull Pair TD	PR	
5628124			T54UHD-TM UHD CV 760/880 kHz UHD SV 1060/1170 kHz 12 Pin 6m Cable Stern TD	PCS	
5628126			GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PCS	



Garmin Panoptix

Garmin Panoptix transducer which allows real time 3D view of all elements situated ahead and under the boat with extremely realistic and precise perception.


Panoptix PS30 Down: scans and shows real time 3D images or displays all archived data recorded under the boat, from the bottom to the sea surface. Allows to see moving fish and to control the lure on the hook.

Panoptix PS31 Forward: scans and shows real time 3D images or displays all archived data recorded ahead of the boat, from the bottom to the sea surface. Allows to see moving fish and any type of obstacle.

Panoptix PS51-TH Forward: easy to install compact version suitable for sailing boats and to identify obstacles and shoals close to the bow. Scans and shows real time 3D images or displays all archived data recorded behind the boat, from the bottom to the sea surface. Allows to see moving fish.

Panoptix is compatible with echoMAP, all UHD, Ultra, GPSMAP series and 8400 series.


Code	Ref	UM	€
5628180	Panoptix PS30 Down	PCS	
5628181	Panoptix PS31 Forward	PCS	
5628182	Panoptix PS51-TH Forward	PCS	



Garmin BlueChart G3 Regular Charts

The Garmin BlueChart G3 HD cartography contains 2D maps at the highest level of detail with clear labels, tide stations, currents, isobaths, IALA symbols and fishing maps with high depth HD bathymetry and Safety Shading function. Complete with Auto Guidance 3.0 technology that offers directions and suggestions to reach the desired destination with the shortest route.

Code	Ref	Coverage	UM	€
5628370	HXEU010R	Mediterranean Spain and France	PCS	
5628372	HXEU012R	West Coast Italy	PCS	
5628373	HXEU013R	South Italy and Tunisia	PCS	
5628374	HXEU014R	Adriatic Sea	PCS	
5628375	HXEU015R	Aegean Sea and Sea of Marmara	PCS	
5628376	HXEU016R	Mediterranean Southeast	PCS	




Garmin BlueChart G3 Vision Small Area Charts

The Garmin BlueChart G3 Vision HD card contains high precision mapping, high resolution satellite images, true 3D view of both above and below sea waterline, fishing high depth and HD bathymetry, "Safety Shading" function and aerial photos of all navigation landmarks and points of interest. Complete with Auto Guidance 3.0 technology that offers directions and suggestions to reach the desired destination with the shortest route. With the Mariner's Eye and Fish Eye visuals it is possible to view a 3D perspective to make it easier to maneuver in and out of ports, taking into account the contours of the coast and the seabed.

Code	Ref	Coverage	UM	€
5628340	VEU466S	Golfe Du Lion-San Remo	PCS	
5628341	VEU451S	Ligurian Sea-Corsica & Sardinia	PCS	
5628342	VEU460S	Sicily-Lido di Ostia	PCS	
5628343	VEU452S	Adriatic Sea, North Coast	PCS	
5628344	VEU453S	Adriatic Sea, South Coast	PCS	
5628345	VEU490S	Greece West Coast & Athens	PCS	
5628346	VEU506S	Crete-Cyprus	PCS	
5628347	VEU450S	Athens & Cyclades	PCS	
5628348	VEU454S	Barcelona and Valencia	PCS	
5628349	VEU455S	Alicante - Cabo de Sao Vicente	PCS	






Garmin BlueChart G3 Vision Regular Area Charts

The Garmin BlueChart G3 Vision HD card contains high precision mapping, high resolution satellite images, true 3D view of both above and below sea waterline, fishing high depth and HD bathymetrics, "Safety Shading" function and aerial photos of all navigation landmarks and points of interest. Complete with Auto Guidance 3.0 technology that offers directions and suggestions to reach the desired destination with the shortest route. With the Mariner's Eye and Fish Eye visuals it is possible to view a 3D perspective to make it easier to maneuver in and out of ports, taking into account the contours of the coast and the seabed.

Code	Ref	Coverage	UM	€
5628440	VEU011R	Mediterranean Spain and France	PCS	
5628441	VEU012R	Italy West Coast	PCS	
5628442	VEU013R	Italy South & Tunisia	PCS	
5628443	VEU014R	Adriatic Sea	PCS	
5628444	VEU015R	Aegean Sea & Sea of Marmara	PCS	
5628445	VEU016R	Mediterranean Southeast	PCS	



Garmin BlueChart G3 Vision Large Area Charts

The Garmin BlueChart G3 Vision HD card contains high precision mapping, high resolution satellite images, true 3D view of both above and below sea waterline, fishing high depth and HD bathymetrics, "Safety Shading" function and aerial photos of all navigation landmarks and points of interest. Complete with Auto Guidance 3.0 technology that offers directions and suggestions to reach the desired destination with the shortest route. With the Mariner's Eye and Fish Eye visuals it is possible to view a 3D perspective to make it easier to maneuver in and out of ports, taking into account the contours of the coast and the seabed.

Code	Ref	Coverage	UM	€
5628310	VEU723L	Mediterranean Sea, Black Sea and Iberian Peninsula	PCS	
5628311	VEU722L	West Europe and North/West Atlantic	PCS	




Navionics Gold Small Mediterranean Cartography

Formatted empty Navionics Gold Small card that allows to download from the net one of the selected cartography areas. Covers all Italian coasts and nearer seas with maximum detail, unsurpassed clarity and Seamless™ technology. Paper-like chart detail with user selectable safety contours, wreck database, tides and currents spot soundings, port plans and services.



Code	Format	UM	€
5626124	SD/MicroSD	PCS	




Navionics Gold 43XG Mediterranean Cartography

Navionics Gold 43XG cartography covering all Mediterranean with the maximum detail, unsurpassed clarity and Seamless™ technology. Paper-like chart detail with user selectable safety contours, wreck database, tides and currents spot soundings, port plans and services. Available in cards: CF (Compact Flash) and SD (Secure Digital).



Code	Format	UM	€
5625835	CF	PCS	
5625837	SD/MicroSD	PCS	



Navionics+ SonarChart



Formatted empty Navionics+ card that allows to download one of 7 available cartography areas:

- Europe
- Asia & Africa
- UK & Holland
- Denmark & Greenland
- Caribbean & South Africa
- US & Canada
- Australia & New Zealand

Includes Freshest Data: one year free updates of cartography, notices to skippers, SonarCharts and Community Edits (users data). SonarCharts contains high definition fishing bathymetric maps that can be uploaded to Navionics website in order to download the improved ones thanks to other users. Mobile and Pc app synchronization. No more update charts problem: when Navionics+ is purchased all updates will be downloaded.



Code	Format	Coverage	UM	€
5625836	CF	One of 7 Global Areas to Choose	PCS	
5625838	SD/MicroSD	One of 7 Global Areas to Choose	PCS	



Navionics Platinum+ XL Multi-Dimensional Cartography

Navionics Platinum+ XL Multidimensional electronic cartography which adds to the extended coverage and detailed information of Navionics Gold XL9 Charts the following new characteristics: Three dimensional sea bed and land elevation / Standard Bathymetrics (for high resolution see SonarCharts) / Top-down satellite and aerial images / Panoramic port pictures / Georeferenced Coast Pilot / Detailed port service guide / Coastal road networks and detailed Points of Interest / Dynamic presentation of Tide & Currents / Detailed wreck database. Available in XL3 coverage SD/MicroSD (Secure Digital) format.



Code	Format	Coverage	UM	€
5626070	SD/MicroSD	South Aegean Sea	PCS	
5626071	SD/MicroSD	Adriatic Sea	PCS	
5626072	SD/MicroSD	Central Mediterranean	PCS	
5626073	SD/MicroSD	Tyrrhenian Sea	PCS	
5626074	SD/MicroSD	Mediterranean North West	PCS	
5626075	SD/MicroSD	Mediterranean South West	PCS	
5626078	SD/MicroSD	North Aegean Sea	PCS	






Navionics Platinum+ XL3 Multi-Dimensional Cartography

Navionics Platinum+ Multidimensional electronic cartography which adds to the extended coverage and detailed information of Navionics Gold XL9 Charts the following new characteristics: Three dimensional sea bed and land elevation / Standard Bathymetrics (for high resolution see SonarCharts) / Top-down satellite and aerial images / Panoramic port pictures / Georeferenced Coast Pilot / Detailed port service guide / Coastal road networks and detailed Points of Interest / Dynamic presentation of Tide & Currents / Detailed wreck database. Available in XL3 coverage SD/MicroSD (Secure Digital) format.



Code	Format	Coverage	UM	€
5625930	SD/MicroSD	32P Western Mediterranean	PCS	
5625931	SD/MicroSD	33P Central Mediterranean	PCS	
5625932	SD/MicroSD	34P Eastern Mediterranean	PCS	



Raymarine Axiom+ Wi-Fi Touch Chartplotters

Raymarine

Raymarine Axiom+ multifunction chartplotter with new IPS glass bonded enhanced contrast touchscreen display, perfectly visible from all angles, even in the sunlight. Increased speed thanks to the new quad-core processor with LightHouse 3 interface. Endowed with integrated 10Hz GPS antenna, Wi-Fi, Bluetooth and NMEA2000 connectivity, micro USB port and micro SD slot. Compatible with Lighthouse Charts, Navionics Gold, Platinum and C-MAP cartography. Complete with screen cover, power/data cable and bracket/flush mount kit.

Code	Ref	Display	V	UM	€
5661007	Axiom+ 7	7" (1024 x 600)	12	PCS	
5661009	Axiom+ 9	9" (1280 x 720)	12	PCS	
5661012	Axiom+ 12	12" (1280 x 800)	12	PCS	



Raymarine Axiom+ Wi-Fi Touch Chartplotters / Fishfinders

Raymarine

Raymarine Axiom+ RV multifunction chartplotter/fishfinder with new IPS glass bonded enhanced contrast touchscreen display, perfectly visible from all angles, even in the sunlight. Built-in High-CHIRP wide spectrum technology sonar, DownVision, SideVision and RealVision 3D. Increased speed thanks to the new quad-core processor with LightHouse 3 interface. Endowed with integrated 10Hz GPS antenna, Wi-Fi, Bluetooth and NMEA2000 connectivity, micro USB port and micro SD slot. Compatible with Lighthouse Charts, Navionics Gold, Platinum and C-MAP cartography. Complete with screen cover, power/data cable and bracket/flush mount kit. RV-100 (5661210) transducer is endowed with models complete with transducer.

TD = Transducer

Code	Ref	TD	Display	V	Accessories	UM	€
5661017	Axiom+ 7 RV	Yes	7" (1024 x 600)	12		PCS	
5661019	Axiom+ 9 RV	No	9" (1280 x 720)	12		PCS	
5661020	Axiom+ 9 RV	Yes	9" (1280 x 720)	12		PCS	
5661022	Axiom+ 12 RV	No	12" (1280 x 800)	12		PCS	
5661023	Axiom+ 12 RV	Yes	12" (1280 x 800)	12		PCS	
5661210					8 m Cable RealVision 3D RV-100 Stern TD	PCS	
5661220					8 m Cable RealVision 3D RV-200 Tilt 0° Bronze Thru-Hull TD	PCS	
5661221					2+2+8 m + Y Cable RealVision 3D RV-212P&S Tilt 12° Bronze Thru-Hull Pair TD	PCS	
5661222					2+2+8 m + Y Cable RealVision 3D RV-220P&S Tilt 20° Bronze Thru-Hull Pair TD	PCS	
5661230					8 m Cable RealVision 3D RV-300 Tilt 0° Plastic Thru-Hull TD	PCS	
5661231					2+2+8 m + Y Cable RealVision 3D RV-312P&S Tilt 12° Plastic Thru-Hull Pair TD	PCS	
5661232					2+2+8 m + Y Cable RealVision 3D RV-320P&S Tilt 20° Plastic Thru-Hull Pair TD	PCS	
5661250					TD 7 Pin to Eco 25 Pin Adapter Cable	PCS	
5661251					TD 8 Pin to Eco 25 Pin Adapter Cable	PCS	




Raymarine Axiom Pro-S Wi-Fi Touch Chartplotters / Fishfinders

Raymarine Axiom Pro-S multifunction chartplotter/fishfinder with rugged all-glass Hybridtouch touchscreen display with high contrast super bright LED technology that makes the display visible in the sunlight. Combined use with touchscreen, keys and control knob. Built-in high definition CHIRP 1000W conic sonar. With powerful quad-core processor and LightHouse 3 interface. Integrated 10Hz GPS antenna, Wi-Fi and NMEA0183/2000 connectivity and 2 micro SD slots. Compatible with all Navionics Gold, Platinum and C-MAP charts.

Complete with screen cover, power/data cable and bracket/flush mount kit. To be completed with transducer.

TD = Transducer

Code	Ref	Display	V	Accessories	UM	€
5661049	Axiom 9 Pro-S	9" (1280 x 720)	12/24		PCS	
5661052	Axiom 12 Pro-S	12" (1280 x 800)	12/24		PCS	
5661240				10 m Cable High CHIRP Conical CPT-S Stern TD	PCS	
5661241				10 m Cable High CHIRP Conical CPT-S Tilt 0° Plastic Thru-Hull TD	PCS	
5661242				10 m Cable High CHIRP Conical CPT-S Tilt 12° Plastic Thru-Hull TD	PCS	
5661243				10 m Cable High CHIRP Conical CPT-S Tilt 20° Plastic Thru-Hull TD	PCS	
5661245				10 m Cable High CHIRP Conical CPT-S Tilt 0° Bronze Thru-Hull TD	PCS	
5661246				10 m Cable High CHIRP Conical CPT-S Tilt 12° Bronze Thru-Hull TD	PCS	
5661247				10 m Cable High CHIRP Conical CPT-S Tilt 20° Bronze Thru-Hull TD	PCS	
5661252				TD 8 Pin to Eco 11 Pin Adapter Cable	PCS	




Raymarine Axiom Pro-RVX Wi-Fi Touch Chartplotters / Fishfinders

Raymarine Axiom Pro-RVX multifunction chartplotter/fishfinder with rugged all-glass Hybridtouch touchscreen display with enhanced contrast super bright LED technology that makes the display visible in the sunlight. Combined use with touchscreen, keys and control knob. Built-in CHIRP 1000W wide spectrum RealVision 3D sonar. With powerful quad-core processor and LightHouse 3 interface. With integrated 10Hz GPS antenna, Wi-Fi and NMEA0183/2000 connectivity and 2 micro SD slots. Compatible with all Navionics Gold, Platinum and C-MAP charts.

Complete with screen cover, power/data cable and bracket/flush mount kit. To be completed with transducer.

TD = Transducer


Code	Ref	Display	V	Accessories	UM	€
5661059	Axiom 9 Pro-RVX	9" (1280 x 720)	12/24		PCS	
5661062	Axiom 12 Pro-RVX	12" (1280 x 800)	12/24		PCS	
5661210				8 m Cable RealVision 3D RV-100 Stern TD	PCS	
5661220				8 m Cable RealVision 3D RV-200 Tilt 0° Bronze Thru-Hull TD	PCS	
5661221				2+2+8 m + Y Cable RealVision 3D RV-212P&S Tilt 12° Bronze Thru-Hull Pair TD	PCS	
5661222				2+2+8 m + Y Cable RealVision 3D RV-220P&S Tilt 20° Bronze Thru-Hull Pair TD	PCS	
5661230				8 m Cable RealVision 3D RV-300 Tilt 0° Plastic Thru-Hull TD	PCS	
5661231				2+2+8 m + Y Cable RealVision 3D RV-312P&S Tilt 12° Plastic Thru-Hull Pair TD	PCS	
5661232				2+2+8 m + Y Cable RealVision 3D RV-320P&S Tilt 20° Plastic Thru-Hull Pair TD	PCS	
5661252				TD 8 Pin to Eco 11 Pin Adapter Cable	PCS	



Garmin GMR Fantom Radar Antenna

Innovative radar system with safe and non-harmful pulse compression solid state technology. Better performances - it starts up in a few seconds and offers more detailed data than other traditional radars. Endowed with MotionScope system that measures target speed with extreme precision. Complete with 15 meters power supply/radar cable and mount kit. Universal 12/24V power supply.

Code	Ref	Dim mm	Max Range nm	UM	€
5628250	GMR Fantom 18 Antenna	ø 508 x H248	48	PCS	
5628251	GMR Fantom 24 Antenna	ø 645 x H248	48	PCS	




Garmin GMR HD Radar Antenna

HD Radar system with high definition Radome antenna that allows to display four time more detailed data than other traditional radars can do. Complete with 15 meters power supply/ radar cable and mount kit. Universal 12/24V power supply.

Code	Ref	Dim mm	Max Range nm	Accessories	UM	€
5628150	GMR18 HD+ Antenna	ø 508 x H248	36		PCS	
5628153	GMR18 xHD Antenna	ø 508 x H248	48		PCS	
5628154	GMR24 xHD Antenna	ø 645 x H248	48		PCS	
5628155				Base Bracket H150 mm	PCS	
5628156				Base Bracket H350 mm	PCS	
5628159				Mast Bracket	PCS	




GARMIN



Raymarine Quantum Q24C Radar Antenna

Raymarine safe and non-harmful Chirp wireless low emission radar antenna. With innovative pulse compression solid state technology which reduces weight and power consumption but increases radar performance. It starts up in few seconds and it rejects interference from other devices. Wireless connection with other devices on the boat, complete with 10 meters power supply/data cable. Power consumption 17W in transmit mode, 7W in standby.


Code	Ref	Dim mm	Max Range nm	V	UM	€
5660034	Q24C Antenna	ø 541 x H210	24	12/24	PCS	



Raymarine HD Color Radar Antenna

Compact, light and robust Raymarine HD Color radome antennas. Perfect for sailboats, inflatables and smaller motorboats, provides exceptional performance even in the most challenging weather conditions. With adaptive digital receiver that automatically adjusts to sea conditions for clearer 256 colour picture. Bird feature: automatically optimizes the receiver for detecting sea birds above schools of fish. Dual-range feature: monitor both long and short ranges simultaneously with a single scanner and display. Raymarine SeaTalk compatible, 60W reduced power consumption, to be completed with Raynet cable.

Code	Ref	Dim mm	Power Kw	Max Range nm	V	Accessories	UM	€
5660030	RD418HD Antenna	ø 521 x H247	4	48	12/24		PCS	
5660031	RD424HD Antenna	ø 652 x H247	4	48	12/24		PCS	
5660035						10 m Raynet Cable	PCS	
5660036						15 m Raynet Cable	PCS	
5660037						25 m Raynet Cable	PCS	



Garmin GPS Smartwatch Quatix 5

Garmin Quatix 5 smartwatch with integrated GPS and NMEA2000 wireless that allows to keep under control many boat systems. Anti-scratch glass non-glare 1.2" display and powerful rechargeable battery. Endowed with anchor alarm, fishing timer, sail and regatta functions, MOB button, smartphone link for emails and messages, multisport profiles, HR wrist-based heart rate and much more. Water resistant up to 100 meters.

Code	Ref	UM	€
5627056	Quatix 5	PCS	



Garmin GPS Smartwatch Quatix 6

Garmin Quatix 6 smartwatch with GPS, Bluetooth and wireless connectivity. Integrates perfectly with all on-board systems. Anti-scratch glass non-glare 1.3" display and powerful rechargeable battery. Equipped with barometer, altimeter, compass and all functions for boating, sailing and regattas, smartphone connection for emails and messages, multisport profiles, wrist heart rate, contactless payment system and much more. Water resistant up to 100 meters. The Titanium version has a real Sapphire lens, a Titanium case and a strap in addition to the normal Silicone one. The Solar version has a Titanium case and strap in addition to the normal Silicone one, it is also equipped with solar cells that increase battery life.

Code	Ref	UM	€
5627060	Quatix 6	PCS	
5627062	Quatix 6 Titanium	PCS	
5627064	Quatix 6x Solar	PCS	



Garmin GPS eTrex 10

GPS with monochrome transreflective 2.2" (128 x 160 pixels) display. Easy to read in any lighting conditions. Durable, waterproof, designed to withstand the atmospheric elements such as dust, dirt, humidity or water. It supports GPX files for downloading geocaches and details straight to your unit. With its high-sensitivity, WAAS-enabled GPS receiver and HotFix satellite prediction it locates position quickly and precisely and maintains it even in heavy cloud cover and deep canyons. Complete with USB cable. Dimensions 5,4 x 10,3 x 3 cm. Weight 141,7 g with batteries.

Code	Ref	Accessories	UM	€
5627003	GPS eTrex 10		PCS	
5627052		12/24V Power Supply Cable	PCS	
5627053		Nautic Bracket	PCS	
5627054		Rail Bracket	PCS	



Garmin GPS eTrex 22x/32x

Cartographic GPS with transreflective 2.2" 240x320 pixel colour display. Robust and IP67 waterproof construction. With microSD card slot, 8GB internal memory, and pre-charged TopoActive Europe maps. It can upload additional maps and share waypoints, trails and geocaches wirelessly (eTrex 32x only) with other Garmin GPS devices. With high-sensitivity GPS and GLONASS receiver it locates the position quickly and precisely and maintains it even in heavy cloud cover and deep canyons.

Complete with USB cable. Dimensions 5,4 x 10,3 x 3,3 cm. Weight 142g with 2 batteries AA type (not included).

The eTrex 32x version additionally has wireless connectivity, a barometric altimeter and a 3-axis tilt-compensated compass.

Code	Ref	Accessories	UM	€
5627004	GPS eTrex 22x		PCS	
5627008	GPS eTrex 32x		PCS	
5627052		12/24V Power Supply Cable	PCS	
5627053		Nautic Bracket	PCS	
5627054		Rail Bracket	PCS	



Garmin GPS 73

Handheld, high sensibility, floating and IPx7 waterproof Garmin 73 GPS device with backlighted 2.6" LCD display and receiver. Integrated nautic functions such as SailAssist for sailboats, MOB button, anchor and course alarm and much more. NMEA0183 compatible.

Code	Ref	Accessories	UM	€
5627023	GPS 73		PCS	
5628130		12V Lighter Plug Power Cable	PCS	
5627039		Nautic Bracket	PCS	



Garmin GPSMAP 78

GPS chartplotter with transreflective 2.6" colour LCD display and with preloaded chart. High-sensitivity GPS with quick HotFix satellite prediction link that locates position quickly and precisely and maintains it even in heavy cloud cover and deep canyons. Waterproof, with microSD slot and 1,7 GB of internal memory. BlueChart G2 cartography compatible. Endowed with MOB (Man Over Board) button.

Code	Ref	Accessories	UM	€
5627031	GPSMAP 78		PCS	
5628130		12V Lighter Plug Power Cable	PCS	
5627052		12/24V Power Supply Cable	PCS	



Garmin GPSMAP 78S

GPS chartplotter with transreflective 2.6" LCD colour display and preloaded chart. With high-sensitivity GPS receiver and HotFix satellite prediction, it locates position quickly and precisely and maintains it even in heavy cloud cover and deep canyons. Endowed with three axis compass, barometer and altimeter functions. Waterproof, with microSD slot and 1.7 GB of internal memory. BlueChart G2 chart cartography compatible. Endowed with MOB (Man Over Board) button.

Code	Ref	Accessories	UM	€
5627037	GPSMAP 78S		PCS	
5628130		12V Lighter Plug Power Cable	PCS	
5627052		12/24V Power Supply Cable	PCS	



GPS Garmin GPSMAP 86s

Waterproof floating portable GPS chartplotter with 3" colour display, perfectly legible in any lighting condition. With a preloaded basemap, it supports BlueChart G3 mapping. Equipped with wireless connectivity, it allows you to have a virtual extension of all navigation devices installed on board on the palm of your hand. Equipped with altimeter, accelerometer and compass sensors. Complete with wrist strap and USB cable.

Code	UM	€
5627000	PCS	



GPS Garmin GPSMAP 86i

Waterproof floating portable GPS chartplotter with 3" colour display, perfectly legible in any lighting condition. With a preloaded basemap, it supports BlueChart G3 mapping. Equipped with wireless connectivity, it allows you to have a virtual extension of all navigation devices installed on board on the palm of your hand. Equipped with altimeter, accelerometer and compass sensors. It includes the InReach technology which, through the global Iridium network, guarantees a 24-hour emergency service and two-way messaging to all mobile devices. Complete with wrist strap, USB cable, support bracket with power supply and a cigarette lighter plug.

Code	UM	€
5627002	PCS	



- EPIRB AND MOB SAFETY DEVICES -

OLAS Smartphone MOB Signaller

MOB (Man Over Board) signalling bracelet that allows to assure the crew presence on board and to report an occurrence of man overboard. Simple and effective, it connects to the smartphone via Bluetooth and a free dedicated application that manages up to 8 bracelets. It can be worn on the wrist or fixed at any safety device, such as rafts and lifejackets. Suitable for boats up to 15 meters.

Code	UM	€
5633750	PCS	



EPIRB GME Cat.2 Signal System

EPIRB Cat.2 emergency beacon. It automatically sends position data to search and rescue authorities using the global satellite COSPAS-SARSAT system. It operates on new MEOSAR system offering a precise localization of 45 m. With quick-release mounting bracket, it can be activated manually or using the Sea Switch when submerged in water. Transmission on 406 and 121 Mhz.

Mandatory for pleasure crafts without navigation limits from shore and for fishing boats in case of navigation over 6 miles from shore.

Attention: the device doesn't activate in water unless removed from mounting bracket.

Code	Ref	Dim mm	Switching	UM	€
5633771	MT-603G GPS	260 x 102 x 83	Manual + Sea Switch	PCS	



EPIRB GME Cat.1 Signal System

EPIRB Cat.1 emergency beacon. It automatically sends position data to search and rescue authorities using the global satellite COSPAS-SARSAT system. It operates on new MEOSAR system offering a precise localization of 45 m. Completely automatic, with hydrostatic release system and hard casing. It activates automatically before reaching 4 m water depth, but it can also be activated manually. Transmission on 406 and 121 Mhz.

Mandatory for pleasure crafts without navigation limits from shore and for fishing boats in case of navigation over 6 miles from shore.


Code	Ref	Dim mm	Switching	UM	€
5633773	MT-603FG GPS	385 x 157 x 102	Manual + Automatic	PCS	



VHF Antenna - Stainless Steel - Sail

Stainless Steel VHF antennas for sailboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. With masthead bracket, connector and thru-deck wire seals.


Code	Type	Coax Cable	UM	€
5636310	RA109SLS	No	PCS	
5636318	RA106SLSSB18	18 Meters	PCS	



VHF Antenna - Fiberglass - Sail

Fiberglass VHF antennas for sailboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. With masthead bracket, connector and thru-deck wire seals.

Code	Type	Coax Cable	UM	€
5636311	RA109GRP	No	PCS	
5636328	RA106GRPSB18	18 Meters	PCS	



VHF Emergency Antenna - RA111

Regatta or emergency VHF RA111 antenna with 18 m coax cable. Height: 14 cm. Complete with mounting bracket.

Code	UM	€
5636211	PCS	



RA179 Wind Indicator

RA179 wind indicator suitable for RA 109 SLS and RA 109 GRP VHF antennas.

Code	L mm	UM	€
5636309	380	PCS	



VHF Antenna - RA106 - RIB

Fiberglass or Stainless Steel VHF RA106 unscrewable and stowable antennas for inflatable boats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. Complete with 4.5 m coaxial cable, connector, cable feed-thru and RA135. base.



Code	Ref	UM	€
5636219	Fiberglass Antenna	PCS	
5636220	S/Steel Antenna	PCS	



VHF Antenna - RA106GRPPB6-135 - Motor

Fiberglass VHF RA106GRPPB6-135 antenna for motorboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. Complete with 4.5 m coaxial cable, connector, cable feed-thru and RA135. base.



Code	UM	€
5636209	PCS	



VHF Antenna - RA104 - Compact

Fiberglass VHF RA104 compact antennas for prestige motorboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 1 m. Complete with 4.5 m coaxial cable, connector and Nylon or Stainless Steel base.



Code	Ref	UM	€
5636200	Nylon Base Antenna	PCS	
5636201	S/Steel Base Antenna	PCS	



VHF Antenna RA400

Fiberglass VHF RA400 antennas for any type of boat. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 1.5 m. Complete with Nylon ferrule and 4,5 meters coax cable.



Code	Ref	Colour	UM	€
5636214	RA400	WHITE	PCS	
5636213	RA400BK	BLACK	PCS	



VHF Antenna - RA112 - Motor

Fiberglass VHF RA 112 antenna for motorboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 1.5 m. Complete with 4.5 m coaxial cable and connector.



Code	UM	€
5636215	PCS	




Splitter RA201

Thanks to this splitter you can only use one VHF antenna to simultaneously receive the AM/FM and AIS radio signals; furthermore, the VHF transceiver can also be used. It is a compact component which is easy to install in any place. It requires only a 12V power supply. It is provided with a coaxial input for the antenna and three outputs for VHF, AM/FM radio and AIS. This means a simpler and less expensive system. Impedance: 50 Ohm. VHF maximum power: 100W. Power supply: 12V. Current draw: 25mA.




Code	UM	€
5636481	PCS	



VHF Antenna - RA1206 - Motor

Fiberglass VHF RA1206 antenna for motorboats. 100W / 6db / 156/162 MHz / 50 Ohm. Height: 2.4 m. Complete with 4.5 m coaxial cable and connector.


Code	UM	€
5636227	PCS	



VHF Antenna - RA1225HP - Motor

High-Performance Fiberglass VHF RA1225 antenna for motorboats. Stainless Steel bushing with integrated cable feed-thru, Brass and Copper elements. 100W / 6db / 156/162 MHz / 50 Ohm. Height: 2.4 m. Complete with 7,62 m coaxial cable, cable feed-thru and connector.

Code	UM	€
5636228	PCS	



VHF Antenna - RA121 - Compact Dome

Compact VHF RA121 antenna supplied with all accessories required for installation. Same shape and dimensions as the VT300 AVIOR TV antenna for a more balanced look. Diameter: 10 cm - Height: 21 cm.

Code	UM	€
5637055	PCS	



VHF Antenna - RA124 - Compact Dome

Compact VHF RA124 TV antenna supplied with all accessories required for installation. Same shape and dimension as the V9126 ALTAIR TV antenna for a more balanced look. Diameter: 25 cm - Height: 30 cm.

Code	UM	€
5637057	PCS	



GSM/4G/LTE Antenna PRA480A

Fiberglass PRA480A GSM/4G/LTE antenna for mobile phones and smartphones use also in open sea. 3db / 50 Ohm / Multi-band 806-900/840-940/1800-1710/1900-1990/1920-2170/2600 MHz. Height: 44 cm.



Code	UM	€
5636440	PCS	




CB Antenna RA127

Fiberglass RA127 CB antenna. 50 W / 27 MHz citizen band. Height: 1.50 m. Complete with cable and connector.



Code	UM	€
5636415	PCS	



AM-FM Antenna RA1281

Fiberglass AM-FM RA1281 antenna. 100 W / AM 550-1600/FM 88-108 Mhz. Height: 30 cm. Complete with 3 m coaxial cable.



Code	UM	€
5636403	PCS	




AM-FM Antenna RA128

Fiberglass AM-FM RA128 antenna which allows to listen to AM-FM radio stations even when offshore. 100W / AM 550-1600/FM 88-108 Mhz. Height: 1.5 m. Complete with 6 m coaxial cable.



Code	UM	€
5636421	PCS	




AM-FM Antenna RA1288

Fiberglass AM-FM RA1288 antenna which allows to listen to AM-FM radio stations even offshore. 100W / AM 550-1600/FM 88-108 Mhz. Height: 2.4 m. Complete with 6 m coaxial cable.



Code	UM	€
5636424	PCS	



GAUGES/COMPASSES BINOCULARS/ANTENNAS ELECTRONICS


6



VHF Antenna - RA106 SLS/GRP FME

UV Resistant flexible Fiberglass or Stainless Steel VHF RA106 FME antenna for any type of boat. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. With the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.


Code	Ref	Accessories	UM	€
5636242	Fiberglass GRP		PCS	
5636243	S/Steel SLS		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5637028		FME > PL258 Connector	PCS	



Antenna FM RA300FM

UV Resistant flexible Fiberglass FM RA300FM antenna for any type of boat. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 100W / FM 88/108 MHz / 93 Ohm. Height: 1.2 m. With the extension or the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.


Code	Ref	Accessories	UM	€
5636240	RA300FM		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5636241	RA303 1,2 m	5/8" x 24 > 1" x 14 Extension	PCS	
5637028		FME > PL258 Connector	PCS	



DAB Antenna - RA300DAB

UV Resistant flexible Fiberglass DAB (Digital Audio Broadcasting) RA300DAB antenna for any type of boat. Allows to receive digital radio DAB signal with a better quality also during navigation. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 174-240 MHz / 50 Ohm. Height: 1.2 m. With the extension or the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.


Code	Ref	Accessories	UM	€
5636430	RA300DAB		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5636241	RA303 1,2 m	5/8" x 24 > 1" x 14 Extension	PCS	
5637028		FME > PL258 Connector	PCS	



AIS Antenna - RA300AIS

UV Resistant flexible Fiberglass AIS (Automatic Identification System) RA300AIS antenna for any type of boat. Allows to receive AIS signal and relative informations about the traffic in the surrounding area. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 100W / 6db / 161.975-162.025 MHz / 50 Ohm. Height: 1.2 m. With the extension or the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.

Code	Ref	Accessories	UM	€
5636230	RA300AIS		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5636241	RA303 1,2 m	5/8" x 24 > 1" x 14 Extension	PCS	
5637028		FME > PL258 Connector	PCS	



FME Pre-Installed VHF Coaxial Cables

Ready to install VHF RG8X coaxial cable with two pre-installed FME connectors on both ends. 6 mm 50 Ohm Twin Screen + Low Loss cable with dual screen protection and low signal loss.

Code	L m	Accessories	UM	€
5637148	3		PCK	
5637150	6		PCK	
5637152	12		PCK	
5637154	18		PCK	
5637156	25		PCK	
5637029		FME > PL259 Connector	PCS	
5637030		FME <-> FME Double Connector	PCS	

**FME Pre-Installed FM Coaxial Cables**

Ready to install FM RG62 coaxial cable with pre-installed FME connector and Motorola plug on the other side. 6 mm 50 Ohm Twin Screen + Low Loss cable with dual screen protection and low signal loss.

Code	L m	UM	€
5637170	6	PCK	
5637172	18	PCK	

**RA135FME Adjustable Knob Base**

Double junction RA135FME base. Made of UV resistant reinforced Nylon and adjustable with knob. With waterproof cable feed-thru 5/8" x 24 thread for FME Glomeasy antennas.

Code	UM	€
5636514	PCS	

**- ANTENNAS BASES AND ACCESSORIES -****Reinforced Nylon Adjustable Knob Base**

Reinforced Nylon adjustable knob base.

Code	Holes Wheelbase mm	UM	€
5636500	47 x 75	PCS	

**Reinforced Nylon RA135 Adjustable Base**

Double junction RA135 base. Made of UV resistant reinforced Nylon and adjustable with knob. With waterproof cable feed-thru and side slot. 1" x 14 standard thread.

Code	UM	€
5636512	PCS	

**Stainless Steel RA107SSFME Adjustable Base**

RA107SSFME double junction adjustable base. Made of electropolished Stainless Steel. With waterproof cable feed-thru and side slot. 1" x 14 Standard thread.

Code	UM	€
5636516	PCS	



Reinforced Nylon Adjustable Lever Base

Reinforced Nylon adjustable lever base.

Code	Ref	Colour	UM	€
5636510	RA115	WHITE	PCS	
5636508	RA115BK	BLACK	PCS	

**Stainless Steel Adjustable Base**

Stainless Steel adjustable lever base.

Code	UM	€
5636503	PCS	

**Nylon Clamp Mount Base**

Nylon clamp-on lever base.

Code	for Rail ø mm	UM	€
5636600	25	PCS	

**Glomex Reinforced Nylon Clamp Mount Base**

Reinforced Nylon Glomex clamp-on lever base with cable side slot.

Code	for Rail ø mm	UM	€
5636610	22/25	PCS	

**Nylon Clamp Mount 22/25/30 mm Base**

Clamp-on reinforced Nylon GPS antenna base. To be mounted only on horizontal 22(7/8")-25(1")-30 mm rails. Supplied with cable side slot and clamps for all 3 rail diameters.

Code	for Rail ø mm	UM	€
5636704	22/25/30	PCS	

**Chromed Brass Clamp Mount Base**

Chromed Brass clamp-on lever base.

Code	for Rail ø mm	UM	€
5636602	18/20/22/25/30	PCS	

**Stainless Steel Clamp Mount Base**

Stainless Steel clamp-on lever base.


Code	for Rail ø mm	UM	€
5636603	22/25	PCS	



Stainless Steel Uni 25<->80 mm Clamp Mount Base

Stainless Steel clamp-on base. For horizontal or vertical from dia 25 to 80 mm tubes mount.

Code	for Rail ϕ mm	UM	€
5636707	25<->80	PCS	

**Stainless Steel L Masthead Base**

Stainless Steel masthead type L base.

Code	H mm	UM	€
5636706	200	PCS	

**Stainless Steel Fix Base**

Stainless Steel GPS antennas fix mount base with standard 1" x 14 thread. It can be completed with the 5636735 and 5636736 extensions.

Code	Base ϕ mm	H mm	UM	€
5636733	77	107	PCS	

**V91750T/V9177 Fixed Mount Bases**

Fixed mount bases which can be used with RA129 extensions. 1" x 14 Standard thread.

Code	Ref	Dim mm	UM	€
5636700	V91750T Reinforced Nylon	ϕ 70 x H40	PCS	
5636701	V9177 Polished Stainless Steel	ϕ 70 x H40	PCS	

**Universal Fixed Mount Base**

H Type fixed bases for VHF and GPS antennas. They can also be used as bases for RA129 type extensions.

Code	Ref	Dim mm	UM	€
5636702	Reinforced Nylon	ϕ 70 x H100	PCS	
5636703	S/Steel	ϕ 70 x H100	PCS	

**Stainless Steel Extensions**

Stainless Steel extensions for metal GPS bases.

Code	Tube ϕ mm	Threaded	H cm	UM	€
5636735	27	1"	15	PCS	
5636736	27	1"	30	PCS	

**RA129 Glomex Extensions for GPS Antennas**

Glomex RA129 white lacquered Aluminum extensions for GPS antennas. Allow central and side passage of the GPS cable. Standard 1" x 14 thread on both ends.

Code	H cm	UM	€
5636715	15	PCS	
5636716	30	PCS	



3 Wedges Set for Antenna Base


Set of 3 wedges for rectangular antenna mounts to set the antenna vertically or inclined.

Code	UM	€
5636710	PCS	

**2 Wedges Set for Round Antenna Base**

Set of 2 wedges for round antenna mounts to set the antenna vertically or inclined.

Code	UM	€
5636711	PCS	

**Coax Cable Watertight Thru-Deck Wire Seal**

Watertight Nylon thru-deck wire seal for one or two coaxial VHF cables. Cutout 25 mm.

Code	UM	€
5637112	PCS	

**Thru-Deck Kit with PL259 Gold Connector**

Watertight thru-deck kit with PL259-RA132 Gold connector and PVC protection. For VHF antennas coaxial cables.

Code	UM	€
5637021	PCS	

**VHF Cables Connectors and Protections**

VHF Coaxial cables (50 Ohm) connectors and protections.

Code	Ref	Connection	UM	€
5637024	RA132 Connector	Nickel Plated PL259	PCS	
5637022	RA132 Connector	Gold Plated PL259	PCS	
5637025	RA133 Double Connector	Nickel Plated PL258	PCS	
5637023	RA138 PVC Protection	for RA132 Connectors	PCS	

**VHF Coaxial Cables**

VHF coaxial cable. Supplied in packs.

Twin Screen = Twin screen protection.

Twin Screen + Low Loss = Twin screen protection + Low signal loss.

Code	Glomex Cable	ø mm	Coil m	UM	€
5637117100	RA117 Twin Screen	5	100	PCK	
5637118100	RA152 Twin Screen + Low Loss	5	100	PCK	

**Glomex Ground Plates**

Glomex ground plates made of golden Bronze microspheres that increase about 15% the surface in contact with water and protect on-board electronic devices. The round plate is also used in tanks in order to neutralize static electricity. Complete with screws and spacers.

Code	Ref	Dim mm	Ground Area m2	UM	€
5637200	RA206	ø 55 x H10	1,00	PCS	
5637204	RA204	205 x 64 x H13	2,00	PCS	



VT300 Avior TV + FM Radio Antenna

Omnidirectional TV/RadioFM Glomex antenna for analog/digital TV and radio. The new high-performance amplifier allows to get an increase in the gain and to receive vertically and horizontally polarized TV signals coming from more directions at the same time. The inner amplifier is coupled to the power inserter with 2 independent outputs for TV and radio (V9114PI-FM) and allows the reception of TV and FM frequencies with a single antenna. It can be installed on sailboats or motorboats and it can be matched to the VHF RA121 antenna with same dimensions. Endowed with 10m coax cable.

Code	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637052	21	10	0,25		PCS	
5637012				S/Steel Antenna Base	PCS	
5637013				S/Steel Antenna Bracket Base	PCS	
5636485				AM/FM Radio Cable	PCK	



V9125AGCU/DAB20 Talitha TV AGC + FM Radio Antenna

Omnidirectional Glomex V9125AGCU/DAB20 Talitha antenna for analog/digital TV. Thanks to the 31 mm height shark fin, which allows the receiving of vertical signals, this antenna can receive analog or digital TV signals polarized both horizontally and vertically, thus it is the ideal solution for any type of boat, sailboat or motorboat. Endowed with stylus for receiving the DAB signal and automatic gain control amplifier (AGC) that ensures a perfect signal either at sea and at berth. If matched with a V9147 splitter (2-way, optional), installed between the antenna and the amplifier, it can also receive AM-FM radio frequencies. Frequency 87,5/774 MHz, 174/240 MHz DA - Impedence 75 Ohm - Universal power supply 12/24V.

Code	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637002	15	25	0,4		PCS	
5637012				S/Steel Antenna Base	PCS	
5637013				S/Steel Antenna Bracket Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PCK	



V9112AGCU/DAB20 Nashira TV AGC + AM-FM Radio Antenna

Omnidirectional Glomex V9112AGCU/DAB20 Nashira TV antenna for analog/digital TV signals. Thanks to the 55 mm height shark fin it is able to receive vertical and horizontal polarized TV signals, thus it is the ideal solution for any type of boat, sailboat or motorboat. The reinforced base with the micro-fused Stainless Steel mount ensures the best antenna's stability in all sea conditions. Endowed with stylus for receiving the DAB signal and automatic gain control amplifier (AGC) that ensures a perfect signal either at sea and at berth. With V9147 splitter, installed between the antenna and the amplifier, the antenna can also receive AM-FM radio frequencies. It can be set up to max 2 TV devices. Frequency 87,5/774 MHz, 174/240 MHz DAB - Impedence 75 Ohm - Universal power supply 12/24V. Complete with 20 m coax cable and TV set cord.


Code	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637004	24	37	0,97		PCS	
5637015				S/Steel Antenna Base	PCS	
5637014				S/Steel Antenna Bracket Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PCK	



V9150AGC/DAB20 Adhara TV AGC + AM-FM Radio Antenna

Omnidirectional Glomex V9150AGC Adhara TV antenna for analog/digital TV signals. Ideal for any type of boat. Thanks to the 55 mm height shark fin it is able to receive vertical and horizontal polarized TV signals. Endowed with stylus for receiving the DAB signal and automatic gain control amplifier (AGC) that ensures a perfect signal either at sea and at berth. The reinforced base with the micro-fused Stainless Steel mount ensures the best antenna's stability in all sea conditions. With the optional V9147 splitter, installed between the antenna and the amplifier, the antenna can also receive AM-FM radio frequencies. With 6 TV devices. Frequency 87,5/774 MHz, 174/240 MHz DAB - Impedence 75 Ohm - Universal power supply 12/24V. Complete with 3x20 m coax cables and TV set cord.

Code	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637008	24	37	0,97		PCS	
5637015				S/Steel Antenna Base	PCS	
5637014				S/Steel Antenna Bracket Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PCK	



V9126AGC Altair TV + FM Radio Antenna

This compact Glomex Altair TV antenna provides optimum omni-directional performance with both horizontal and vertical polarised signals, thanks to the extended height of the radome enclosure which allows for the inclusion of a vertical element inside. Equipped with a shielded amplifier with low noise factor and automatic gain control (AGC) which ensures a perfect signal both offshore and in the marina. If matched with a V9147 (2-way, optional) splitter, installed between the antenna and the amplifier, it can also receive AM-FM radio frequencies. Universal 12/24V power supply.

Code	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637051	30	25	0,43		PCS	
5637012				S/Steel Antenna Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PK	



V8100S2 Rhea Satellite TV Antenna

Gyro-stabilized satellite Glomex Rhea antenna for full-HD DVB-S2 TV signals. Exceptional performance thanks to the 470 mm (18") HPD parabolic dish and low energy consumption (12V -1,5A). With new signal search software and innovative STO (Silent Tracking Operation) noise reduction system. Endowed with new electronics that allow the compensation of quality losses due to the increasing of the satellites on the terrestrial orbit whilst transmitting on frequency. The (-9°/+81°) elevation range increases the signals reception even in North Europe. Endowed with 1 TV output. Easy to install, complete with 10 m coax cable, 2 TV set cords and control unit with 3 preloaded satellites (Astra1/Astra2/Hotbird).

Code	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637041	56	50	8		PCS	
5637018				S/Steel Antenna Base	PCS	
5637090				V8100S2 Twin Radome (Empty)	PCS	



V9104N Saturn 4 Satellite TV Antenna

Gyro-stabilized satellite Glomex Saturn 4 antenna for full-HD DVB-S2 4K TV signals. Additional wireless Bluetooth control with free dedicated App, 47 cm parabolic dish and reduced consumption (2.5A-12/24V). Exceptional performance thanks to the new signal search software and the innovative STO (Silent Tracking Operation) noise reduction system. Endowed with new electronics that allow the compensation of quality losses due to the increasing of the satellites on the terrestrial orbit whilst transmitting on frequency. The elevation radius (0°/90°) is able to guarantee the receptive capacity of the signal even at the edges of the coverage area. Complete with multiswitch for installations up to 16 TV outputs. Easy to install, complete with 4x10 meters of coax cables, antenna extension and control unit.

Code	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637044	56	50	13		PCS	
5637018				S/Steel Antenna Base	PCS	
5637091				V9104N Twin Radome (Empty)	PCS	



Webboat 4G Lite Wi-Fi Antenna

Webboat 4G Lite Wi-Fi and GSM/GPRS/EDGE 3G/4G/LTE Glomex 12/24V antenna which allows to get internet and GSM signal up to 15 miles from the coast. Works as an on-board access point and router and also as a cell phone antenna. Endowed with SIM slot for GSM and with Wi-Fi connection providing internet for each web device on-board, including your smartphone, PC, tablet and other devices. Automatic switch from 4G to Wi-Fi to limit GSM fees. Quadband technology with 2 high gain antennas. Free Android and iPhone Apps for easy control. Complete with 1" 1/4 mount base.


Code	Height cm	Diameter cm	Weight Kg	UM	€
5637062	20	14	0,90	PCS	



Amalfi Supergain AM-FM/DAB Antenna

High performance AM-FM/DAB Supergain Amalfi antenna for any type of boats. Ideal for rollbar installation thanks to the integrated support with waterproof gasket. Stainless Steel flexible black stylus. 100 mA-12V / 8db AM-FM / 15db DAB / AM 535-1705/FM 88-108 MHz / DAB 170/240 MHz / 50-75 Ohm. Height 0.49 m. Complete with 0.56 m coaxial cable with motorola plug and 0.28 m coaxial cable with FAKRA connector.

Code	UM	€
5636218	PCS	



Positano Supergain VHF Antenna

VHF Supergain Positano antenna for any type of boat. Very versatile, it can be fixed with a magnetic base on any type of metal surface. Stainless Steel flexible black stylus. 25W / 3db / 134/172 MHz / 50 Ohm. Height: 0.53 m. Complete with 4.5 m coax cable and integrated mount base.

Code	UM	€
5636217	PCS	



Target Supergain VHF Antenna

VHF Supergain Target Steel antenna for any type of boat. 50W / 3db / 156/162 MHz / 50 Ohm. Height: 0.53 m. Complete with 6 m coax cable and integrated mount base.

Code	UM	€
5636205	PCS	



Task Supergain VHF Antenna

VHF Supergain Task Steel antenna for rigid inflatable boats. 50 W / 3 db / 156/162 MHz / 50 Ohm. Height: 0.53 m. Endowed with 8 m coax cable and L mount bracket.

Code	UM	€
5636221	PCS	



Black Swan Supergain VHF Antenna

VHF Supergain Black Swan Stainless Steel antenna with wind indicator for sailboats. 50W / 3db / 156/162 MHz / 50 Ohm. Height: 0.80 m. Complete with 20 m coax cable and masthead bracket mount base.

Code	UM	€
5636320	PCS	



Elba Supergain VHF Antenna

VHF Supergain Elba Fiberglass antenna for sailboats. 50 W / 3 db / 156/162 MHz / 50 Ohm. Height: 0.97 m. Endowed with 20 m coax cable and L bracket mount.

Code	UM	€
5636329	PCS	



Capri Supergain VHF Antenna


Copper Alloy covered with Fiberglass VHF Supergain Capri antenna for workboats.
50W / 3db / 156/162 MHz / 50 Ohm. Height: 1.40 m.
Complete with 6 m coax cable and integrated adjustable mount base.

Code	UM	€
5636216	PCS	


Portofino Supergain VHF Antenna

Copper Alloy covered with Fiberglass VHF Supergain Portofino antenna for workboats.
50W / 6db / 156/162 MHz / 50 Ohm. Height: 2.30 m.
Complete with 6 m coax cable and integrated tilt mount base.

Code	UM	€
5636224	PCS	


Nomade Supergain TV Antenna

Omnidirectional Supergain Nomade TV DVBT/HDTV antenna. Compact dimensions and easy to install thanks to integrated tilt +/-15° mount. Endowed with amplifier, 5 m coax cable and 12V adapter. Frequency: 170/890 MHz - Impedance: 75 Ohm.

Code	Height cm	Diameter cm	Weight Kg	UM	€
5637003	8	24	0,2	PCS	


Ballade Supergain TV Antenna

Omnidirectional Supergain Ballade TV DVBT/HDTV antenna. Small dimensions and easy to install thanks to integrated mount. Endowed with amplifier, 5 m coax cable and 12V adapter. Frequency: 170/890 MHz - Impedance: 75 Ohm.

Code	Height cm	Diameter cm	Weight Kg	UM	€
5637053	16	7	0,11	PCS	



Stainless Steel Base Mount

Stainless Steel base mount for Glomex TV antennas.

Code	Ref	For Antennas	UM	€
5637012	V9124	Avior / Talitha / Altair / Polaris / Webboat	PCS	
5637015	V9172	Nashira / Adhara	PCS	



GLOMEX

Stainless Steel Mast Mount

Stainless Steel mast mount for Glomex TV antennas.

Code	Ref	For Antennas	UM	€
5637013	V9123	Avior / Talitha	PCS	
5637014	V9173TV	Nashira / Adhara / Polaris / Webboat	PCS	



GLOMEX

S/Steel Satellite Antenna Base Mount

Stainless Steel 0-5° adjustable inclination mount base and two rubber gaskets suitable for all Glomex satellite TV antennas.

Code	Ref	Dim mm	UM	€
5637018	V9500	ø 240 x H80	PCS	



GLOMEX

TV Cables Connectors

TV Coaxial cables (75 Ohm) connectors.

Code	Ref	Connection	UM	€
5637026	RA163 Double Connector	F Gold Plated	PCS	
5637027	V9144 Connector	F Gold Plated	PCS	



GLOMEX

- AIS TRANSPONDERS -**Vesper Marine AIS Transponder**

Multifunctional device with integrated AIS B class transponder and GPS. It also operates as NMEA 0183/2000 and USB router. It translates and re-routes all the signals present onboard in order to support any device connected to the network, such as plotter, PC, MAC and USB devices. Furthermore, the data are combined with GPS and AIS information, creating a single data package that solves all the interface issues between the various devices. Model XB-8000 is also equipped with WiFi connectivity that allows the connection of all wireless devices such as smartphones, laptops or tablets. Complete with external antenna with 10 m cable. IPx7 waterproof construction.

Code	Ref	Dim mm	UM	€
5633710	XB-6000	172 x 130 x H60	PCS	
5633712	XB-8000	172 x 130 x H60	PCS	

**Garmin AIS 800**

Garmin AIS 800 class B/SO transceiver with integrated GPS and antenna. It allows to view the AIS data of all the surrounding boats and to send its own information automatically with a power of 5W. With integrated active splitter the same VHF antenna can be used without new installations. Thanks to NMEA0183/2000 connectivity it integrates perfectly with all on-board systems. Complete with 2 m NMEA2000 cable, T-connector, 1.2 m coaxial cable, USB cable and supply cable.

Code	Dim mm	Accessories	UM	€
5633702	175 x 142 x H55		PCS	
5633700		GA38 Outer GPS Antenna 10 m Cable	PCS	



GARMIN

ICOM IC-M87 VHF

IPx7 watertight (30 min in 1 meter depth) compact ICOM IC-M87 VHF with long battery autonomy. Marine VHF and PMR band together in one device. International channels and 22 programmable channels. Dual/TriWatch function. 5W transmitting power. Rechargeable Lithium battery and battery charger. Instant access to emergency channel 16. One-touch TAG scanning easy selection. Key lock function. Complete with power cable, mic, mounting bracket and owner's manual.

Code	Ref	Accessories	UM	€
5633687	ICOM IC-M87		PCS	
5633603		Spare Battery Pack	PCS	


**ICOM IC-M25 VHF**

Slim and lightweight portable ICOM IC-M25 VHF with LCD display. IPx7 Watertight and buoyant with blinking red LED light. With dual/tri watch, auto scan and AquaQuake functions, which removes water from the speaker. Instant access to emergency channel 16, power 5W and 11 hours of autonomy. Charging via USB cable. Complete with USB cable, belt clip, antenna, lace and owner's manual. Dimensions: 57 x 31 x H134 mm.

Code	Ref	UM	€
5633660	ICOM IC-M25	PCS	


ICOM IC-M37E VHF

Slim and lightweight portable ICOM IC-M37E VHF with LCD display. IPx7 Watertight and buoyant with alarm sound and blinking red LED light. With backlit display and keys, noise-reduction microphone, Dual/TriWatch, autoscan and AquaQuake functions, which removes water from the speaker. Emergency channel 16, 6W power and 12 hours of autonomy. Complete with battery pack, battery charger, micro USB cable, belt clip, antenna, strap and owner's manual. Dimensions: 60 x 39 x H140 mm.

Code	Ref	UM	€
5633685	ICOM IC-M37E	PCS	


**COBRA HH150 FLTE VHF**

Floating and submersible VHF Cobra HH150 FLTE IP-X7 waterproof 30 min in 1 meter depth) with high visibility orange core design. Small, shaped and finished for more comfortable handle, with removable antenna. Integrated functions: Dual Watch, Roger Beep, instant access to safety channel, battery charge indicator, keyboard lock, signal intensity bar. Powered by 5 rechargeable NiMH AAA type batteries included. Complete with lighter type 12V charger and belt clip. Max Power 3W - Mid 1W - Min 0,5W. Battery autonomy 9 hours. Dimensions without antenna: 69 x 38 x H117 mm.

Code	Ref	Accessories	UM	€
5633668	HH150		PCS	
5633684		Handheld Mic	PCS	


COBRA HH350 FLT EU VHF

Floating and submersible VHF Cobra HH350 FLT EU with IP-X7 waterproof requirements (30 min in 1 meter depth) with high visibility orange core design. Small, shaped and finished for more comfortable handle, with removable antenna on SMA male connector. Integrated functions: Call Tones, Roger Beep, instant access to saved channel, battery charge indicator, keyboard lock, Burp function, Noise-canceling microphone and signal strength indicator. Locking desktop charger, 12 volt vehicle adapter, AC wall adapter and mounting hardware included. Max Power 6 W - Mid 3 W - Min 1 W. Battery autonomy 16 hours.

Code	Ref	Accessories	UM	€
5633670	HH350		PCS	
5633684		Handheld Mic	PCS	



COBRA HH500 FLT EU BT VHF

Floating and submersible VHF Cobra HH500 FLT EU BT IP-X7 waterproof (30 min in 1 meter depth) with high visibility orange core design. Small, shaped and finished for more comfortable handle, with removable antenna on SMA male connector. Integrated functions: Call Tones, Roger Beep, instant access to saved channel, battery charge indicator, keyboard lock, Burp function, Noise-canceling microphone and signal strength indicator, Cobra Microblue® Bluetooth, Rewind Say Again and VibrAlert®. Locking desktop charger, 12 volt vehicle adapter, AC wall adapter and mounting hardware included. Max Power 6 W - Mid 3 W - Min 1 W. Battery life 16 hours.

Code	Ref	Accessories	UM	€
5633675	HH500		PCS	
5633684		Handheld Mic	PCS	



COBRA HH600 GPS BT EU VHF

Cobra HH600 GPS BT EU VHF with DSC D class functionality, Bluetooth connectivity and integrated 66-channel GPS. IPx8 construction, completely waterproof up to one meter depth, floating, with high visibility orange covering. Compact, finished and shaped with a comfortable grip, a removable antenna on SMA male connector and flashlight with strobe function. Integrated functions: Call Tones, Roger Beep, Burp, Noise Canceling, Signal Bar, Rewind Say Again and VibrAlert. Complete with battery, pack case for batteries, 220/12V rapid battery charger, belt fastening and carrying strap. Max power 6W, 16 hours battery life at 1W. Dimensions without antenna: 72 x 47 x H145 mm.

Code	Ref	Accessories	UM	€
5633676	HH600		PCS	
5633684		Handheld Mic	PCS	



- FIXED MOUNT VHF -

COBRA F57 EU VHF

Fixed mount MR F57 EU Cobra Marine VHF/DSC with microphone, wide display, soft key buttons and channel description. IPx7 Watertight Aluminum casing with cooling wings. With recessed and bracket mounting kit. NMEA0183 Input and output to see DSC signals from other ships on the GPS and to use the VHF as alarm alert from other devices. Automatic Radio Check feature: allows to check battery transmission voltage, RF transmission power and antenna operation. Rewind Say Again feature: allows user to play back 20 seconds of a missed call with the simple touch of a button. Voice amplifier feature: when connected to auxiliary speakers, the VHF can send an audio message to all crew members.

Code	UM	€
5633665	PCS	



VHF COBRA F77 EU

Fixed mount MR F77 EU Cobra Marine VHF/DSC with integrated GPS, microphone, wide display, soft key buttons and channel description. IPx7 Watertight Aluminum casing, recessed and bracket mounting kit. NMEA0183 Input and output to see DSC signals from other ships on the GPS and to use the VHF as alarm alert from other devices. Automatic Radio Check feature: allows to check battery transmission voltage, RF transmission power and antenna operation. Rewind Say Again feature: allows user to play back 20 seconds of a missed call with the simple touch of a button. Voice amplifier feature: when connected to auxiliary speakers, the VHF can send an audio message to all crew members.

Code	UM	€
5633677	PCS	



ICOM IC-M330GE VHF

Compact fixed mount ICOM IC-M330GE 12V class D DSC VHF with microphone and external GPS. With back-lighted buttons LCD display, IPx7 watertight case with Aqua Quake function that allows you to remove any water residues from the speaker. NMEA0183 interface to see DSC signals from other ships and to use the VHF as alarm alert from other devices. With AIS transponder ready connection, GPS antenna 5 m cable, mounting bracket, screws, power supply cable and user's manual. Compliant with EN301025 standards. Dimensions: 157 x 110 x H67 mm.

Code	UM	€
5633626	PCS	



ICOM IC-M423GE VHF

Fixed mount ICOM IC-M423GE class D DSC VHF with microphone and external GPS. With backlit LCD display, IPx7 watertight casing, dual/tri watch feature, active noise canceller (ANC), audio amplifier (PA), 10W fog siren, AIS Target Call function: allows you to set up an individual DSC call without having to input an MMSI number and Aqua Quake function that allows you to remove any water residues in the speaker grill. With NMEA0183 connectivity to see DSC signals from other ships and to use the VHF as alarm alert from other devices. With AIS transponder ready connection. The optional HM-195GB remote microphone can also be used as an intercom and for sending DSC calls via the Distress button. With GPS antenna and 5 m cable, mounting bracket, screws, power supply cable and user's manual. Compliant with EN300388 standards. Dimensions: 180 x 120 x H82 mm.

Code	Colour	Accessories	UM	€
5633658	BLACK		PCS	
5633657	WHITE		PCS	
5633691		6 m Cable BLACK HM-195GB Microphone	PCS	
5633690		6 m Cable WHITE HM-195GB Microphone	PCS	



GARMIN 115i/215i VHF

IPX7 Waterproof and compact DSC Class D Garmin VHF with integrated GPS receiver. Perfectly integrated with other devices thanks to the NMEA2000 connectivity. The 215i AIS type is endowed with integrated AIS (Automatic Identification System) that allows class A and B targets to be monitored on chartplotter. Transmitting power 25W. Complete with power cable, mount bracket, protective cover, flush mount kit and mic hanger. Dimensions: 115i: 170 x 146 x H85 mm
215i AIS: 197 x 149 x H98 mm

Code	Ref	Accessories	UM	€
5633694	VHF 115i		PCS	
5633695	VHF 215i AIS		PCS	
5633700		GA38 Outer GPS Antenna Cable 10 m	PCS	



GARMIN 315i VHF

DSC Class D Garmin VHF 315i modular system with central black box unit that can be connected to up to 3 mic stations GHS11i. Ideal for multi-station systems, or where there is not space for dashboard installation. It integrates perfectly with other systems thanks to the NMEA0183/2000 connectivity. Voice Mail feature: ability to replay the last 90 seconds of any incoming voice transmission. Buddy Tracking feature: allows a mariner to locate and keep tabs on up to three other boats in the area. Contains core pack VHF315i unit, GHS11i mic, active speaker, power cable, 10m deck cable, double mic hanger and mounting hardware. Dimensions: 205 x 181 x H60 mm


Code	Ref	Accessories	UM	€
5633698	VHF 315i		PCS	
5633700		GA38 Outer GPS Antenna Cable 10 m	PCS	



Cobra Marine F300BT Microphone

F300 BT EU Cobra Marine microphone designed to improve communication quality by filtering base noises. Allows to put the cell phone in a safe place and to command it by using Bluetooth connection. Endowed with all call functions, it can be connected also to the boat audio system and it allows to listen to the interlocutor or to the music. Complete with microphone bracket, wall mount plug, power supply cable and USB connector for software upgrades.

Code	UM	€
5633680	PCS	



BOSS MC900B Bluetooth Amplifier

BOSS MC900B Bluetooth 4 channel amplifier with marinated waterproof remote keyboard which grants another music control point. Integrated bluetooth allows the amplifier to play the audio aboard or the audio of any bluetooth device without the need of any dashboard stereo. With AUX and USB input (recharge only).

Code	Dim mm	Power W	UM	€
5640112	196 x 95 x H43	125 x 4	PCS	



BOSS MR1004 75W x4 Amplifier

A/B Class amplifier carefully designed for marine environment with sealed outputs. With particular linear circuit that reduces distortion and raises audio quality. With gain control, it can work either with high level or low level input. Speaker short circuit and overheating protection.

Code	Dim mm	Power W	UM	€
5640111	197 x 229 x H51	75 x 4	PCS	



BOSS MR800 400W x2 Amplifier

Amplifier carefully designed for marine environment with sealed outputs. It represents the ideal solution to complete a performing plant at low cost. With tri-mode operational output, fixed high pass and variable low pass crossover with distortion levels reduced to 0.01%. With LED indicators and mosfet power supply. Complete with subwoofer remote control and 6 m cable.

Code	Dim mm	Power W	UM	€
5640114	222 x 213 x H57	400 x 2	PCS	



BOSS MR1950 300W x4 Amplifier

Amplifier carefully designed for marine environment with sealed connectors. Ideal for high performance systems, equipped with a 750W powerful fifth channel. With tri-mode operational output, fixed high pass and variable low pass crossover with distortion levels reduced to 0.01%. With LED indicators, mosfet power supply and soft start circuit. Endowed with both thermal and short-circuit protection. Complete with subwoofer remote control and 6 m cable.

Code	Dim mm	Power W	UM	€
5640116	510 x 159 x H52	300 x 4 + 750 Subwoofer	PCS	



Fusion MS-AM702 140W Zone Amplifier

IPX5 Waterproof 2 channel D class Fusion MS-AM702 marine compact zone amplifier. Ideal to amplify and improve the audio of a room or of a zone of the vessel. Complete with voltage protection.

Code	Dim mm	Power W	UM	€
5640630	128 x 78 x H51	30 x 2 (2 Ohm)	PCS	



Fusion MS-AM402/504 Amplifiers

2 or 4 channel AB class Fusion MS-AM402 and MS-AM504 marine amplifiers. Complete with subsonic filter, variable crossover and bass boost.

Code	Ref	Dim mm	Power W	UM	€
5640632	MS-AM402	296 x 299 x H53	100 x 2 (2 Ohm)	PCS	
5640634	MS-AM504	366 x 299 x H53	100 x 4 (2 Ohm)	PCS	



5640632

5640634



Fusion SG-DA51600 1600W Amplifier

5 Channel D class Fusion SG-DA51600 marine amplifier. Stainless Steel front panel with Aluminum heat sinks. Complete with variable crossover and voltage protection.

Code	Dim mm	Power W	UM	€
5640640	300 x 210 x H50	130 x 4 + 330 (2 Ohm)	PCS	



BOSS MGR350B RDS / USB / Bluetooth Radio Player

Round, compact but powerful dashboard BOSS MGR350B radio player with LCD display. Synthesized FM/AM radio, rear USB port and AUX input. IPx6 Waterproof. Integrated Bluetooth for MP3 or smartphone audio streaming. Complete with connection cables. D=depth

Code	Dim mm	Power W	V	Accessories	UM	€
5640104	ø 76 x D127	4 x 60	12		PCS	
5640105				USB/AUX Front Panel	PCS	



BOSS MGR450B RDS / USB / Bluetooth Radio Player

Square, compact but powerful dashboard BOSS MGR450B radio player with LCD display. Synthesized FM/AM radio with RDS, rear USB port and AUX input. IPx6 Waterproof. Integrated Bluetooth for MP3 or smartphone audio streaming. Complete with connection cables, bracket kit, screws and two frames. D=depth


Code	Dim mm	Power W	V	Accessories	UM	€
5640108	76 x 76 x D84	4 x 60	12		PCS	
5640105				USB/AUX Front Panel	PCS	



BOSS MR632UAB RDS / USB / SD / Bluetooth Radio Player

Removable cover BOSS MR632UAB Radio player with LCD display. Synthesized FM/AM radio, front USB port and AUX input protected by rubber tip, front SD card slot, integrated Bluetooth with cell phone call and play music functions. Complete with infrared remote control, slide, cover case and connection cables.


Cod.	Dim mm	Power W	V	Accessories	UM	€
5640106	178 x 50 x P97	4 x 50	12		PCS	
5640107				FM/AM 75 Ohm Dipole Antenna	PCS	



BOSS MR1308UAB RDS / USB / SD / Bluetooth Radio Player

Removable cover BOSS MR1308UAB Radio player with LCD display. Synthesized FM/AM radio, front USB port and AUX input protected by rubber tip, front SD card slot, integrated Bluetooth with cell phone call and play music functions. Complete with infrared remote control, slide, cover case and connection cables. D=depth


Code	Dim mm	Power W	V	Accessories	UM	€
5640102	181 x 54 x D127	4 x 50	12		PCS	
5640107				FM/AM 75 Ohm Dipole Antenna	PCS	



BOSS MR762BRGB RDS / MP3 / USB / CD / SD / Bluetooth Radio Player

Removable cover BOSS MR762BRGB Radio player with LCD display and 7-color backlit buttons of your choice. RDS Tuner, front USB port and AUX input protected by rubber tip, integrated MP3 player, front SD card slot, CD player, microphone with handsfree function, integrated Bluetooth with cell phone call and play music functions, Android App for complete function control. Complete with infrared remote control, slide and connection cables. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640109	181 x 54 x P206	4 x 60	12		PCS	
5640107				FM/AM 75 Ohm Dipole Antenna	PCS	



Fusion WS-SA150 AM-FM / USB / Bluetooth Marine Portable Stereo

IPx7 Watertight and floating Fusion WS-SA150 portable marine stereo. With FM/AM radio and USB input. Built-in Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible bluetooth device. Complete with rechargeable battery with a duration of 20 hours at a moderate volume. It can be mounted on Activesafe watertight floating storage units to keep safe valuable items such as smartphones, keys and wallets.



Code	Colour	Dim mm	Power W	Accessories	UM	€
5640610	WHITE	236 x 139 x H82	2 x 20		PCS	
5640611	BLUE	236 x 139 x H82	2 x 20		PCS	
5640612	RED	236 x 139 x H82	2 x 20		PCS	
5640615				WHITE Activesafe Storage Unit	PCS	
5640616				BLUE Activesafe Storage Unit	PCS	
5640617				RED Activesafe Storage Unit	PCS	



Fusion MS-BB100 RDS / USB / Bluetooth Black Box Marine Stereo

Fusion MS-BB100 marine stereo with hidden Black Box installation and compact dashboard control panel. RDS FM/AM DAB ready radio, USB and back AUX input. Built-in Bluetooth for smartphone and compatibles audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Multi-Zone independent settings control for two separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. D=depth



Code	Dim mm	Power W	V	Accessories	UM	€
5640609	155 x 60 x D94	4 x 50	12		PCS	
5640690				Wall Mount USB/Jack 3,5 Socket	PCS	



Fusion MS-RA55 RDS / Bluetooth Marine Stereo

Fusion MS-RA55 dashboard compact marine stereo with backlit LCD display. RDS FM/AM radio and back AUX input. Built-in Bluetooth for smartphone and compatibles audio streaming. Multi-Zone independent volume level control for two separate audio zones. IPx5 Waterproof. Bundle version is complete with 2 EL-F651 speakers. D=depth



Code	Ref	Dim mm	Power W	V	UM	€
5640600	Standard	160 x 72 x D52	4 x 45	12	PCS	
5640601	Bundle	160 x 72 x D52	4 x 45	12	PCS	



Fusion MS-RA70N RDS / USB / Bluetooth Marine Stereo

Fusion MS-RA70N dashboard marine stereo with Glass-Bonded backlit LCD display. RDS FM/AM DAB ready radio, USB and back AUX input. Built-in Bluetooth for smartphone and compatibles audio streaming. Endowed with Fusion-Link remote function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Multi-Zone independent settings control for two separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. D=depth



Code	Dim mm	Power W	V	Accessories	UM	€
5640602	188 x 60 x D100	4 x 50	12		PCS	
5640690				Wall Mount USB/Jack 3,5 Socket	PCS	
5640692				Remote Wired Control	PCS	



Fusion MS-RA210 RDS / USB Bluetooth Marine Stereo

Fusion MS-RA210 dashboard marine stereo with Glass-Bonded touchscreen LCD display. RDS FM/AM DAB ready radio, USB and back AUX inputs. Built-in Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Multi-Zone independent settings control for four separate audio zones. IPx7 waterproof, it can be flat or flush mounted. Thanks to Retrofit kit the stereo can be adapted to 650/750/755 series existing holes. D=depth



Code	Dim mm	Power W	V	Accessories	UM	€
5640605	157 x 68 x D127	4 x 50	12		PCS	
5640691				Retrofit Kit	PCS	



New



Fusion MS-SRX400 RDS / Wi-Fi / Bluetooth Marine Stereo

Fusion MS-SRX400 dashboard marine stereo with Glass-Bonded LCD display. With RDS FM/AM DAB ready radio, built-in Wi-Fi and Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible wireless multi-function display. IPx7 Waterproof, it can be flat or flush mounted. D=depth



Code	Dim mm	Power W	V	UM	€
5640606	110 x 70 x D100	2 x 70	12	PCS	





Fusion MS-RA670 RDS / USB / Wi-Fi / Bluetooth Marine Stereo

Fusion MS-RA670 dashboard marine stereo with Glass-Bonded touchscreen LCD display. RDS FM/AM DAB ready radio, USB and 2 back AUX inputs. Built-in Wi-Fi and Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Multi-Zone independent settings control for four separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. Thanks to Retrofit kit the stereo can be adapted to 650/750/755 series existing holes. D=depth



Code	Dim mm	Power W	V	Accessories	UM	€
5640607	157 x 68 x D102	3 x 90	12		PCS	
5640691				Retrofit Kit	PCS	



Fusion MS-RA770 RDS / USB / Wi-Fi / Bluetooth Marine Stereo

Fusion MS-RA770 dashboard marine stereo with Glass-Bonded touchscreen LCD display. RDS FM/AM DAB ready radio, USB and 2 back AUX inputs. Built-in Wi-Fi and Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Multi-Zone independent settings control for four separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. Thanks to Retrofit kit the stereo can be adapted to 650/750/755 series existing holes. D=depth



Code	Dim mm	Power W	V	Accessories	UM	€
5640608	192 x 82 x D99	4 x 70	12		PCS	
5640689				Retrofit Kit	PCS	



Fusion MS-ARX70 Remote Control

Wireless remote control with backlit digital buttons for Fusion stereo and radio. Compact and IPx7 waterproof, it is easily applied in any position even subject to water and splashes. Powered by an internal 3-year life battery. Compatible with all Fusion radios with ANT technology as: SA150/BB100/RA70N/SRX400/RA670/RA770



Code	Colour	UM	€
5640694	BLACK	PCS	
5640695	WHITE	PCS	



- RADIO COVERS -

Radio Hatch Cover

Watertight, anti-shock and UV resistant radio/CD splashproof cover.

Code	mm	UM	€
5640420	230 x 110	PCS	



VDO Type Radio Cover

Watertight, anti-shock and UV resistant VDO type radio/CD splashproof cover.

Code	mm	UM	€
5640421	240 x 100	PCS	




Radio Cover White

Watertight, anti-shock and UV resistant radio/CD splashproof cover. Outstanding material quality construction and finishing.



Code	UM	€
5640425	PCS	



Bracket Mount Radio Cover / Box

Radio/CD splashproof cover with universal watertight box. External bracket mounting.


Code	mm	UM	€
5640419	280 x 280 x H190	PCS	



Zvučnici Fusion MS-FR


IP65 waterproof 2-way Fusion MS-FR marine speakers. Curved cone technology with Titanium Dome tweeter. With black and white grid. Sold in pairs.

Code	Power W	Frequency Hz	Ohm	UM	€
5640620	120	90-22000	4	PR	
5640624	260	60-22000	4	PR	

**Fusion EL-F651 80W Low Profile Speakers**

IP65 waterproof 2-way Fusion MS-EL602 marine speakers. Ideal for narrow spaces installations. Salt and UV resistant construction. Sold in pairs.

Code	Power W	Frequency Hz	Ohm	UM	€
5640627	80	45-16000	4	PR	




FUSION

Fusion FM Flat Speakers

IP65 waterproof Fusion FM marine speakers. Easy flush mount with only 2.5 mm mounting profile. Curved cone technology with Aluminum Dome tweeter. Sold in pairs.

Code	Power W	Frequency Hz	Ohm	UM	€
5640628	120	100-18000	4	PR	
5640629	200	80-18000	4	PR	




FUSION

Fusion FM Flat Subwoofer

IP65 waterproof Fusion FM marine subwoofer. Easy flush mount with only 3 mm mounting profile.


Code	Power W	Frequency Hz	Ohm	UM	€
5640619	400	30-2000	4	PCS	




FUSION

Fusion XS Classic Speakers

IP65 waterproof 2-way Fusion XS marine speakers. Curved cone technology with Aluminum Dome tweeter. With white and black grid. Sold in pairs.




Code	Power W	Frequency Hz	Ohm	UM	€
5640650	120	100-18000	4	PR	
5640651	200	80-18000	4	PR	
5640652	240	70-18000	4	PR	





Fusion XS Classic Subwoofer

IP65 waterproof Fusion XS marine subwoofer. With white and black grid.




Code	Power W	Frequency Hz	Ohm	UM	€
5640656	600	30-2000	4	PCS	



Fusion XS Sport Speakers

IP65 waterproof 2-way Fusion XS marine speakers. Curved cone technology with Aluminum Dome tweeter. With white and black grid and RGB LED light which can be controlled by an optional wireless control. Sold in pairs.




Code	Power W	Frequency Hz	Ohm	Accessories	UM	€
5640654	200	80-18000	4		PR	
5640655	240	70-18000	4		PR	
5640696				RGB Wireless Control	PCS	




Fusion XS Sport Subwoofer

IP65 waterproof Fusion XS marine subwoofer. With white and black grid and RGB LED light which can be controlled by an optional wireless control.



Code	Power W	Frequency Hz	Ohm	Accessories	UM	€
5640658	600	30-2000	4		PCS	
5640696				RGB Wireless Control	PCS	



BOSS Tube Bluetooth Portable Speaker

Compact portable Boss Marine MRBT200 speaker enveloped by thick water resistant rubber. Composed by perfectly set 3 active drivers and 2 passive radiators in order to cover perfectly all necessary audio frequencies and to grant a linear sound. With microphone, speakerphone function, Bluetooth and NFC pairing (Android) connections, AUX input. Complete with hooking shackle and lithium battery with 8 hours autonomy rechargeable with micro USB included cable.

Code	Dim mm	UM	€
5640140	ø 117 x L286	PCS	



BOSS MR4 200W Speakers

Pair of BOSS MR4 marine speakers suitable for indoor and outdoor use. They can be used in boating, in the garden or in other outdoor activities. Ideal for places where recessed speakers can not be installed, such as inflatable boats or where there is no bulkhead with enough depth. Composed of woofer, midrange and tweeter, complete with adjustable bracket.


Code	Dim mm	Power W	Frequency Hz	Ohm	UM	€
5640150	135 x 135 x H210	200	80-18000	4	PR	



BOSS MR50 150W Speakers

BOSS MR50 speakers built with best materials. Great UV resistance in order to ensure durability over time and to keep intact speaker's sound and colour. Endowed with special grooves which gather condensed water and easily eliminates it. Made of injected polymer, 19 mm Aluminum solenoid and 25 mm Mylar tweeter.


Code	Power W	Frequency Hz	Ohm	UM	€
5640120	150	120-18000	4	PR	



BOSS MR52 150W Speakers

2-way BOSS MR52 speakers that provide an excellent output over the whole frequency spectrum, ensuring excellent sound diffusion. Equipped with Polypropilene Cloth Surround woofer to limit resonance noise and 25 mm Mylar tweeter.

Code	Power W	Frequency Hz	Ohm	UM	€
5640121	150	80-20000	4	PR	



BOSS MR62 200W Speakers

2-way BOSS MR62 speakers that provide an excellent output over the whole frequency spectrum, ensuring excellent sound diffusion. Equipped with Polypropylene Cloth Surround woofer to limit resonance noise and 25 mm Mylar tweeter.

Code	Power W	Frequency Hz	Ohm	UM	€
5640123	200	80-20000	4	PR	




BOSS MR652C 350W Speakers

BOSS MR652C speakers endowed with removable crossover and tweeter to easily custom audio system. Reduced dimensions are the great characteristic of this powered and good quality speaker. Made of injected polymer, 38 mm Aluminum solenoid and 25 mm Mylar tweeter.



Code	Power W	Frequency Hz	Ohm	UM	€
5640122	350	60-20000	4	PR	




BOSS MR752C 400W Speakers

BOSS MR752C speakers endowed with removable crossover and tweeter to easily custom the audio system. This elegant design and the best audio quality is the best choice for big boats. Made of injected polymer, 38 mm Aluminum solenoid and 25 mm Mylar tweeter.



Code	Power W	Frequency Hz	Ohm	UM	€
5640124	400	40-20000	4	PR	




BOSS MRGB65 200W LED Speakers

BOSS MRGB65 speakers with multiple colour and light LED system complete with driver hub synchronizer and infrared remote control. Very good frequency response, complete with connection cables. Driver dimensions mm: 90 x 50 x 23.



Code	Power W	Frequency Hz	Ohm	UM	€
5640126	200	70-20000	4	PR	




Riviera Round S Speakers

Round, non magnetic and compact waterproof speakers (sold in pairs). With antishock dumpers. Impedance 4 Ohm.



Code	Peak W	Frequency Hz	Woofer	Grill	UM	€
1913503	80	55-16000	No	WHITE	PR	
1913504	120	55-20000	Yes	WHITE	PR	
1913553	80	55-16000	No	CARBON	PR	
1913554	120	55-20000	Yes	CARBON	PR	
1913555	80	55-16000	No	BRIAR	PR	
1913556	120	55-20000	Yes	BRIAR	PR	




Riviera Round L Speakers

Non magnetic, round waterproof speakers (sold in pair). With antishock dumpers. Impedance 4 Ohm.



Code	Peak W	Frequency Hz	Woofer	Grill	UM	€
1913501	80	55-16000	No	WHITE	PR	
1913502	120	40-20000	Yes	WHITE	PR	
1913561	80	55-16000	No	CARBON	PR	
1913562	120	40-20000	Yes	CARBON	PR	
1913563	80	55-16000	No	BRIAR	PR	
1913564	120	40-20000	Yes	BRIAR	PR	




Riviera Ultra Thin L Speakers

Non magnetic, round and extremely thin waterproof speakers (sold in pairs). With antishock dumpers. Impedance 4 Ohm.



Code	Peak W	Frequency Hz	Grill	UM	€
1913518	80	60-16000	WHITE	PR	
1913568	80	60-16000	CARBON	PR	
1913569	80	60-16000	BRIAR	PR	




Riviera Quadra Speakers

Waterproof non magnetic compact speakers with antishock dumpers. Suitable for small spaces or for VHF. Impedance 4 Ohm.



Code	Peak W	Frequency Hz	Woofer	UM	€
1913505	60	80-18000	No	PCS	
1913506	60	80-20000	Yes	PCS	




Riviera VHF Speakers

Waterproof non magnetic compact speakers with antishock dumpers. Suitable for small spaces or for VHF.



Code	Peak W	Frequency Hz	Ohm	UM	€
1913605	10	80-18000	4	PCS	
1913606	10	80-18000	8	PCS	



GAUGES/COMPASSES BINOCULARS/ANTENNAS ELECTRONICS 6