

3

LADDERS GANGWAYS / STAFFS SEATS / PORTLIGHTS AIR VENTS




MTM

Eco Boarding Ladders

Duct rope structure and reinforced ABS steps boarding ladders. H: height of extended steps / total height rope included. Step width 31 cm.

Cod.	Steps	H cm	UM	€
0502030	3	47/165	PCS	
0502040	4	70/170	PCS	
0502045	5	94/174	PCS	

**Hidden Safety Ladders**

Nylon braid structure hidden emergency boarding ladders with 3 high-resistance Thermopolymer steps and one handle. To be installed above the waterline into recessed watertight Thermopolymer housing. Very simple to use: the man overboard pulls the locking cap ring to let the ladder out.




Cod.	Mounting	L cm	Steps	Recess ø	Recess L	UM	€
0502106	Front Screws	115	3+1	55 mm	195 mm	PCS	
0502107	Rear Nut	115	3+1	55 mm	195 mm	PCS	

**Aluminum Gunwale Hook Ladders**

Adjustable arms gunwale-mount boarding ladders. 25mm Anodized Aluminum tubing with non-slip plastic steps and with adjustable and removable spacers. W=26 cm. Width 37 cm.

Cod.	Steps	H cm	Spare Parts	UM	€
0502513	3	90		PCS	
0502514	4	119		PCS	
0502515	5	146		PCS	
0502600			Step	PCS	
0502601			Standoff	PR	
0502602			Tip	PCS	

**Safety Ladder**

Plastic steps and rope safety boarding ladder stored in a portable bag. Ready to use, it has to be dropped off the boat to safely get back aboard. Polyester straps and reinforced ABS steps.



Cod.	Steps	Steps H cm	Total H cm	UM	€
0502105	5	110	220	PCS	

**Safety Ladder**

Universal safety ladder. Complies with ISO 15085. Suitable for all boats. Easy and safe to use, deployment is carried out from the water using the appropriate rope. Made of polyester-tape with fiberglass steps. Includes sturdy Polyester fabric container 28x26x6 cm. Fixing to the pulpit using two buckles and two spring buttons.



Cod.	Steps	Steps H cm	Total H cm	UM	€
0502108	11	25	330	PCS	

**Tender Ladders for Inflatables**

Anodized Aluminum folding boarding ladders for inflatables. Two fastening spliced ropes included.



Cod.	Steps	H cm	UM	€
0505503	3	93	PCS	
0505504	3	113	PCS	



Handle Steps

Stainless Steel handle/step with or without Wood footrest.

Cod.	Ref	cm	UM	€
0504000	Stainless Steel	30 x 12,5	PCS	
0504001	Wood and Stainless Steel	30 x 12,5	PCS	

**Mast Folding Steps**

Nylon reinforced fiberglass folding mast steps. Lightweight, very robust, non-magnetic, aerodynamic, UV resistant and easy to mount. Max load 140 kg, curved connection plate 68xH105 mm with 5 connection holes.

Cod.	Colour	Weight Kg	L Open mm	L Closed mm	UM	€
0504010	BLACK	0,16	157	35	PCS	
0504011	WHITE	0,16	157	35	PCS	
0504012	GREY	0,16	157	35	PCS	

**Diver Single Axe Telescoping Ladders**

Telescoping foldable electropolished Stainless Steel ladders. Easy boarding for swimmers or divers with fins and heavy gear thanks to the central support and steps free on both sides.

Cod.	Steps	H Open cm	H Closed cm	W cm	UM	€
0505453	3	87	45	34	PCS	
0505454	4	112	52	34	PCS	

**Stainless Steel Folding Step**


Elegant, sturdy and easy to mount Stainless Steel folding step.

Cod.	Base mm	Step Width mm	Wheelbase mm	UM	€
0504003	40 x 108	82	88	PCS	

**- TELESCOPING LADDERS -****Diver Evo Double Axe Telescoping Ladders**

Telescoping foldable mirror-polished Stainless Steel ladders with double central axe. Easy boarding with fins and heavy gear thanks to the free steps on both sides.

Cod.	Steps	H Open cm	H Closed cm	W cm	UM	€
0505443	3	87	39	35	PCS	
0505444	4	115	44	35	PCS	

**Garelick Flush Transom Telescoping Ladder**

GARELICK

Hard oxide Anodized Aluminum flush telescoping ladder. Central axe sturdy structure and free extractable steps. Fits completely into the transom and pulls out with a simple snap mechanism. Invisible, quick and readily accessible. Flush flange dimensions 108 x 140 mm.

Cod.	Steps	H cm	W cm	UM	€
0505470	3	73	360	PCS	



Over Platform Telescoping Ladders



Stainless Steel folding telescoping over platform ladders. Flat poly treads for an increased comfort.

Cod.	Steps	H cm	W cm	L cm	UM	€
0505403	3	88	29	38	PCS	
0505404	4	115	29	40	PCS	

**Slim Over Platform Telescoping Ladders**

Stainless Steel folding telescoping over platform slim ladders. Flat poly treads for an increased comfort.

Cod.	Steps	H cm	W cm	L cm	UM	€
0505433	3	88	20	38	PCS	
0505434	4	115	20	40	PCS	

**Over Platform Wide Step Telescoping Ladders**



Stainless Steel fold-away boarding ladders with wide steps for a comfortable climb back up. Over platform mounting.

Cod.	Steps	H cm	W cm	L cm	UM	€
0505413	3	87,5	25	37	PCS	
0505414	4	115	25	39,5	PCS	

**In Cage Under Platform Telescoping Ladders**


Stainless Steel telescoping under platform boarding ladders. Complete with cage and guide rails. Flat poly treads for an increased comfort.

Cod.	Steps	H cm	W cm	L cm	UM	€
0505303	3	88	31	38	PCS	
0505304	4	115	31	40	PCS	

**In Cage Slim Under Platform Telescoping Ladders**



Stainless Steel telescoping under platform boarding ladders. Complete with cage and guide rails. Flat poly treads for an increased comfort.

Cod.	Steps	H cm	W cm	L cm	UM	€
0505313	3	88	21,5	38	PCS	
0505314	4	115	21,5	40	PCS	

**In Cage Wide Step Under Platform Telescoping Ladders**

Stainless Steel telescoping under platform boarding ladders with wide steps for a comfortable climb back up. Complete with cage and guide rails.

Cod.	Steps	H cm	W cm	L cm	UM	€
0505306	3	87,5	25	37	PCS	
0505308	4	114,5	25	40,5	PCS	



In Box Under Platform Telescoping Ladders

Stainless steel in box telescoping ladders. Complete with box and guide rails. Flush transom-mount. Box dimensions 33 x 47 x 4,6 cm (49 cm for the 4-step version).



Cod.	Steps	H cm	W cm	UM	€
0505323	3	87	25	PCS	
0505324	4	115	25	PCS	

**In Cage Handle Under Platform Telescoping Ladders**

Stainless Steel telescoping under platform boarding ladders. Complete with cage and guide rails. Flat poly treads for an increased comfort.




Cod.	Steps	H cm	W cm	L cm	UM	€
0505353	3	88	30	38	PCS	
0505354	4	115	30	41	PCS	

**Handrail Over Platform Telescoping Ladders**

Stainless Steel telescoping over platform ladders with handrail. Flat poly treads for an increased comfort. Handrail dimensions W36 x H20, tube diameter 25 mm.




Cod.	Steps	H cm	W cm	UM	€
0505333	3	89	26	PCS	
0505334	4	115	26	PCS	

**Folding Handrail Over Platform Telescoping Ladders**

Stainless Steel telescoping fold-away boarding ladders with folding handrail. Flat poly treads for an increased comfort. For platform mount. Handrail dimensions 30 cm.




Cod.	Steps	H cm	W cm	L cm	UM	€
0505344	4	112	30	41,6	PCS	

**Tender Inflatable Boats Ladders**

Stainless Steel telescoping folding ladders for inflatable boats. Complete with fixing straps.




Cod.	Steps	H cm	W cm	L cm	UM	€
0505463	3	87	25	37	PCS	
0505464	4	118	25	39,5	PCS	



S/Steel Transom Folding Ladders


Stainless Steel standard transom folding ladders. Antislip coated composite step tread.

Cod.	Steps	W cm	H cm	UM	€
0503103	3	24	65	PCS	
0503104	4	24	88	PCS	
0503105	5	24	110	PCS	

**S/Steel Mini Transom Folding Ladders**

Stainless Steel narrow transom folding ladders. Antislip coated composite step tread. Used when there is no space in the transom.

Cod.	Steps	W cm	H cm	UM	€
0503003	3	22	65	PCS	
0503004	4	22	88	PCS	


**S/Steel Handrail Folding Ladders**

Stainless Steel folding handrail boarding ladders.

H: height with open ladder


H1: height with closed ladder

Cod.	Steps	W cm	H/H1	UM	€
0504903	3	23	67/38	PCS	
0504904	4	23	91/55	PCS	
0504905	5	23	115/57	PCS	

**S/Steel Over Platform Folding Ladders**

Stainless Steel platform boarding folding ladder. Transom platform mount.


Cod.	Steps	W cm	H/H1	UM	€
0504513	3	24	82/49	PCS	



S/Steel Clamp Mount Folding Ladders

Stainless Steel folding boarding ladders with clamps for ø 22/25 mm tubing. Transom platform mount.

Cod.	Steps	W cm	H cm	UM	€
0505903	3	21	66	PCS	
0505904	4	23	90	PCS	

**S/Steel and Wood Clamp Mount Folding Ladders**

Stainless Steel folding boarding ladders with clamps for ø 22/25 mm tubing. Treated Wood step tread. Transom platform mount.

Cod.	Steps	W cm	H cm	UM	€
0506003	3	27	63	PCS	
0506004	4	24	92	PCS	

**- TINOX TRANSOM PLATFORMS -****Minox Swim Platforms**

Stainless Steel transom swim platforms with marine wood planks.

Cod.	mm	UM	€
0510700	270 x 390	PCS	
0510900	390 x 450	PCS	

**Minox Swim Platforms with Ladder**

Stainless Steel transom swim platforms with marine wood planks and folding ladder.

Cod.	mm	Steps	UM	€
0510701	270 x 390	2	PCS	
0510901	390 x 450	3	PCS	

**Minox Swim Platforms with Outboard Bracket**

Stainless Steel transom swim platforms with marine wood planks and outboard bracket.

Cod.	mm	UM	€
0510702	270 x 390	PCS	
0510902	390 x 450	PCS	

**Tinox Swim Platforms**

316 Stainless Steel transom swim platforms with Doussie marine grade wood planks.

Cod.	mm	Accessories	UM	€
0511403	400 x 460		PCS	
0511503	520 x 490		PCS	
0521300		Outboard Bracket	PCS	

**Tinox Mini Swim Platforms**

316 Stainless Steel transom compact swim platforms with Doussie marine grade wood planks and folding ladder or outboard bracket.

Cod.	Ref	mm	UM	€
0511301	With Ladder	280 x 450	PCS	
0511302	With Outboard Bracket	280 x 450	PCS	

**Tinox Swim Platforms with Ladder**

316 Stainless Steel transom swim platforms with Doussie marine grade wood planks and 3 step folding ladder length 70 cm, width 25 cm.

Cod.	mm	UM	€
0511401	410 x 450	PCS	
0511501	500 x 460	PCS	



Teak Swim Platforms


316 Stainless Steel transom swim platforms with Teak planks.

Cod.	Dim mm	UM	€
0511402	270 x 390	PCS	
0511404	390 x 450	PCS	

**1P Polymer Swim Platform with S/Steel Ladder**

Stainless Steel transom platform with Polymer base and 3 steps telescoping top mount ladder. Single ø22 handrail for more free passage.

Cod.	Base Dim mm	UM	€
0510800	355 x 450	PCS	

**Large Transom Platforms**

316 Stainless Steel frame and Doussie marine grade wood planks large transom swim platform.

Cod.	Dim mm	Accessories	UM	€
0511015	1500 x 550		PCS	
0511017	1700 x 550		PCS	
0511020	2000 x 550		PCS	
0506003		3 Steps Ladder	PCS	
0521300		Outboard Bracket	PCS	

**Teak Swim Platform with Ladder**


316 Stainless Steel transom swim platform with Teak planks and 3 steps undermount telescoping ladder.

Cod.	Dim mm	UM	€
0511406	390 x 450	PCS	

**2P Polymer Swim Platform with S/Steel Ladder**

Stainless Steel transom platform with Polymer base and 3 steps telescoping top mount ladder. Double ø22 handrail support for a safer passage. Handrail wheelbase height 345 mm.

Cod.	Base Dim mm	UM	€
0510801	355 x 450	PCS	

**Teak Large Transom Platform with Ladders**

316 Stainless Steel frame and Teak planks large transom swim platform. 3-step telescoping undermount ladder (L 37cm stowed / L 87cm deployed). The ladder can be folded-away in a cage under the platform.


Cod.	Dim mm	UM	€
0511408	800 x 400	PCS	



Adjustable 6HP Motor Bracket

Spring-assisted action outboard motor bracket. For outboards up to 6HP. Stainless Steel body.


Cod.	Plate	Engine Kg	For Outboards	UM	€
0520506	Wood	20	< 6 HP	PCS	
0520606	Plastic	20	< 6 HP	PCS	



Adjustable 15HP Motor Bracket

Spring-assisted action outboard motor bracket. For outboards up to 15HP (2 Stroke) or 8HP (4 Stroke). Stainless Steel body.


Cod.	Plate	Engine Kg	For Outboards	UM	€
0520515	Wood	30	< 15 HP (2 Stroke) - 8 HP (4 Stroke)	PCS	
0520615	Plastic	30	< 15 HP (2 Stroke) - 8 HP (4 Stroke)	PCS	



V Adjustable 20HP Motor Bracket

Spring-assisted action outboard motor bracket with adjustable base angle. For outboards up to 20HP (2 Stroke) or 15 HP (4 Stroke). Stainless Steel body.


Cod.	Plate	Engine Kg	For Outboards	UM	€
0520925	Wood	40	< 25 HP (2 Stroke) - 15 HP (4 Stroke)	PCS	
0520725	Plastic	40	< 20 HP (2 Stroke) - 15 HP (4 Stroke)	PCS	



Adjustable Plate for Motor Brackets

Stainless Steel adjustable plate for outboard brackets.

Cod.	UM	€
0520550	PCS	



Motor Safety Cable

Outboards safety cable complete with Stainless Steel carabiners.

Cod.	L mm	Engine HP	UM	€
4032860	600	Up to 8 HP	PCS	



Clamp Mount Motor Bracket


Stainless Steel hardware and Marine Plywood board outboard bracket. Double bladed band with through screw for platform mounting. Brackets' base length 250 mm.

Cod.	For Outboards	Max Kg	UM	€
0521300	< 10 HP	35	PCS	

**Standard Motor Bracket**


Stainless Steel body and Marine Plywood adjustable board outboard bracket. Dimensions 270 x 150 x H170 mm.

Cod.	For Outboards	Max Kg	UM	€
0520828	< 10 HP	35	PCS	

**Adjustable 22°/35° Motor Bracket**



Transom-mount outboard bracket adjustable from 22° to 35°. Stainless Steel body and Marine Plywood pad. Dimensions: 300 x 175 x H150

Cod.	For Outboards	Max Kg	UM	€
0520826	< 10 HP	35	PCS	

**Angled Motor Bracket**

Stainless Steel body and Marine Plywood adjustable board outboard bracket.

Cod.	For Outboards	Max Kg	UM	€
0520827	< 10 HP	30	PCS	

**Rail Mount L Motor Bracket**

Marine Plywood pad rail mount bracket for small outboards. Stainless Steel pipe support and screws. Pad dimensions: 195 x H245 mm with 2 holes for 22/25 pipes. Net height of pipe support: from 240 to 320 mm.

Cod.	For Outboards	UM	€
0521215	< 10 HP	PCS	

**Rail Mount PL Motor Bracket**

Reinforced Plastic pad rail mount bracket for small outboards. Stainless Steel pipe support and screws. Pad dimensions: 195 x H215 mm. Net height of pipe support: 260 mm.

Cod.	For Outboards	UM	€
0521216	< 10 HP	PCS	



Platform and Ladders Spare Clamp

Stainless Steel spare U clip clamp for transom swim platforms and ladders.

Cod.	For Tube ø mm	UM	€
0640622	22	PCS	
0640625	25	PCS	

**Platform and Ladders Connector**

Stainless Steel connector for transom swim platforms and ladders.

Cod.	For Tube ø mm	UM	€
0640626	25	PCS	

**Platform and Ladder Spare Base Joint**

Stainless Steel spare base joint for transom swim platforms and ladders.

Cod.	For Tube ø mm	UM	€
0643022	22	PCS	
0643025	25	PCS	

**Wide Lacing Strap**

Moulded Stainless Steel lacing straps.

Cod.	For Tube ø mm	UM	€
0640522	22	PCS	
0640525	25	PCS	

**Transom Platforms Swiveling Base Joint**

Stainless Steel spare base joint for transom swim platforms. It allows to remove the lower supports and lower the platform if necessary.

Cod.	For Inner Tube ø mm	Base ø mm	UM	€
0637000	22	65	PCS	

**Ladder Spare Connector**

Stainless Steel spare connector for folding ladders.

Cod.	For Tube ø mm	UM	€
0643522	22	PCS	
0643525	25	PCS	

**90° Open T Joint**

Moulded Stainless Steel 90° open T connector.

Cod.	Ø mm	UM	€
0638022	22	PCS	
0638025	25	PCS	

**Ladder Spare Removable Base Joint**

Stainless Steel removable base joint for boarding ladders. The socket allows a quick ladder removal off the transom.

Cod.	For Tube ø mm	UM	€
0643122	22	PCS	
0643125	25	PCS	

**Swim Platform Base Joint**

Stainless Steel swim platform base joint.

Cod.	For Tube ø mm	UM	€
0643029	25	PCS	
0643032	32	PCS	

**Round Transom Platforms Base**

Stainless Steel base for transom swim platforms. It allows to adapt the platform to the transom.

Cod.	Base ø mm	UM	€
0637002	70	PCS	



Flushed Sockets for Gangways


Flush mount sockets for gangways with 25 mm check pin.

Cod.	Material	UM	€
0607501	Lacquered Aluminum	PCS	
0607502	Chromed Brass	PCS	
0607503	Stainless Steel	PCS	

**Rocker Arm for Gangways**

Anodized Aluminum swivel mounting arm for gangways. M8 Screws.

Cod.	Pin mm	L mm	UM	€
0607508	ø25 x L73	330	PCS	

**Rocker Check Pin for Gangways**

Anodized Aluminum rocker pin for gangways with 30 mm hole and ø25 mm check pin.

Cod.	H mm	H1 mm	UM	€
0607509	135	70	PCS	

**Support Triangle for Gangways**


Stainless Steel construction supporting triangle. The 3 shackles allow a quick attach to the gangway and to the backstay.

Cod.	cm	UM	€
0607516	45	PCS	

**Gangways Hinge**

Aluminum hinge for gangways.

Cod.	H mm	H1 mm	W mm	W1 mm	UM	€
0607514	115	80	38	18	PCS	

**Gangways Terminal**

Aluminum terminal for gangways.

Cod.	H mm	H1 mm	W mm	W1 mm	UM	€
0607510	150	80	28	18	PCS	

**Small Carrier Wheels**

Wheels for carriers and gangways.

Cod.	ø mm	Shaft ø mm	UM	€
2805060	80	10	PCS	

**Stanchion Base for Gangways**

Anodized Aluminum stanchion lateral base for gangways. ø25 mm, H65 mm.

Cod.	UM	€
0607506	PCS	

**Stanchion for Gangways**

Anodized Aluminum stanchion for gangways.

Cod.	ø mm	H mm	UM	€
0607507	25	700	PCS	

**Guardrail Set for Gangways**

Stainless Steel guardrail stanchion set.

Cod.	ø mm	UM	€
0606002	25	PCK	



**Carbon Gangway**

Very light and resistant Carbon fiber gangway. Complete with pin and flush mount socket. Floating, corrosion free and UV rays resistant. With non-slip surface.

Cod.	Ref	Dim cm	Max Load Kg	Weight Kg	UM	€
0607840	Fix	200 x 38	200	7,5	PCS	
0607842	Foldable	220 x 38	200	8,6	PCS	

**Carbon Composite Gangway**


Strong and lightweight gangway made of Carbon fiber and Polymers composite. Built in single piece without bonding, complete with pin and flush mount socket. Floating, rust-proof and UV alteration free. With anti-slip surface and elastic protective side tape to avoid scratches.

Cod.	Ref	Dim cm	Max Load Kg	Weight Kg	UM	€
0607876	Fix	220 x 39	250	9,5	PCS	
0607880	Foldable	220 x 39	250	11,5	PCS	
0607882	Foldable	260 x 45	250	14,5	PCS	

**TPC Composite Gangway**

Strong and lightweight gangway built with innovative thermoplastic composite material. Ideal for tough and continuous use, perfect for charter and marinas. Built in single piece without bonding, floating, corrosion-free and UV-resistant. The surface is completely non-slip with rubber scratch-resistant edge and protections.

Cod.	Dim cm	Max Load Kg	Weight Kg	UM	€
0607872	220 x 40	250	8	PCS	
0607874	245 x 40	250	9	PCS	



Fixed Aluminum Gangway

Anodized Aluminum light duty fixed gangway with antislip walkway.
Complete with check pin and wheels.



Cod.	Dim cm	Max Load Kg	UM	€
0606018	200 x 37	120	PCS	



Folding Aluminum Gangway

Anodized Aluminum light duty folding gangway with antislip walkway.
Complete with check pin and wheels.



Cod.	Dim cm	Dim folded cm	Weight Kg	UM	€
0606518	200 x 37	100 x 50	9,75	PCS	
0606523	230 x 37	115 x 50	10,1	PCS	
0606526	260 x 37	135 x 50	12	PCS	



Aluminum and Wood Fixed Gangway

Anodized Aluminum fixed gangway with marine grade wood planks walkway.
Complete with check pin and wheels.



Cod.	Dim cm	Max Load Kg	UM	€
0607592	200 x 31	120	PCS	



Aluminum and Wood Folding Gangway

Anodized Aluminum folding gangway with marine grade wood planks walkway.
Complete with check pin and wheels.




Cod.	Dim cm	Max Load Kg	UM	€
0607590	200 x 31	130	PCS	



Aluminum and Grating Folding Gangway

Anodized Aluminum folding gangway with grating marine wood walkway.
Complete with check pin and wheels.

Cod.	Dim cm	UM	€
0607518	190 x 37	PCS	
0607525	250 x 37	PCS	

**Stainless Steel and Grating Folding Gangway**

316 Stainless Steel frame folding gangway with grating Iroko wood walkway.
Complete with ø 25 mm check pin and wheels.

Cod.	Open Dim cm	Folded Dim cm	Max Load Kg	Weight Kg	UM	€
0608521	200 x 32	110 X 32	150	14,6	PCS	
0608524	230 x 32	120 X 32	150	16,4	PCS	

**Aluminum and Grating 3-Fold Gangway**

Anodized Aluminium 3-folding gangway with grating marine wood walkway.
Complete with check pin and wheels.
Easy to stow, only 69 cm height when folded.

Cod.	Open Dim cm	Folded Dim cm	Capacity Kg	Weight Kg	UM	€
0607530	200 x 32	69 x 32	150	11,2	PCS	




Smeraldo Hydraulic Gangway


Hydraulic telescopic gangway with circular section tubular mirror-polished 316L Stainless Steel structure. Non-slip Teak top with LED walking lights. Complete with 800W hydraulic control unit and 3/8 hoses for 3.5 meters of system. It can be operated with a remote control and a 10-channel wired electronic control unit or with a 127 x 87 mm wall-mounted control panel. Also suitable for lifting tenders up to 120 kg.



Cod.	Dim cm	V	Load Kg	Weight Kg	UM	€
0608820	200 x 43	12	200	62	PCS	
0608821	200 x 43	24	200	62	PCS	
0608823	230 x 43	12	200	67	PCS	
0608824	230 x 43	24	200	67	PCS	
0608827	270 x 43	12	200	75	PCS	
0608828	270 x 43	24	200	75	PCS	
0608830	300 x 43	12	150	80	PCS	
0608831	300 x 43	24	150	80	PCS	



New



Tiki 200 Inflatable Gangway

Inflatable Sup gangway, light, resistant and versatile. Very stable, it does not require pins, does not slip, does not damage the stern and allows safely passage of disabled people and animals. It can be used as a sup, water mattress, side fender and as a platform for hull maintenance. Made of special multilayer PVC coated fabric with reinforced internal structure, very resistant to wear, UV rays and the marine environment. Complete with bag, Stainless Steel rings, removable dock bases, repair kit and valve adapter for bike pumps. 15 PSI inflation pressure.

Cod.	Dim cm	Load Kg	Weight Kg	UM	€
0607892	200 x 50 x 15	150	9	PCS	



Tiki 250 Inflatable Gangway

Inflatable Sup gangway, light, resistant and versatile. Very stable, it does not require pins, does not slip, does not damage the stern and allows safely passage of disabled people and animals. It can be used as a sup, water mattress, side fender and as a platform for hull maintenance. Made of special multilayer PVC coated fabric with reinforced internal structure, very resistant to wear, UV rays and the marine environment. Complete with bag, pump, paddle and stanchion, handrail rope, sup fins and repair kit. 15 PSI inflation pressure.

Cod.	Dim cm	Load Kg	Weight Kg	UM	€
0607894	250 x 50 x 15	150	10	PCS	



Thru Deck Davits Pair

Polished Stainless Steel through deck mounting set of davits sold in pairs. The set includes guide bushings, base sockets, lines, pulleys, bollards, blocks and shackles. The part below the deck is longer in order to be cut as needed.



Cod.	Tubing ø mm	H cm	Capacity Kg	UM	€
0600012	40	180	120	PR	
0600016	60	180	170	PR	




On Base Davits Pair

Polished Stainless Steel tube base mount set of swiveling davits. Sold in pairs. Complete with pulleys, bollards and carabiners. Mounting hole not required.



Cod.	Tubing ø mm	Capacity Kg	UM	€
0600020	42	110	PR	



On Deck Davits Pair

Polished Stainless Steel on deck mount set of swiveling davits. Sold in pairs. The set includes base sockets, lines, pulleys, bollards, blocks and shackles.



Cod.	Tubing ø mm	H cm	Capacity Kg	UM	€
0600022	40	90	120	PR	
0600026	60	90	170	PR	




Inflatables Lifting System

Stern platform davits kit for lifting and pulling on board inflatables as tenders. With 2 Stainless Steel mount plates and 2 Rubber handle-plates to be fixed on the inflatable.



Cod.	UM	€
0600004	PCK	



Double Bar Standard Rollbar


Mirror polished double bar Stainless Steel Rollbar.

Cod.	Tube ø mm	Width mm	H mm	UM	€
0610013	30	1000<>1800	1200	PCS	
0610014	40	1250<>2450	1450	PCS	


**Double Bar Shaped Rollbar**

Mirror polished double bar shaped Stainless Steel Rollbar. Ideal for mounting on inflatables thanks to the tubular shape.

Cod.	Tube ø mm	Width mm	H mm	UM	€
0610023	30	1000<>1800	1150	PCS	
0610024	40	1150<>2350	1400	PCS	

**T-Top**Sturdy reinforced Aluminum structure T-Top.
100% Polyester fabric PVC coated.

Cod.	Colour	W cm	L cm	H cm	UM	€
0610064	WHITE	141	172	205	PCS	
0610065	BLUE NAVY	141	172	205	PCS	

**Motor Lift Davit**

Polished Stainless Steel tender outboard lift davit. Fixed or removable mounting, can rotate in its base to be fixed with the clamp. Complete with clamp, pulley, bollard, block and shackle. Accessories: Polyester lift caddy for outboards up to 15 HP 2 and 4 stroke.

Cod.	Tubing ø mm	H cm	Capacity Kg	Accessories	UM	€
0601014	40	140	50		PCS	
0601024			50	Outboard Caddy PCS		

**Motor Caddy Harness**

UV and marine environment resistant harness. Safe and easy to use thanks to the harness specifically designed for 2-4 stroke engines up to 15HP.



DAVIS

Cod.	For Outboards	UM	€
0601030	Up to 15HP	PCS	



Sail Bow - Bow Ambo

Sailboats marine grade 316 Stainless Steel bow ambos.

Cod.	Rail ø mm	H mm	Width mm	Length mm	UM	€
0611645	22	450	800 (± 150)	900	PCS	
0611660	22	600	740 (± 150)	1100	PCS	

**Sail Stern - Stern Ambo**

Sailboats marine grade 316 Stainless Steel stern ambos. Composed with 2 parts, left and right.

Cod.	Rail ø mm	H mm	Back L mm	Side L mm	Corner	UM	€
0611745	22	450	350	400	100°	PCS	
0611760	22	600	400	430	100°	PCS	

**Open Bow Ambo with Sleeper**

Stainless Steel Open type bow ambos with crossbar. The bow opening helps people transit.

Cod.	Rail ø	H mm	Width mm	Length	Bar Length	UM	€
0611804	22 mm	450	400<>1400	1150 mm	250 mm	PCS	

**Stern Handrail**

Stern mount Stainless Steel handrail with lifeline eyelets.

Cod.	Rail ø mm	Height mm	Width mm	UM	€
0611802	25	610	325	PCS	

**Angled Handrail**

Bow or stern mount Stainless Steel high handrail. Makes more safe boarding of people.

Cod.	Rail ø mm	Height mm	Width mm	UM	€
0611803	25	585	480	PCS	

**Rainbow Handrail**

Bow or stern mounting Stainless Steel handrails. Makes more safe boarding of people.

Cod.	Rail ø mm	Height mm	Width mm	UM	€
0611800	25	450	320	PCS	
0611801	25	600	480	PCS	



Lifeline Netting H600 mm

100% Polyester lifeline netting. H600 mm. Diamond welded the cheapest, square knotted the safest.



Cod.	Type	Package m	UM	€
3215508	Diamond Welded	20	MT	
3215509	Diamond Welded	30	MT	
3215510	Diamond Welded	50	MT	
3215512	Square Knotted	20	MT	
3215511	Square Knotted	30	MT	
3215513	Square Knotted	50	MT	

**Stainless Steel Stanchions**

Stainless Steel cone stanchions ø 25 mm.



Cod.	H mm	Holes	Wheelbase mm	UM	€
0612045	505	2	295	PCS	
0612060	610	2	300	PCS	
0612075	725	2	355	PCS	

**Triangular Stanchion Base**

Stainless Steel triangular stanchion bases. Base dimensions 95 x 95 x 77 mm.



Cod.	Base	For Stanchions ø mm	UM	€
0612525	Flat	25	PCS	
0612625	Angled 6°	25	PCS	

**Square Stanchion Base**

Stainless Steel square stanchion bases. Base dimensions 91 x 64 mm.



Cod.	Base	For Stanchions ø mm	UM	€
0612425	Flat	25	PCS	
0612426	Angled 6°	25	PCS	

**Cone Stanchion Base**

316 Stainless Steel cone stanchion base.



Cod.	Base	For Stanchions ø mm	H mm	UM	€
0612225	Flat	25	69	PCS	
0612230	Flat	30	80	PCS	
0612226	Angled 60°	25	67	PCS	
0612231	Angled 60°	30	105	PCS	



Stainless Steel Stud 1 Handrail

Mirror Polished 316 Stainless Steel grab rail. Threaded insert bases for easy thru deck mounting.



Cod.	Tube ø mm	L mm	H mm	Thread	UM	€
0618230	22	300	50	M8	PCS	
0618240	22	450	50	M8	PCS	
0618250	22	600	50	M8	PCS	

**Stainless Steel Oval Handrail**

Elegant and sturdy polished 316 Stainless Steel oval handrail. Threaded insert bases for an easy and safe under deck through mount.



Cod.	Tube ø mm	L mm	H mm	Thread	UM	€
0618113	25 x 19	300	50	M8	PCS	
0618114	25 x 19	400	50	M8	PCS	
0618115	25 x 19	450	50	M8	PCS	
0618116	25 x 19	600	50	M8	PCS	

**Roca Stainless Steel Black Handrail**

316 Stainless Steel Black handrail. Threaded insert bases for easy thru deck mounting.



Cod.	Tube ø mm	L mm	H mm	Thread	UM	€
0618313	25	300	75	M6	PCS	
0618315	25	450	75	M6	PCS	
0618316	25	600	75	M6	PCS	
0618317	25	750	75	M6	PCS	
0618319	25	900	75	M6	PCS	

**Stainless Steel Fast 1 Handrail**

Stainless Steel classic handrail with drilled bases for an easy surface mount. Total height 80 mm for all measures.



Cod.	Tube ø mm	L mm	UM	€
0618020	22	250	PCS	
0618030	22	300	PCS	
0618050	22	500	PCS	
0618065	22	650	PCS	
0618080	22	850	PCS	
0618010	22	1100	PCS	

**Stainless Steel Fast 2 Handrail**

Stainless Steel classic handrail with drilled bases for an easy surface mount.



Cod.	Tube ø mm	L mm	UM	€
0618102	25	230	PCS	
0618103	25	300	PCS	
0618104	25	400	PCS	

**Stainless Steel H-Mount Handrail**

Stainless Steel handrail with drilled bases ideal for transverse stress loads. Base dimensions 32 x 63 mm.



Cod.	Hose ø mm	L mm	UM	€
0618120	25 x 19	300	PCS	
0618124	25 x 19	450	PCS	



H-Mount Stainless Steel Handle

Stainless Steel handle with drilled bases ideal for transverse stress loads. Base dimensions 42 x 64 mm.



Cod.	L mm	UM	€
0618110	230	PCS	

**Stainless Steel T-Screw Handle**

Mirror polished Stainless Steel handle. Through screws mount.



Cod.	L mm	H mm	UM	€
0340818	170	40	PCS	
0340829	300	50	PCS	

**Stainless Steel P-Screw Handle**

Mirror polished Stainless Steel handle. Two 8 mm hidden studs mount.



Cod.	L mm	H mm	UM	€
0340819	170	40	PCS	
0340830	300	50	PCS	

**Stainless Steel Grip Handle**

Mirror polished 316 Stainless Steel handle with ergonomic grip. 2 x M6 through screw mounting.



Cod.	L mm	H mm	UM	€
0340850	170	32	PCS	

**S/Steel Lift Handle**

Stainless Steel lift handle. Handle dia 10 mm, screw hole 5 mm.



Cod.	L mm	H mm	UM	€
0340814	143	38	PCS	

**Sydney Handle**

Reinforced core with soft PVC body handle. Flush mounting through screws, wheelbase 195 mm.



Cod.	L mm	H mm	Colour	UM	€
0340720	250	60	DARK GREY 7046	PCS	
0340721	250	60	LIGHT GREY 7035	PCS	
0340722	250	60	SAND 1013	PCS	

**PVC Sidney Short Grab Handles**

Reinforced core with soft PVC body short grab handles (20 cm). Flush mounting through screws. Screw wheelbase 155mm.




Cod.	L mm	H mm	Colour	UM	€
0340724	205	55	DARK GREY 7046	PCS	
0340726	205	55	LIGHT GREY 7035	PCS	



Stainless Steel Classic Handrail Supports

Cast and polished Stainless Steel oval base handrail supports.

Cod.	L mm	H mm	ø mm	Ref	UM	€
0621822	62	55	22	End	PCS	
0621922	62	55	22	Center	PCS	
0621825	62	55	25	End	PCS	
0621925	62	55	25	Center	PCS	

**Stainless Steel New Line Handrail Supports**

Cast and polished Stainless Steel rectangular base handrail supports.

Cod.	H mm	ø mm	Ref	UM	€
0621022	38	22	Left End	PCS	
0621122	38	22	Center	PCS	
0621222	38	22	Right End	PCS	
0621025	38	25	Left End	PCS	
0621125	38	25	Center	PCS	
0621225	38	25	Right End	PCS	

**Stainless Steel Cilindric Handrail Supports**

Cast and polished Stainless Steel solid (non stamped) cylindrical base handrail supports. Complete with M8 thread.

Cod.	W mm	H mm	ø mm	Ref	UM	€
0623022	30	60	22	End	PCS	
0623122	30	60	22	Center	PCS	
0623025	35	65	25	End	PCS	
0623125	35	65	25	Center	PCS	

**Stainless Steel Shaped Handrail Supports**

Cast and polished Stainless Steel shaped handrail supports.

Cod.	H mm	ø mm	Ref	UM	€
0622822	38	22	End	PCS	
0622922	38	22	Center	PCS	
0622825	38	25	End	PCS	
0622925	38	25	Center	PCS	

**Chromed Brass Classic Handrail Supports**

Chromed Brass round base handrail supports.

Cod.	W mm	H mm	ø mm	Ref	UM	€
0621026	50	62	25	End	PCS	
0621126	50	62	25	Center	PCS	
0621030	65	75	30	End	PCS	
0621130	65	75	30	Center	PCS	
0621035	70	90	35	End	PCS	
0621135	70	90	35	Center	PCS	

**Mirror Polished 316 Stainless Steel Rail Pipes**

Mirror polished 316 Stainless Steel rail tubing.

Cod.	ø mm	Thickness mm	Rail m	UM	€
061902202	22	1,2	2	PCS	
061902203	22	1,2	3	PCS	
061902602	25	1,5	2	PCS	
061902603	25	1,5	3	PCS	
061903002	30	1,5	2	PCS	
061903003	30	1,5	3	PCS	




60° Round Soldering Base

Moulded Stainless Steel 60° round soldering base.



Cod.	O mm	UM	€
0636022	22	PCS	
0636025	25	PCS	

**90° Round Soldering Base**

Moulded Stainless Steel 90° round soldering base.



Cod.	O mm	UM	€
0636222	22	PCS	
0636225	25	PCS	

**60° Round Base**

Moulded 316 Stainless Steel 60° round base.




Cod.	O mm	UM	€
0631022	22	PCS	
0631025	25	PCS	

**60° Rectangular Soldering Base**

Moulded 316 Stainless Steel 60° rectangular soldering base.




Cod.	O mm	UM	€
0637022	22	PCS	
0637025	25	PCS	

**90° Rectangular Soldering Base**

Moulded 316 Stainless Steel 90° rectangular soldering base.



Cod.	O mm	UM	€
0637222	22	PCS	
0637225	25	PCS	

**90° Round Base**

Moulded 316 Stainless Steel 90° round base.




Cod.	O mm	UM	€
0631522	22	PCS	
0631525	25	PCS	

**60° Square Base**

Moulded 316 Stainless Steel 60° square base.




Cod.	O mm	UM	€
0631122	22	PCS	
0631125	25	PCS	

**90° Square Base**

Moulded 316 Stainless Steel 90° square base.



Cod.	O mm	UM	€
0631622	22	PCS	
0631625	25	PCS	

**60° T Joint**

Moulded 316 Stainless Steel 60° T connector.



Cod.	O mm	Direction	UM	€
0634322	22	Left	PCS	
0634323	22	Right	PCS	
0634326	25	Left	PCS	
0634325	25	Right	PCS	

**90° T Joint**

Moulded 316 Stainless Steel 90° T connector.




Cod.	O mm	UM	€
0634022	22	PCS	
0634025	25	PCS	

**60° Open T Joint**

Moulded Stainless Steel 60° open T connector.



Cod.	O mm	UM	€
0638122	22	PCS	
0638125	25	PCS	

**90° Open T Joint**

Moulded Stainless Steel 90° open T connector.



Cod.	O mm	UM	€
0638022	22	PCS	
0638025	25	PCS	



60° Round Base

Cast and polished 316 Stainless Steel 60° round base.




Cod.	O mm	D mm	UM	€
0630122	22	65	PCS	
0630125	25	71	PCS	

**60° Square Base**

Cast and polished 316 Stainless Steel 60° square base.




Cod.	O mm	UM	€
0630322	22	PCS	
0630325	25	PCS	

**60° Open T Joint**

Cast and polished 316 Stainless Steel 60° open T connector.



Cod.	O mm	UM	€
0633622	22	PCS	
0633625	25	PCS	

**110° Joint**

Cast and polished 316 Stainless Steel 110° connector.



Cod.	O mm	UM	€
0633931	22	PCS	
0633933	25	PCS	

**90° Round Base**

Cast and polished 316 Stainless Steel 90° round base.




Cod.	O mm	D mm	UM	€
0630622	22	65	PCS	
0630625	25	71	PCS	

**90° Square Base**

Cast and polished 316 Stainless Steel 90° square base.



Cod.	O mm	UM	€
0630722	22	PCS	
0630725	25	PCS	

**90° Open T Joint**

Cast and polished 316 Stainless Steel 90° open T connector.




Cod.	O mm	UM	€
0633632	22	PCS	
0633635	25	PCS	

**140° Joint**

Cast and polished 316 Stainless Steel 140° connector.




Cod.	O mm	UM	€
0633932	22	PCS	
0633935	25	PCS	

**60° T Joint**

Cast and polished 316 Stainless Steel 60° T connector.




Cod.	O mm	UM	€
0633822	22	PCS	
0633825	25	PCS	

**90° T Joint**

Cast and polished 316 Stainless Steel 90° T connector.



Cod.	O mm	UM	€
0633522	22	PCS	
0633525	25	PCS	

**Elbow Joint**

Cast and polished 316 Stainless Steel 90° elbow connector.



Cod.	O mm	UM	€
0633922	22	PCS	
0633925	25	PCS	

**3-Way Joint**

Cast and polished 316 Stainless Steel 3-Way connector.



Cod.	O mm	UM	€
0634522	22	PCS	
0634525	25	PCS	



FLAG STAFFS

FLAG STAFFS

Plastic Flag Staff

Plastic flag staff with side and vertical base for surface or wall mounting. Available also a suction cap base as an optional for inflatables.



Cod.	H mm	Accessories	UM	€
0810063	300		PCS	
0810064	400		PCS	
0810267		Suction Cap Base	PCS	



Gummy N Flag Staff

Black Nylon flag staff with PVC base to be purchased separately. For inflatables. Base 104 x 68 mm.



Cod.	Ref	H mm	UM	€
0810072	Staff	265	PCS	
0810272	Base		PCS	



Gummy G Flat Flag Staff

Inclined Grey Plastic flag staff with rubber base to be purchased separately. For inflatables.



Cod.	Ref	H mm	UM	€
0810069	Staff	300	PCS	
0810269	Base		PCS	



Compact Chrome Flag Staff

Chromed Brass compact flag staff with removable snap base and rod. Complete with 2 rope eyelets.



Cod.	H mm	ø mm	UM	€
0810003	350	13	PCS	
0810005	500	13	PCS	



Clamp Chromed Brass Flag Staff

Chromed Brass flag staff with Clamp-on socket for tubing ø 20<->25 mm.



Cod.	H mm	ø mm	UM	€
0810013	350	13	PCS	
0810015	500	13	PCS	



Clamp Stainless Steel Flag Staff

Stainless Steel flag staff with clamp-on socket for tubing ø 22<->25 mm.



Cod.	H mm	UM	€
0810023	380	PCS	



Classic Stainless Steel Flag Staff

Stainless Steel classic flag staff with 2 rope eyelets. Comes complete with base and screw latch.



Cod.	H mm	ø mm	UM	€
0810036	600	20	PCS	
0810038	800	25	PCS	



Folding Stainless Steel Flag Staff

Stainless Steel folding pole flag staff with adjustment knob.



Cod.	H mm	ø mm	UM	€
0810026	660	25	PCS	



Classic White Cap Stainless Steel Flag Staff

Classic Stainless Steel flag staff with 2 rope eyelets. To be completed with surface mount standard socket.

Cod.	H mm	ø mm	Accessories	UM	€
0810081	400	14		PCS	
0810082	600	20		PCS	
0810083	800	25		PCS	
0810074		ø 14 mm Socket		PCS	
0810075		ø 20 mm Socket		PCS	
0810076		ø 25 mm Socket		PCS	

**Classic Yacht Stainless Steel Flag Staff**

Classic Stainless Steel flag staff with 2 rope eyelets. To be completed with standard or flush socket.

Cod.	H mm	ø mm	Accessories	UM	€
0810086	600	20		PCS	
0810087	750	25		PCS	
0810088	900	25		PCS	
0810089	1200	25		PCS	
0810078		ø 20 mm Flush Socket		PCS	
0810079		ø 25 mm Flush Socket		PCS	
0810075		ø 20 mm Standard Socket		PCS	
0810076		ø 25 mm Standard Socket		PCS	

**Lahna Pine Flag Staff**

Tough clear Finnish Pine flag staff with Mahogany cap and rope cleat. Perfect finishing with special water-repellent protective varnish.

Cod.	H mm	ø mm	UM	€
0810166	600	25	PCS	
0810168	750	25	PCS	
0810169	1000	25	PCS	
0810171	1250	25	PCS	
0810173	1500	25	PCS	

**Lahna Mahogany Flag Staff**

Elegant Mahogany flag staff with cap and rope cleat. Perfect finishing with special water-repellent protective varnish.

Cod.	H mm	ø mm	UM	€
0810156	650	25	PCS	
0810158	800	25	PCS	
0810160	1000	25	PCS	

**Flag Staff Stainless Steel Sockets**

Stainless Steel flag staffs' sockets. Standard or flush mount. Base diameter 58 mm.

Cod.	Flag Staff ø mm	Ref	UM	€
0810057	25	Standard	PCS	
0810058	25	Flush Mount	PCS	

**Flag Staff Brass Sockets**

Brass flag staffs' sockets, screw latch included.

Cod.	Flag Staff ø mm	Ref	UM	€
0810055	25	CHROMED	PCS	
0810056	25	POLISHED	PCS	

**Flag Staff Clamp Socket**

Stainless Steel body clamp-on pole socket for 22<>25 mm tubing.

Cod.	Flag Staff ø mm	Clamp mm	UM	€
0810059	22	22<>25	PCS	

**Flag Staff Swivel Clamp Socket**

Stainless Steel body with swiveling clamp-on pole socket for 22<>25 mm tubing.


Cod.	Flag Staff ø mm	Clamp mm	UM	€
0810060	25	22<>25	PCS	



Telescoping Easy Boathook


Anodized Aluminum pole and Plastic hook tip telescoping boathook. Two ergonomic handles for a comfortable and secure grip.

Cod.	L cm	UM	€
0700510	68<>90	PCS	
0700521	120<>200	PCS	

**Telescoping Easy Color Boathook**

Anodized Aluminum pole and Plastic hook tip telescoping boathook. Two ergonomic handles for a comfortable and secure grip. Bright lacquered colours for a long lasting life.

Cod.	L cm	Ref	UM	€
0701520	120<>200	WHITE	PCS	
0701521	120<>200	RED	PCS	
0701522	120<>200	BLUE	PCS	

**Lock Telescoping Boat Hook**


Reinforced Anodized Aluminum telescoping boat hook with multi position lock system and reinforced Plastic hook.

Cod.	L cm	UM	€
0700522	130<>220	PCS	

**Bi-Telescoping Boat Hook**


Anodized Aluminum bi-telescoping boat hook with reinforced Plastic hook. Ergonomic handle for a comfortable and secure grip.

Cod.	L cm	UM	€
0700524	110<>250	PCS	

**Wood Fixed Boathook**


Wooden pole and Stainless Steel boathook tip. Comfortable and secure grip handle onto the Wooden pole. 30 mm diameter.

Cod.	L cm	UM	€
0700618	180	PCS	
0700621	210	PCS	
0700625	250	PCS	

**Alu Fixed Boathook**

Anodized Aluminum pole and Plastic boathook tip. Ergonomic handle for a comfortable and secure grip.

Cod.	L cm	UM	€
0700515	150	PCS	
0700518	180	PCS	



**Stainless Steel Boathook Tip**

316 Stainless Steel boathook tip.



Cod.	ø mm	UM	€
0703010	28	PCS	
0703011	35	PCS	

**Brass Boathook Tip**

Chromed Brass boathook tip.



Cod.	ø mm	UM	€
0703000	28	PCS	
0703001	35	PCS	

**Brass Double Boathook Tip**

Chromed Brass twin boathook tip.



Cod.	ø mm	UM
0703002	35	PCS

**Plastic Boathook Tip**

Plastic boathook tip.



Cod.	ø mm	UM
0702925	25	PCS
0702930	30	PCS
0702935	35	PCS

**PVC Plastic Grip for Paddles and Boathooks**

PVC grip for paddles and boathooks.



Cod.	For Pole ø mm	UM
0702825	25	PCS
0702830	30	PCS

**PVC Plastic Handle for Oars and Paddles**

PVC Handle for oars and paddles.



Cod.	For Pole ø mm	UM	€
0711590	35	PCS	

**Blades for Oars and Paddles**

Plastic spare blades for oars and paddles.

Cod.	ø mm	cm	UM	€
0716048	30	50 x 17	PCS	
0716050	35	50 x 17	PCS	

**- ALUMINUM OARS AND PADDLES -****Aluminum Paddle**

Anodized Aluminum shaft and Plastic blade paddle.

Cod.	ø mm	L cm	Boathook	UM	€
0701400	30	140	Yes	PZ	
0701401	30	140	No	PZ	

**Aluminum Telescoping Paddle with Boathook**


Anodized Aluminum shaft and Plastic blade telescoping paddle with boathook.

Cod.	ø mm	L cm	UM	€
0701413	30	100<>130	PZ	
0701420	30	120<>165	PZ	

**Aluminum Disassembling Paddle**

Anodized Aluminum shaft and Plastic blade disassembling paddle.

Cod.	ø mm	L cm	UM	€
0701402	35	71/142	PZ	



Light Aluminum Oar


Anodized Aluminum shaft and Plastic blade oar.

Cod.	ø mm	L cm	UM	€
0701019	35	185	PZ	
0701021	35	210	PZ	

**Aluminum Disassembling Oar**

Anodized Aluminum shaft and Plastic blade disassembling oar.

Cod.	ø mm	L cm	UM	€
0701216	35	82/165	PZ	
0701220	35	101/202	PZ	

**Aluminum Double Disassembling Paddle**

Anodized Aluminum double disassembling paddle with Plastic blades. It can form one or two paddles, or a paddle with two kayak blades.

Cod.	ø mm	L cm	UM	€
0701221	25	130/210	CP	

**Aluminum Tritelescoping Paddle with Boathook**

Anodized Aluminum shaft and Plastic blade tritelescoping paddle with boathook.

Cod.	ø mm	L cm	UM	€
0701110	28-25	55<>110	PZ	

**Aluminum Telescoping Paddle**


Anodized Aluminum telescoping paddle with Plastic blade and T-grip handle. Ideal for Sup and water sports pleasurecrafts.

Cod.	Colour	ø mm	L cm	UM	€
0701204	ORANGE	30	170/210	PZ	
0701205	BLUE	30	170/210	PZ	

**Jobe Disassembling Paddle**

Jobe disassembling paddle ideal for Sup and water sports pleasurecrafts. Light and resistant with reinforced Plastic blades and T-grip handle made of Anodized Aluminum or Carbon mixed to Fiberglass.

Cod.	L cm	Handle	UM	€
0701210	170/210	Anodized Aluminum	PZ	
0701211	170/210	Fiberglass and Carbon	PZ	

JOBE
WATERSPORTS**Kajak Disassembling Paddle 2**

Disassembling Anodized Aluminum kayak paddle with reinforced Plastic blades.

Cod.	Colour	L cm	UM	€
0701226	GREEN	220	PZ	
0701227	BLUE	220	PZ	



Lahna SeaGrade Oars

High quality, lightweight and resistant oars, the best for harsh sea conditions. Ergonomic grip, balanced blade, Polyurethane varnish finishing.

Complete with oarlock sleeve. Sold in pairs.

Cod.	L cm	ø mm	UM	€
0700018	180	44	PR	
0700020	195	44	PR	
0700022	225	44	PR	
0700024	240	44	PR	
0700026	255	44	PR	
0700030	300	47	PR	

**Lahna SeaModule Oars**

Superior quality lightweight construction oars with reinforced Plastic disassembling blade. With resistant handle for harsh sea conditions, ergonomic grip and Polyurethane varnish finishing.

Sold in pairs.

Cod.	L cm	ø mm	UM	€
0700010	180	44	PR	
0700011	210	44	PR	
0700012	240	44	PR	

**Disassembling Lahna SeaGrade Oars**

Lightweight and resistant disassembling oars, the best for harsh sea conditions. Shaped handle, blade tip reinforced with a wedge, finished with Polyurethane varnish.

Sold in pairs.

Cod.	L cm	ø mm	UM	€
0700217	165	35	PR	
0700220	195	35	PR	
0700222	210	35	PR	

**Lahna Rescue Oar**

Lightweight, balanced and resistant oar, the best for harsh sea conditions, obtained from a single piece of wood. Shaped handle and Polyurethane varnish finishing. Ideal for rescue vessels or big boats.

Cod.	L cm	ø mm	UM	€
0700059	390	60	PCS	
0700062	420	60	PCS	

**Lahna Inditour Paddle**

Clear Finnish Timber laminated paddle. The best for harsh sea conditions. Shaped handle, blade tip reinforced with a wedge. Finished with weather-proof polyurethane varnish. Suitable both for canoes and boats.

Cod.	L cm	Weight Kg	UM	€
0700212	125	0,62	PCS	
0700214	140	0,75	PCS	

**Lahna IndiWinner Paddle**

A high quality light paddle made of Aspen and Alder. The shaped handle and the blade tip reinforced with a wedge provide a good balance and excellent paddling properties. Finished with special weather-proof polyurethane varnish. Suitable both for canoes and boats.

Cod.	L cm	Weight Kg	UM	€
0700232	125	0,57	PCS	
0700234	140	0,72	PCS	



Oarlock Sleeve

Plastic oarlock sleeve.



Cod.	For Oar ø mm	UM	€
0711535	35	PCS	
0711540	40	PCS	
0711545	45	PCS	
0711550	50	PCS	

**Chromed Brass Oarlock**

Casted Chromed Brass oarlocks. Bright chrome plating.



Cod.	Oar ø mm	Shank ø mm	Socket	UM	€
0706048	48	12		PCS	
0706058	58	14		PCS	
0706068	68	14		PCS	
0706212			Flush Mount ø 12	PCS	
0706214			Flush Mount ø 14	PCS	
0706216			Side ø 12	PCS	
0706218			Side ø 14	PCS	

**Plastic Oarlock**

Reinforced Plastic oarlocks. ø 17 mm mount.



Cod.	Oar ø mm	Socket	UM	€
0706550	50		PCS	
0706555	56		PCS	
0706720		Flush Mount	PCS	
0706725		Side Mount	PCS	

**Eco Clamp Oarlock**

Plastic clamp-on oarlock for Ø 35 mm oars. Plastic bayonet mount for inflatable and tender oarlock holders.



Cod.	Colour	UM	€
0706636	GREY	PCS	
0706637	BLACK	PCS	

**Extra Clamp Oarlock**

Plastic clamp-on oarlock for Ø 35 mm oars. Brass bayonet mount for inflatable and tender oarlock holders.



Cod.	Colour	UM	€
0706646	GREY	PCS	
0706647	BLACK	PCS	

**Lahna Rowlock Oarlock**

A practical and strong Plastic rowlock. The oar is placed into the plastic coupling ring, where the oar stays in place even if you release the grip. It ensures an easy and safe rowing.





Cod.	For Oar ø	Shank ø	Socket	UM	€
0706643	44 mm	17 mm		PCS	
0706717			Flush Mount	PCS	
0706718			Side Mount	PCS	



Single Rod Rack Set


Single rod rack set for rods, boathooks etc.

Cod.	UM	€
0800099	PCS	

**Rod Storage Holder**


Rod storage holder for rods, boathooks etc.

Cod.	H mm	W mm	Slots	UM	€
0800093	216	73	2	PR	
0800095	381	73	4	PR	

**PSS Side Mount Rod Holder**


Plastic body and Stainless Steel clamps side mount rod holder.

Cod.	H mm	Internal ø mm	UM	€
0800079	225	40	PCS	

**SS Stainless Steel Side Mount Rod Holder**


Stainless Steel side mount rod holder.

Cod.	H mm	Internal ø mm	UM	€
0800070	300	40	PCS	

**PLS Multi-Place Rod Rack**


Multi-place Plastic rod rack with reinforced support. Wall mount.

Cod.	H mm	Internal ø mm	Slots	UM	€
0800090	285	40	3	PCS	
0800091	285	40	4	PCS	

**S/Steel Multi-Place Rod Rack**

Stainless Steel mirror polished multi-place rod rack. Wall mount. Height 250 mm.


Cod.	L mm	Internal ø mm	Slots	UM	€
0800072	280	40	2	PCS	
0800073	350	40	3	PCS	



Stainless Steel Angled Flush Mount Rod Holder

Flush mount Stainless Steel angled rod holder.

Cod.	H mm	Internal ø mm	UM	€
0800010	240	40	PCS	

**PL/SS Flush Mount Rod Holder**

Polished 316 Stainless Steel frame flush mount Plastic body rod holder.

Cod.	H mm	Internal ø mm	Colour	UM	€
0800001	240	40	BLACK	PCS	
0800002	240	40	WHITE	PCS	

**PLSP Flush Mount Rod Holder**

Plastic flush mount rod holder, used also for rod rest.



Cod.	H mm	Internal ø mm	Colour	UM	€
0800086	230	40	BLACK	PCS	
0800087	230	40	WHITE	PCS	

**S/Steel Removable Rod Holder**

Removable side mount Stainless Steel rod holder. Bracket base: 110 x 110 mm.



Cod.	H mm	Internal ø mm	UM	€
0800020	350	40	PCS	

**Stainless Steel Straight Flush Mount Rod Holder**

Flush mount Stainless Steel straight rod holder.

Cod.	H mm	Internal ø mm	UM	€
0800012	230	50	PCS	

**PLS Flush Mount Rod Holder**

Flush mount Plastic body rod holder. Black and White PVC caps can be used for all rod holders.

Cod.	H mm	Internal ø mm	Colour	Accessories	UM	€
0800084	250	40	BLACK		PCS	
0800085	250	40	WHITE		PCS	
0800184				BLACK Cap	PCS	
0800185				WHITE Cap	PCS	

**PVC Rod Holder Cap and Gasket**

PVC ø 40 mm rod holder cap and gasket.



Cod.	Colour	UM	€
0800184	BLACK	PCS	
0800185	WHITE	PCS	



Adjustable Stainless Steel Rod Holder

Stainless Steel adjustable rod holder with plane base.

Cod.	Base mm	H mm	Internal ø mm	UM	€
0800033	93 x 63	370	40	PCS	

**Chromed Adjustable Smooth Base Rod Holder**

Chromed Brass adjustable rod holder with rod protection rubber bushing.

Cod.	Base mm	H mm	Internal ø	Spare	UM	€
0800030	100 x 65	300	33 mm		PCS	
0800031	100 x 65	350	40 mm		PCS	
0800130			ø 33 Bushing		PCS	
0800131			ø 40 Bushing		PCS	

**Click Adjustable Chromed Rod Holder**


Chromed Brass adjustable rod holder with plane base and rod protection rubber bushing. Thanks to the click bracket it is easily removable and keeps the deck free.

Cod.	Base mm	H mm	Internal ø	UM	€
0800048	80 x 50	300	40	PCS	

**S/Steel Adjustable Smooth Base Rod Holder**

Stainless Steel adjustable rod holder with rubber bushing and plane base.

Cod.	Internal ø mm	UM	€
0800034	40	PCS	

**Chromed Adjustable Double Swivel Rod Holder**

Chromed Brass adjustable rod holder with double swivel base and rod protection rubber bushing.

Cod.	Base mm	H mm	Internal ø	Spare	UM	€
0800060	93 x 63	400	40 mm		PCS	
0800131				Bushing	PCS	

**2 Mount Adjustable Rod Holder**

Reinforced Nylon body adjustable rod holder. Can be base mount or rail mount.

Cod.	L mm	Internal ø mm	Colour	UM	€
0800082	250	45	White	PCS	
0800083	250	45	Black	PCS	



S/Steel Adjustable Clamp-On Rail Mount Rod Holder

Stainless Steel adjustable clamp-on rail mount rod holder.

Cod.	For Rails ø mm	H mm	Internal ø	UM	€
0800043	22<>30	250	40 mm	PCS	

**SST S/Steel Adjustable Clamp-On Rod Holder**


Adjustable Stainless Steel clamp-on rod holder with inner PVC protection tube clamp.

Cod.	For Rails ø mm	H mm	Internal ø mm	UM	€
0800044	22<>25	265	42	PCS	
0800045	25<>32	265	42	PCS	
0800046	38<>50	265	42	PCS	

**Adjustable Double Swivel Clamp Rod Holder**

Chromed Brass adjustable rod holder with double swivel clamp and rod protection rubber bushing.

Cod.	Clamp Range	H mm	Internal ø	Spare	UM	€
0800065	100 mm	400	40 mm		PCS	
0800131				Rubber Bushing	PCS	

**Chromed Adjustable Clamp-On Rail Mount Rod Holder**

Chromed Brass adjustable clamp-on rail mount rod holder with rod protection rubber bushing.

Cod.	For Rails ø mm	H mm	Internal ø	Spare	UM	€
0800040	22<>28	250	40 mm		PCS	
0800042	40	250	40 mm		PCS	
0800131				Rubber Bushing	PCS	

**Chromed Adjustable Clamp Rod Holder**

Chromed Brass adjustable rod holder with clamp and rod protection rubber bushing.

Cod.	Clamp Range	H mm	Internal ø	Spare	UM	€
0800050	100 mm	400	40 mm		PCS	
0800131				Rubber Bushing	PCS	

**Chair Rod Gimbal**

Chromed Brass fishing chair rod gimbal.

Cod.	For Rails ø mm	UM	€
0847804	22<>25	PCS	



Sandra Folding Chair

Fold down upholstered chair. Marine grade Skay covering.

Cod.	W mm	L mm	H mm	UM	€
0850041	400	400	470	PCS	
0850046	400	400	530	PCS	

**Classic High Back Folding Chair**

Fold down upholstered chair. Marine grade Skay covering.

Cod.	W mm	L mm	H mm	Colour	UM	€
0851000	360	406	546	WHITE	PCS	
0851002	360	406	546	CREAM	PCS	
0851004	360	406	546	GREY	PCS	

**Fisherman Foldable Seat**

Fold down seat with Marine grade Skay removable cushions. Injection molded marine grade Plastic shell. Ergonomic and comfortable design, ideal for long fishing trips.

Cod.	W mm	L mm	H mm	Colour	UM	€
0851010	419	457	495	WHITE	PCS	
0851012	419	457	495	BLUE	PCS	
0851014	419	457	495	DARK GREY	PCS	

**Premium Foldable Soft Seat**

Fold down upholstered seat. Resistant marine grade Skay covering. Reinforced plastic body and corrosion-resistant Aluminum hinges. Comfortable design and soft padded seat.

Cod.	W mm	L mm	H mm	Colour	UM	€
0851020	457	482	603	BLUE	PCS	
0851022	457	482	603	DARK GREY	PCS	
0851024	457	482	603	RED	PCS	

**Premium Foldable Seat**

Fold down upholstered seat. Resistant marine grade Skay covering. Reinforced plastic body and corrosion-resistant Aluminum hinges. Comfortable design seat.


Cod.	W mm	L mm	H mm	Colour	UM	€
0851030	432	508	597	WHITE / DARK GREY	PCS	
0851034	432	508	597	GREY / DARK GREY	PCS	
0851032	432	508	597	GREY / BLUE	PCS	



Folding Bench Seat

Folding bench upholstered seat. Marine grade Skay covering.

Cod.	W mm	L mm	H mm	UM	€
0850080	480	800	450	PCS	
0850090	480	900	450	PCS	
0850100	480	1000	450	PCS	



Flip Back Seat

Upholstered seat with marine grade Skay covering. The backrest can be positioned front or back, allowing a driving and working mode position.

Cod.	W mm	L mm	H mm	UM	€
0850050	520	500	500	PCS	



Ocean 52 Flip-Up Seat

Polyethylene shell offshore upholstered seat. Marine grade Skay covering. The seat may be lifted to allow standing drive mode with back rest.

Cod.	W mm	L mm	H mm	Colour	UM	€
0857008	500>600	550	600	WHITE	PCS	



Ocean 51 Flip-Up Seat

Polyethylene shell offshore upholstered seat. Marine grade Skay covering. The seat may be lifted to allow standing drive mode with back rest.

Cod.	W mm	L mm	H mm	Colour	UM	€
0857003	500>600	550	600	WHITE/BLUE	PCS	



Pro Casting Seat

Upholstered seat with resistant marine grade Skay covering, comfortable design and backrest edge. Plastic base loaded with shape equal to the size of the seat. Ideal as a stool, as a support for driving and fishing, or as a sitting corner.



Cod.	W mm	L mm	H mm	Colour	UM	€
0851200	280	381	127	WHITE	PCS	
0851204	280	381	127	GREY	PCS	

**Eltex Molded Bucket Seat**

Sturdy Polyethylene molded bucket seat. Tough and strong, completely maintenance free.



Cod.	W mm	L mm	H mm	Colour	UM	€
0852010	476	482	406	WHITE	PCS	
0852012	476	482	406	GREY	PCS	

**Poly Compact Helmsman Chair**

Sturdy Polyethylene Compact helmsman chair. Tough and strong, completely maintenance free. To be completed with cushions for better seat comfort.



Cod.	W mm	L mm	H mm	Accessories	UM	€
0852040	400	400	400		PCS	
0853040				Cushions	PCS	

**Poly Classic Helmsman Chair**

Sturdy Polyethylene Classic helmsman chair. Tough and strong, completely maintenance free. To be completed with cushions for better seat comfort.



Cod.	W mm	L mm	H mm	Accessories	UM	€
0852050	510	400	420		PCS	
0853050				Cushions	PCS	

**All-Weather Poly Folding Seat**

Resistant Marine type Polyethylene folding seat. Tough and strong, completely maintenance free. Can be completed with cushions. 270 x 327 mm connection base complete with screws.




Cod.	W mm	L mm	H mm	Accessories	UM	€
0851142	490	420	450		PCS	
0853042				Cushions	PCS	



Cushion

Comfortable acrylic fabric cushion. Water-repellent and UV rays resistant. The stable indelible colors remain lively for at least 3 years of continuous use. Endowed with velcro in order to unite more cushions. Washable cover with zipper.

Cod.	Dim cm	Colour	UM	€
5805076	50 x 50	BLUE NAVY	PCS	
5805077	50 x 50	GREY	PCS	

**Extendible Cushion**

Comfortable acrylic fabric cushion. Water-repellent and UV rays resistant. The stable indelible colors remain lively for at least 3 years of continuous use. Endowed with velcro in order to unite more cushions. Washable cover with zipper.

Cod.	Dim cm	Colour	UM	€
5805073	45 x 45	BLUE NAVY	PCS	
5805074	45 x 45	GREY	PCS	

**Inflatable Cuscion Seat**

Inflatable seat cushion in high-strength PVC coated Dropstitch Polyester mesh. Composed of seat and backrest with adjustable Velcro closure for side rails and parafil. It can be deflated and stored quickly without taking up space.

Cod.	Seat Dim cm	UM	€
0851250	60 x 40 x 5	PCS	

**Bench Cushion**

Resistant marine grade Skay cushion with high density foam padding. Complete with zip closure and press buttons fixing flaps.

Cod.	H mm	Colour	UM	€
0851216	600 x 300 x 50	WHITE	PCS	
0851218	600 x 300 x 50	GREY	PCS	
0851220	1200 x 300 x 50	WHITE	PCS	
0851222	1200 x 300 x 50	GREY	PCS	

**Fiberglass Storage Bench Box**

Sturdy Fiberglass frame dry storage bench box.

Cod.	L cm	W cm	H cm	UM	€
0832005	60	45	40	PCS	
0832008	79	45	40	PCS	




Master Fixed Height Seat Mainstay Pedestal

Anodized Aluminum fixed height Master seat mainstay pedestal. Swivel mount top and sliding system. Universal mount for all seats.




Cod.	H mm	Base ø mm	UM	€
0846746	475	230	PCS	

**Master Adjustable Height Seat Mainstay Pedestal**

Anodized Aluminum adjustable height Master seat mainstay pedestal. Swivel mount top and sliding system. Universal mount for all seats.




Cod.	H mm	Base ø mm	UM	€
0846862	435<>635	230	PCS	

**Ocean Adjustable Height Seat Mainstay Pedestal**

Anodized Aluminum Ocean seat mainstay pedestal with manual height adjustment. Wide base with very sturdy structure ideal for high loads and stresses. Swivel head with forward-reverse slide, universal mount for all seats.




Cod.	H mm	Base ø mm	UM	€
0846865	435<>635	305	PCS	

**Ocean Air-Powered Adjustable Height Seat Mainstay Pedestal**

Anodized Aluminum Ocean Air-Powered seat mainstay pedestal with gas height adjustment. Swivel mount top and sliding system. Elegant and very sturdy, universal mount for all seats.



Cod.	H mm	Base ø mm	UM	€
0846880	350<>470	300	PCS	
0846885	460<>635	300	PCS	

**Belle Adjustable Height Seat Mainstay Pedestal**

Anodized Aluminum seat mainstay pedestal with swivel mount top. Manual height adjustment. Universal mount for all seats.



Cod.	H mm	Base ø mm	UM	€
0846850	330<>430	250	PCS	



Garelick Fixed Height Seat Mainstay Pedestal

Fixed height Anodized Aluminum Garelick seat mainstay pedestal. To be completed with standard top or with forward-reverse seat slider top. Both tops are equipped with a Delrin bearing which cancels friction and provides a perfect rotation. Pedestal diameter 73 mm, base diameter 235 mm.



GARELICK

Cod.	Ref	Dim mm	UM	€
0846802	Pedestal with Base	H300	PCS	
0846804	Pedestal with Base	H460	PCS	
0846805	Pedestal with Base	H610	PCS	
0846806	Pedestal with Base	H760	PCS	
0846814	Standard Top	164 x 164	PCS	
0846810	Seat Slider Top	200 x 330	PCS	



Garelick Adjustable Height Seat Mainstay Pedestal

Adjustable height Anodized Aluminum Garelick seat mainstay pedestal with snap pin. To be completed with standard top or with forward-reverse seat slider top. Both tops are equipped with a Delrin bearing which cancels friction and provides a perfect rotation. Pedestal diameter 73 mm, base diameter 235 mm.



GARELICK

Cod.	Ref	Dim mm	UM	€
0846820	Pedestal with Base	H300<>430	PCS	
0846822	Pedestal with Base	H460<>580	PCS	
0846814	Standard Top	164 x 164	PCS	
0846810	Seat Slider Top	200 x 330	PCS	



Garelick Air-Powered Adjustable Height Seat Mainstay Pedestal

Anodized Aluminum Garelick air-powered seat mainstay pedestal with gas height adjustment and swivel top with forward-reverse seat slider. Base diameter 230 mm, slide dimensions 200 x 330 mm.



GARELICK

Cod.	Dim mm	UM	€
0846840	ø 73 x H360<>460	PCS	



S/Steel Adjustable Height Seat Mainstay Pedestal

Stainless Steel seat mainstay pedestal with swivel mount top. Manual adjustable height with safety pin.



Cod.	H mm	Base ø mm	UM	€
0845045	500<>600	240	PCS	



Low Profile Slide & Swivel Seat Pedestal

Low profile slide and swivel seat pedestal for benches and storage boxes. Universal mount for all seats.



Cod.	Dim mm	H mm	Base ø mm	UM	€
0846715	338 x 182	153	230	PCS	

**Low Profile Slide Fixed Seat Pedestal**

Low profile slide fixed seat pedestal for benches and storage boxes. Universal mount for all seats.




Cod.	Dim mm	H mm	UM	€
0847543	338 x 182	70	PCS	

**S/Steel Flat Seat Swivel**

Stainless Steel flat seat swivel. For benches and storage boxes.



Cod.	Dim mm	UM	€
0847545	172 x 172 x H23	PCS	

**Quick Disconnect Seat Swivel**

Quick disconnect seat swivel made of reinforced Plastic. For mounting seats on benches and storage boxes. Suitable for mounting on multiple positions. Diagonal holes wheelbase from 165 to 200 mm.



Cod.	Dim mm	UM	€
0847546	173 x 173 x H55	PCS	

**S/Steel Closeable Seat Mainstay Pedestal**

22 mm diameter Stainless Steel folding and closeable seat mainstay pedestal. For bulkhead seats mounting.



Cod.	Base Dim mm	H mm	UM	€
0845075	280 x 540	740	PCS	

**Seat Hinges**

Anodized Aluminum seat hinges with Stainless Steel pin. 0846011 and 0846012 are equipped with a system that prevents fingers pinching when closing the seat. Furthermore, 0846012 is fully foldable to 180°.



Cod.	Dim mm	Ref	UM	€
0846010	254 x 203	Standard	PR	
0846011	254 x 203	Standard - No Pinch	PR	
0846012	254 x 203	Folding - No Pinch	PR	



0846010



0846011



0846012

**Class 1 Table Pedestal**

Flush mount base Anodized Aluminum satin finish stowable table pedestal. High quality manufacture. Height: 70 cm.



Cod.	Tube ø	Top ø	Base ø	Extra	UM	€
0840003	60mm	17cm	17cm		PCS	
0840124				2nd Base	PCS	

**Class 2 Table Pedestal**

Flush mount base Anodized Aluminum stowable table pedestal. Height: 62 cm.



Cod.	Tube ø	Top ø	Base ø	Extra	UM	€
0840005	55mm	17cm	16cm		PCS	
0840008				2nd Base	PCS	

**Twist Lock Table Pedestal**

Satinized Anodized Aluminum detachable table pedestal. Twist-Lock surface mount base (thru deck hole not needed) with 6 screw holes (wheelbase 145 mm). Height: 70 cm.



Cod.	Tube ø	Top ø	Base ø	Extra	UM	€
0840004	55mm	17cm	18cm		PCS	
0840114				2nd Base	PCS	

**Twist Lock Telescoping Table Pedestal**

Twist-Lock surface mount low profile base (thru deck hole not needed). Anodized Aluminum satin finish telescoping table pedestal. High quality manufacture. Height 50<>70 cm.



Cod.	Tube ø	Top ø	Base ø	Extra	UM	€
0840120	60mm	17cm	18cm		PCS	
0840114				2nd Base	PCS	

**Stainless Steel Table Pedestal**

Flush mount base polished Stainless Steel stowable table pedestal. Height: 70 cm.



Cod.	Tube ø	Top ø	Base ø	Extra	UM	€
0840010	50mm	16cm	16cm		PCS	
0840013				2nd Base	PCS	



**Garelick Twist-Lock Table Pedestal**

Satin Anodized Aluminum table pedestal with corrosion resistant marine polymer bases. The Twist-Lock system allows to fix or remove the support from the flush base, leaving the deck free and with no need to drill holes for installation. Tube diameter 60 mm, upper base 180 mm, lower base 170 mm.



Cod.	H mm	UM	€
0840040	690	PCS	



SARELOCK

Garelick Fixed Hight Table Pedestal

Fixed height satin-finish marine Anodized Aluminum table pedestal. The optional flush mount base allows the support to be moved to the second position or removed from the main position to leave the deck free. Tube diameter 60 mm, base diameter 180 mm.



Cod.	H mm	Accessories	UM	€
0840050	740		PCS	
0840052		Flush Base	PCS	
0840054		Base Cap	PCS	



SARELOCK

Garelick Adjustable Hight Table Pedestal

Satin-finish marine Anodized Aluminum table pedestal with manual adjustable height with pin. Tube diameter 70 mm, base diameter 230 mm.



Cod.	H mm	UM	€
0840046	370<>780	PCS	



SARELOCK

Garelick Adjustable Air-Powered Table Pedestal

Satin-finish marine Anodized Aluminum table pedestal with gas adjustable height. Tube diameter 70 mm, base diameter 230 mm.



Cod.	H mm	UM	€
0840048	370<>750	PCS	



SARELOCK

Polyethylene Round Table Top and Pedestals
Rugged Polyethylene round table top and pedestals.

Cod.	ø cm	Pedestals	UM	€
0840254	60		PCS	
0840003		Class 1	PCS	
0840004		Twist-Lock	PCS	
0840120		Twist-Lock Telescopic	PCS	



Polyethylene Oval Table Top and Pedestals
Rugged Polyethylene oval table top and pedestals.

Cod.	Dim cm	Pedestals	UM	€
0840249	45 x 75		PCS	
0840003		Class 1	PCS	
0840004		Twist-Lock	PCS	
0840120		Twist-Lock Telescopic	PCS	



Garelick Table Top & Side Mount Support Set

Garelick oval table top complete with side mount support. The table can be removed with a simple snap mechanism on the fixing base. Table support dia 6 cm, height 41 cm, mounting base 8 x 13 cm.



Cod.	Table	Dim cm	Pedestal	UM	€
0840210	ABS	46 x 76	Stainless Steel	PCS	
0840212	ABS	46 x 76	Anodized Aluminum	PCS	
0840214	TEAK	46 x 76	Anodized Aluminum	PCS	

GARELICK



Stainless Steel Corners

316 Stainless Steel corners ideal for structures' mounting and strengthening.

Cod.	Dim mm	UM	€
0408103	31 x 31 x 12	PCS	
0408104	46 x 46 x 13	PCS	
0408106	61 x 61 x 15	PCS	

**Roca Rakego Shelf Hinge**

Hinge for Roca Rakego shelf in Satin or Black Anodized Aluminum. Ideal for the installation of folding shelves and table tops.


Completes the Rakego folding support.

Cod.	Ref	Dim mm	UM	€
0408140	Satin	60 x 55	PCS	
0408141	Black	60 x 55	PCS	

**Rako Foldable Support**


"Rako" Stainless Steel folding table and shelf support.

Cod.	L mm	Max Kg	UM	€
0840033	300	40	PCS	

**Southco Foldable Supports**

"Southco" Anodized Aluminum folding table and shelf supports.



Cod.	L mm	Max Kg	UM	€
0840061	330/165	100	PCS	
0840062	480/240	100	PCS	

**Roca Rakego Foldable Supports**

Roca Rakego satin or black Anodized Aluminum folding table and shelf supports. Very versatile, they adapt to any position and need thanks to the telescoping stem and the snap locking mechanism.



Cod.	Aluminum	Shelf A mm	B mm	C mm	Weight P1 Kg	Weight P2 Kg	UM	€
0840070	Satin	150	20<>30	14	60	30	PCS	
0840071	Satin	247	20<>35	44	60	30	PCS	
0840081	Black	247	20<>35	44	60	30	PCS	
0840072	Satin	392	20<>46	86	60	30	PCS	
0840082	Black	392	20<>46	86	60	30	PCS	
0840073	Satin	544	20<>40	136	60	30	PCS	
0840074	Satin	161	25<>30	15	70	35	PCS	
0840075	Satin	252	25<>39	45	95	55	PCS	
0840085	Black	252	25<>39	45	95	55	PCS	
0840076	Satin	402	25<>50	87	120	60	PCS	
0840086	Black	402	25<>50	87	120	60	PCS	
0840077	Satin	549	25<>40	137	140	80	PCS	



Forma Deck Service Folding Tables

Marathon M300 round top and M350 square top service folding tables. Perfectly finished Anodized Aluminum strong frame. Superior quality humidity and UV rays resistant Melamine table top. Anodized Aluminum reinforced corners. Stainless Steel hardware.

Cod.	Ref	Table Top cm	Height cm	UM	€
0840612	M300 Round	ø 60	48	PCS	
0840614	M350 Square	60 x 60	48	PCS	



Forma Melamine Top Round Folding Tables

Marathon M250H - M450H elegant folding tables. Perfectly finished Anodized Aluminum strong frame. Superior quality humidity and UV rays resistant Melamine table top. Anodized Aluminum reinforced corners. Stainless Steel hardware.

Cod.	Ref	Table Top cm	Height cm	UM	€
0840608	M250H	88 x 51	70	PCS	
0840609	M450H	88 x 60	70	PCS	



Forma Melamine Top Folding Tables

Marathon M200 - M400 - M400H - M600 elegant folding tables. Perfectly finished Anodized Aluminum strong frame. Superior quality humidity and UV rays resistant Melamine table top. Anodized Aluminum reinforced corners. Stainless Steel hardware. The M600 table can be set in two heights: 56 and 73 cm.

Cod.	Ref	Table Top cm	Height cm	UM	€
0840602	M200	88 x 44	61	PCS	
0840604	M400	88 x 60	61	PCS	
0840610	M400H	88 x 60	61	PCS	
0840606	M600	120 x 75	56 / 73	PCS	



Forma Teak Top Folding Tables

Marathon M400T and M600T elegant folding tables. Perfectly finished Anodized Aluminum strong frame. Superior quality humidity and UV rays resistant Teak table top. Solid Teak corners. Stainless Steel hardware. The M600T table can be set in two heights: 56 and 73 cm.

Cod.	Ref	Table Top cm	Height cm	UM	€
0840605	M400T	88 x 63	61	PCS	
0840607	M600T	122 x 66	56 / 73	PCS	



**Marathon M700 Folding Deck Stool**

Reliable and elegant Marathon M700 deck stool by Forma. Perfectly finished Anodized Aluminum strong frame, non-skid inserts. Polyfor Fabric - 100% superior quality 420gr/m² Polyester. Stainless Steel hardware.

Cod.	Seat H cm	Chair H x Width cm	Colour	UM	€
0860420	42	46 x 46	Blue Navy	PCS	
0860421	42	46 x 46	White	PCS	

**Marathon M100P Folding Chair**

Elegant and handy Marathon M100P folding chair by Forma. Perfectly finished strong Anodized Aluminum frame, non-skid inserts. Textilene 650gr/m² superior quality marine grade canvas. Reliable sturdy plastic UV resistant armrests. Stainless Steel hardware.

Cod.	Seat H cm	Chair H x Width cm	Colour	UM	€
0860430	42	82 x 47	Royal Blue	PCS	
0860431	42	82 x 47	White	PCS	

**Marathon M100 Folding Chair**

Classic and elegant Marathon M100 folding chair by Forma. Perfectly finished strong Anodized Aluminum frame, non-skid inserts. Superior quality Polyfor marine grade canvas - 100% Polyester 420gr/m². Elegant and comfortable real Teak wood armrests. Stainless Steel hardware.

Cod.	Seat H cm	Chair H x Width cm	Colour	UM	€
0860432	42	82 x 47	Blue Navy	PCS	
0860433	42	82 x 47	White	PCS	



Marathon M150 Folding Chair

Classic and comfortable (high seatback) Marathon M150 folding chair by Forma. Perfectly finished strong Anodized Aluminum frame, non-skid inserts. Superior quality Polyfor marine grade canvas - 100% Polyester 420gr/m2. Elegant and comfortable real Teak wood armrests. Stainless Steel hardware.

Cod.	Seat H cm	Chair H x Width cm	Colour	UM	€
0860452	43	92 x 47	Blue Navy	PCS	
0860453	43	92 x 47	White	PCS	

**Marathon R120 Folding Chair**

Comfortable and elegant Marathon R120 chair by Forma, reclining in four positions with adjustable headrest. Perfectly finished light and very strong Anodized Aluminum frame with casted joints. Stain resistant Recacril Marine Grade canvas. Stainless Steel hardware.

Cod.	Seat H cm	Chair H x Width cm	Colour	UM	€
0860480	42	103 x 49	Blue Navy	PCS	
0860481	42	103 x 49	White	PCS	

**Astron A6000T Folding Chair**

High end (super comfortable) very elegant Astron A6000T folding chair by Forma. Perfectly finished light and very strong Anodized Aluminum frame with casted joints. Nautolex Superior marine grade canvas. Elegant real Teak wood armrests. Stainless Steel hardware.

Cod.	Seat H cm	Chair H x Width cm	Colour	UM	€
0860460	46	86 x 47	Blue Navy	PCS	
0860461	46	86 x 47	White	PCS	





MARINE BUSINESS

MB Teak Folding Wings Table

Marine grade and UV rays resistant high quality Teak table.
Exceptional quality and superior finish. 316 Stainless Steel hardware.
Foldable wings for two different widths (40cm with folded and 80cm with open wings).
Adjustable height according to need, 60 or 75 cm.

Cod.	Table Top cm	Height cm	UM	€
0840625	120 x 40/80	60/75	PCS	

**MB Teak Folding Tables**

Marine grade and UV rays resistant high quality Teak table.
Exceptional quality and superior finish. 316 Stainless Steel hardware.

Cod.	Table Top cm	Height cm	UM	€
0840622	80 x 60	75	PCS	

MARINE BUSINESS



MB Teak Folding Director Chair

Marine grade UV rays resistant superior quality Teak Marine Business folding director chairs. Stainless Steel hardware and screws, with flush mount hinges and reinforced support. Tearproof Olefin canvas that repels water, resistant to the sun (it does not lose color) and can also be washed with bleach. Spare fabric available in 5 colors.

Cod.	Dim cm	Colour	Accessories	UM	€
0860604	52 x 48 x H90	Ecru White		PZ	
0860605	52 x 48 x H90	Blue Navy		PZ	
0860606	52 x 48 x H90	Turquoise		PZ	
0860607 	52 x 48 x H90	Black		PZ	
0860608 	52 x 48 x H90	Grey		PZ	
0860621			Blue Navy Spare Fabric	PZ	
0860622			Ecru White Spare Fabric	PZ	
0860623			Turquoise Spare Fabric	PZ	
0860624 			Black Spare Fabric	PZ	
0860625 			Grey Spare Fabric	PZ	



MB Teak Folding Deck Stool

Marine grade UV rays resistant superior quality Teak Marine Business folding deck stool. Stainless Steel hardware and screws with flush mount hinges. Tearproof Olefin canvas that repels water, resistant to the sun (it does not lose color) and can also be washed with bleach. Spare fabric available in 5 colors.

Cod.	Dim cm	Colour	Accessories	UM	€
0860612	45 x 36 x H46	Ecru White		PZ	
0860614	45 x 36 x H46	Blue Navy		PZ	
0860616	45 x 36 x H46	Turquoise		PZ	
0860618 	45 x 36 x H46	Black		PZ	
0860620 	45 x 36 x H46	Grey		PZ	
0860632			Ecru White Spare Fabric	PZ	
0860631			Blue Navy Spare Fabric	PZ	
0860633			Turquoise Spare Fabric	PZ	
0860634 			Black Spare Fabric	PZ	
0860635 			Grey Spare Fabric	PZ	



Chromed Brass Low Profile Round Portlight

Round Chromed Brass low profile portlights complete with trim ring. Neck height 12 mm.



Cod.	ø mm	Cutout mm	Finishing	UM	€
1610000	153	125	Chromed Brass	PCS	
1610015	175	152	Chromed Brass	PCS	
1610017	207	175	Chromed Brass	PCS	

**Polished Brass Low Profile Round Portlight**

Round Polished Brass low profile portlights complete with trim ring. Neck height 12 mm.



Cod.	ø mm	Cutout mm	Finishing	UM	€
1610500	153	125	Polished Brass	PCS	
1610515	175	152	Polished Brass	PCS	
1610517	207	175	Polished Brass	PCS	

**Chromed Brass Round Portlight**

Round Chromed Brass portlights with trim ring included.



Cod.	ø mm	Cutout mm	Neck H mm	UM	€
1610019	264	195	25	PCS	
1610020	264	195	50	PCS	
1610023	300	235	25	PCS	
1610024	300	235	50	PCS	
1610038	470	385	25	PCS	
1610039	470	385	50	PCS	

**Polished Brass Round Portlight**

Round Polished Brass portlights with trim ring included.



Cod.	ø mm	Cutout mm	Neck H mm	UM	€
1610519	264	195	25	PCS	
1610520	264	195	50	PCS	
1610523	300	235	25	PCS	
1610524	300	235	50	PCS	
1610538	470	385	25	PCS	
1610539	470	385	50	PCS	



MTM Nylon Frame Round Portlight

Nylon frame and Acrylic glass round portlights. Complete with trim ring. Screws not included. Spigot size 30 mm. CE EN ISO12216 certified.

**MTM**

Cod.	ø mm	Cutout ø mm	Colour	Spare Parts	UM	€
1614016	220	160	WHITE		PCS	
1614021	270	210	WHITE		PCS	
1614026	320	260	WHITE		PCS	
1614116	220	160	BLACK		PCS	
1614121	270	210	BLACK		PCS	
1614126	320	260	BLACK		PCS	
3835201				Seal Kit	PCK	

**MTM Rectangular Nylon Frame Portlight**

Nylon frame and Acrylic glass rectangular portlights. Complete with trim ring. Screws not included. Spigot size 30 mm. CE EN ISO12216 Cat.A/B/C/D certified.

**MTM**

Cod.	L mm	H mm	Cutout mm	Colour	Spare Parts	UM	€
1604040	400	200	340 x 140	WHITE		PCS	
1604050	500	250	440 x 190	WHITE		PCS	
1604140	400	200	340 x 140	BLACK		PCS	
1604150	500	250	440 x 190	BLACK		PCS	
3835201					Seal Kit	PCK	

**FL-Sea ABS Frame Round Portlight**

UV Rays resistant ABS stabilized round portlight with 4 mm thickness tempered glass. Complete with trim ring and 316 Stainless Steel accessories.



Cod.	ø mm	Cutout mm	UM	€
1614421	215	147	PCS	
1614426	265	197	PCS	

**FL-Sea ABS Frame Oval Portlight**

UV Rays resistant ABS stabilized oval portlight with 4 mm thickness tempered glass. Complete with trim ring and 316 Stainless Steel accessories.



Cod.	L mm	H mm	Cutout mm	UM	€
1614840	410	220	323 x 130	PCS	

**FL-Sea ABS Frame Rectangular Portlight**

UV Rays resistant ABS stabilized rectangular portlight with 4 mm thickness tempered glass. Complete with trim ring and 316 Stainless Steel accessories.



Cod.	L mm	H mm	Cutout mm	UM	€
1604440	400	200	320 x 128	PCS	



**S/Steel Oval Fixed Portlight**

Acrylic glass and Stainless Steel frame fixed oval portlight that can not be opened.



Cod.	External dim mm	Cutout mm	UM	€
1620061	127 x 400	94 x 363	PCS	
1620062	151 x 490	120 x 458	PCS	
1620063	198 x 457	146 x 405	PCS	

**S/Steel Elliptical Open Portlight**

Acrylic glass and Stainless Steel frame elliptical portlight that can be opened.



Cod.	External dim mm	Cutout mm	UM	€
1620071	203 x 461	156 x 414	PCS	
1620072	216 x 472	186 x 430	PCS	

**G-Type Oval Portlight**

Anodized Aluminum Goiot type portlight with watertight Acrylic glass with casted construction and double-side sealing gasket. Great view range thanks to the flat handle. Maximum bulkhead thickness 27 mm.



Cod.	External dim mm	Cutout mm	Accessories	UM	€
1620002	397 x 197	375 x 175		PCS	
1620202			Bug screen	PCS	

**G-Type Rectangular Portlight**

Anodized Aluminum Goiot type portlight with watertight Acrylic glass with casted construction and double-side sealing gasket. Great view range thanks to the flat handle. Maximum bulkhead thickness 27 mm.



Cod.	External dim mm	Cutout mm	Bug Screen	UM	€
1620000	325 x 178	303 x 156		PCS	
1620001	369 x 193	347 x 171		PCS	
1620004	427 x 178	405 x 156		PCS	
1620003	451 x 193	429 x 171		PCS	
1620005	649 x 193	627 x 171		PCS	
1620006	451 x 266	429 x 244		PCS	
1620007	369 x 273	347 x 251		PCS	
1620200			Ref. 1620000	PCS	
1620201			Ref. 1620001	PCS	
1620204			Ref. 1620004	PCS	
1620203			Ref. 1620003	PCS	
1620205			Ref. 1620005	PCS	
1620206			Ref. 1620006	PCS	
1620207			Ref. 1620007	PCS	



Vetus Libero Hatches

Anodized Aluminum structure and frame Vetus hatches with 12mm thickness smoky Acrylic lens. Fitted with friction type hinges allowing it to stay open in any position up to 180°. On deck height: 50mm. CE class All certified.

Cod.	Ref	External Dim mm	Cutout mm	Accessories	UM	€
1630420	20	260 x 260	200 x 200		PCS	
1630434	34	400 x 255	340 x 195		PCS	
1630445	32	510 x 380	450 x 320		PCS	
1630450	37	560 x 430	500 x 370		PCS	
1630455	50	560 x 560	500 x 500		PCS	
1630462	62	680 x 680	620 x 620		PCS	
1630520				Size 20 Bug Screen	PCS	
1630534				Size 34 Bug Screen	PCS	
1630545				Size 32 Bug Screen	PCS	
1630550				Size 37 Bug Screen	PCS	
1630555				Size 50 Bug Screen	PCS	
1630562				Size 62 Bug Screen	PCS	



Vetus Planus Hatches

Anodized Aluminum frame Vetus hatches with 10 mm thickness smoky Acrylic lens. Fitted with friction type hinges allowing it to stay open in any position up to 180°. On deck height: 20 mm (31 mm with handles). CE class All certified.

Cod.	Ref	External Dim mm	Cutout mm	Accessories	UM	€
1630401	23	280 x 280	230 x 230		PCS	
1630403	34	390 x 260	340 x 210		PCS	
1630405	40	424 x 424	374 x 374		PCS	
1630406	45	474 x 474	424 x 424		PCS	
1630407	50	521 x 521	471 x 471		PCS	
1630502				Size 23 Bug Screen	PCS	
1630505				Size 34 Bug Screen	PCS	
1630506				Size 40 Bug Screen	PCS	
1630507				Size 45 Bug Screen	PCS	
1630508				Size 50 Bug Screen	PCS	



Vetus FGH Flush Hatch

Anodized Aluminum frame Vetus flush deck hatch built in compliance with class All CE rules. Completely recessed into the deck, there are no protruding parts. 10mm thickness smoke colour Acrylic lid.



Cod.	External Dim mm	Cutout mm	Accessories	UM	€
1630458	580 x 580	507 x 507		PCS	
1630558			Bug Screen	PCS	



**G-Type Square Hatch**

Anodized Aluminum square frame Giot type hatch with light smoke grey 10 mm Methacrylate glass. Levelled gasket and handles for a watertight closure.

Cod.	Ref	External Dim mm	Cutout mm	Handles	UM	€
1630015	00	271 x 271	211 x 211	1	PCS	
1630016	10	320 x 320	260 x 260	1	PCS	
1630019	40	481 x 481	421 x 421	2	PCS	
1630020	44	502 x 502	442 x 442	2	PCS	
1630022	60	567 x 567	507 x 507	2	PCS	
1630023	70	687 x 687	627 x 627	2	PCS	

**G-Type Square Hatch**

Anodized Aluminum square frame Giot type hatch with light smoke grey 10 mm Methacrylate glass. Levelled gasket and handles for a watertight closure.

Cod.	Ref	External Dim mm	Cutout mm	Handles	UM	€
1630014	03	291 x 236	231 x 176	1	PCS	
1630017	20	407 x 262	347 x 202	1	PCS	
1630026	25	403 x 320	343 x 260	1	PCS	
1630018	30	517 x 387	457 x 327	2	PCS	
1630027	50	567 x 437	507 x 377	2	PCS	
1630021	54	567 x 452	507 x 392	2	PCS	

**G-Type Round Hatch**

Anodized Aluminum round frame Giot type hatch with light smoke grey 10 mm Methacrylate glass. Levelled gasket and handles for a watertight closure.

Cod.	Ref	External Dim mm	Cutout mm	UM	€
1630064	18	ø 484	ø 420	PCS	
1630066	22	ø 586	ø 522	PCS	

**G-Type Flush-Deck Hatch**

Satinized Anodized Aluminum flush-deck Giot type hatch with light smoke grey 10 mm Methacrylate glass. Levelled gasket and handles for a watertight closure.

Cod.	External Dim mm	Cutout mm	UM	€
1630032	580 x 580	502 x 502	PCS	



**Square Hatches Accessories**

Accessories for square hatches.

Cod.	Size	Ref	UM	€
1630115	00	Frame	PCS	
1630215	00	Bug screen	PCS	
1630116	10	Frame	PCS	
1630216	10	Bug screen	PCS	
1630119	40	Frame	PCS	
1630219	40	Bug screen	PCS	
1630120	44	Frame	PCS	
1630220	44	Bug screen	PCS	
1630122	60	Frame	PCS	
1630222	60	Bug screen	PCS	
1630123	70	Frame	PCS	
1630223	70	Bug screen	PCS	

**Rectangular Hatches Accessories**


Accessories for rectangular hatches.

Cod.	Size	Ref	UM	€
1630114	03	Frame	PCS	
1630214	03	Bug screen	PCS	
1630117	20	Frame	PCS	
1630217	20	Bug screen	PCS	
1630126	25	Frame	PCS	
1630226	25	Bug screen	PCS	
1630118	30	Frame	PCS	
1630218	30	Bug screen	PCS	
1630127	50	Frame	PCS	
1630227	50	Bug screen	PCS	
1630121	54	Frame	PCS	
1630221	54	Bug screen	PCS	

**Round Hatches Accessories**

Accessories for round hatches.

Cod.	Size	Ref	UM	€
1630164	18	Frame	PCS	
1630264	18	Bug screen	PCS	
1630166	22	Frame	PCS	
1630266	22	Bug screen	PCS	

**Handles for G-Type Hatches**

Replacement handles for G-Type hatches.

Cod.	Ref	UM	€
1635502	R Handle	PCS	
1635503	L Handle	PCS	



DX

JBA Vent Hatches

Weather, shock, solvent and UV resistant, almost indistructible Saralon Polypropylene resin frame ventilation hatch. Shock and scratch resistant tempered glass lens for perfect clearness. Trim ring included. 28 mm on deck height. CE approval areas: II.



Cod.	Ref	External Dim mm	Cutout mm	Accessories	UM	€
1634010	10	300 x 300	255 x 255		PCS	
1634017	30	520 x 385	470 x 343		PCS	
1635010				Bug Screen Size 10	PCS	
1635011				Privacy Screen Size 10	PCS	
1635021				Bug Screen Size 30	PCS	
1635022				Privacy Screen Size 30	PCS	



JBA Escape WF Hatch

Weather, shock, solvent and UV resistant, almost indistructible Saralon Polypropylene resin frame escape hatch. External handles for emergency escape. Shock and scratch resistant tempered glass lens for perfect clearness. Trim ring included. 28 mm on deck height. CE approval areas: II.



Cod.	Ref	External Dim mm	Cutout mm	Accessories	UM	€
1634215	44	490 x 490	440 x 440		PCS	
1634217	48	525 x 525	480 x 480		PCS	
1634218	60	565 x 565	518 x 518		PCS	
1635016				Bug Screen Size 44	PCS	
1635017				Privacy Screen Size 44	PCS	
1635023				Bug Screen Size 48	PCS	
1635024				Privacy Screen Size 48	PCS	
1635019				Bug Screen Size 60	PCS	
1635020				Privacy Screen Size 60	PCS	



JBA Vent Spare Parts

Jim Black Vent spare parts.

Cod.	Ref	Hatch	UM	€
1635512	Riser Arm	1634202	PCS	
1635513	Riser Arm	1634008	PCS	
1635510	Riser Arm	1634010	PCS	
1635516	Riser Arm	1634017	PCS	
1635556	Left Handle	(All)	PCS	
1635557	Right Handle	(All)	PCS	
3835204	Seal	(All)	PCK	

*Jim Black*

DX

JBA Escape Hatches Spare Parts


Jim Black hatches spare parts.

Cod.	Ref	Hatch	UM	€
1635514	Riser Arm	1634215	PCS	
1635515	Riser Arm	1634217	PCS	
1635517	Riser Arm	1634218	PCS	
1635524	Riser Arm	1634204	PCS	
1635554	Lock Handle	(All)	PCS	
1635555	No-Lock Handle	(All)	PCS	
3835204	Seal	(All)	PCK	

*Jim Black***- PRIVACY CURTAINS AND MOSQUITO NETS -****Navishell Hatch Cover**

Woven acrylic fabric hatch cover. Water repellent and UV rays resistant, this fabric guarantees a high level of colour fastness, at least 3 years non-fading guarantee. Complete with mosquito mesh.

Cod.	Dim cm	Colour	UM	€
3215629	45 x 32	BLUE NAVY	PCS	
3215630	42 x 42	BLUE NAVY	PCS	
3215631	50 x 37	BLUE NAVY	PCS	
3215632	50 x 50	BLUE NAVY	PCS	
3215633	62 x 62	BLUE NAVY	PCS	
3215634	70 x 70	BLUE NAVY	PCS	
3215650	45 x 32	GREY	PCS	
3215651	42 x 42	GREY	PCS	
3215652	50 x 37	GREY	PCS	
3215653	50 x 50	GREY	PCS	
3215654	62 x 62	GREY	PCS	
3215655	70 x 70	GREY	PCS	

**Hatch Mosquito Net**

Mesh mosquito net with heavy lead edge for a perfect deck adherence.

Cod.	Dimensions mm	UM	€
3272506	540 x 540	PCS	
3272507	620 x 620	PCS	
3272508	700 x 700	PCS	

**MTM****Sunset Privacy Curtains**

Sunset privacy curtains with Stainless white lacquered frame and Stainless Steel springs. Silver powdered Polyester canvas to reflect sun rays. Easy to mount on hatches and portlights.

Cod.	W mm	H mm	For Light Cut (Glass) mm	UM	€
3272513	410	490	355 x 455	PCS	
3272514	450	500	410 x 410	PCS	
3272515	550	680	495 x 645	PCS	
3272516	600	760	545 x 720	PCS	
3272517	730	860	675 x 835	PCS	


**MTM**

**Water Line Mosquito Nets for Hatches**

Mosquito nets for hatches available in three dimensions. Allow the ventilation of the boat without letting insects and mosquitos in.

Can be mounted with a suction cup or a magnet from the inside.

Cod.	Ref	Hatch Dim (A x B) cm	Dim (D x C) cm	UM	€
3272541	1405 - Small	30 x 30	35 x 35	PCS	
3272542	1410 - Regular	52 x 52	60 x 60	PCS	
3272543	1415 - Large	72 x 72	80 x 80	PCS	

**Water Line Mosquito Nets for Portlights**


Mosquito nets for portlights available in two dimensions.

Allow the ventilation of the boat without letting insects and mosquitos in.

Can be mounted with a suction cup or a magnet from the inside.

3272551 sold in pairs.

Cod.	Ref	Portlight Dim (A x B) cm	Dim (D x C) cm	UM	€
3272551	1430 - Small	18 x 43	23 x 49	PR	
3272553	1435 - Large	20 x 65	30 x 70	PCS	


**Water Line Mosquito Net for Companionways**

Mosquito net for companionways.

Allow the ventilation of the boat without letting insects and mosquitos in.

Just hang the net over the companionway and secure the top with ropes. A heavy edge band keeps the net in place. Allows easy access by lifting the edge band and drop it after you passes in and out of the cockpit.

Cod.	Ref	Dim cm	UM	€
3272556	1460 - Companionway	90 x 180	PCS	




Water Line Blackout Shades / Blinds for Hatches

Blinds for hatches available in three dimensions designed with the function to make it dark inside boats for a good night sleep and also ventilates the boat without letting in mosquitoes or other bugs.

Can be mounted with a suction cup or a magnet from the inside.

Cod.	Ref	Hatch Dim (A x B) cm	Dim (D x C) cm	UM	€
3272546	1305 - Small	30 x 30	35 x 35	PCS	
3272547	1310 - Regular	52 x 52	60 x 60	PCS	
3272548	1320 - Large	80 x 80	80 x 80	PCS	





Water Line Blackout Shades / Blinds for Portlights

Blinds for portlights available in two dimensions designed with the function to make it dark inside boats for a good night sleep and also ventilates the boat without letting in mosquitoes or other bugs.

Can be mounted with a suction cup or a magnet from the inside.

3272557 sold in pairs.

Cod.	Ref	Portlight Dim (A x B) cm	Dim (D x C) cm	UM	€
3272557	1330 - Small	18 x 43	23 x 49	PR	
3272558	1335 - Large	20 x 65	30 x 70	PCS	




Water Line Blackout Shade / Blind for Companionways

Blackout shade / blind for companionway.

Allows the ventilation of the boat without letting insects and mosquitos in.

Just hang the blind over the companionway and secure the top with ropes. A heavy edge band keeps the net in place. Allows easy access by lifting the edge band and drop it after you passes in and out of the cockpit.

Cod.	Ref	Dim cm	UM	€
3272560	1360 - Companionway	90 x 180	PCS	



CB/S Telescoping Hatch Adjuster

Window Chromed Brass telescoping hatch adjuster. With jointed bases and knob to lock the hatch in the desired position.

Cod.	Range L mm	UM	€
1641022	220<>380	PCS	

**CB/L Telescoping Hatch Adjuster**

Windows Chromed Brass telescoping hatch adjuster. With swiveling bases and knob to lock the hatch in the desired position.

Cod.	Knob	Range L mm	UM	€
1641028	R	290<>500	PCS	
1641029	L	290<>500	PCS	
1641036	R	360<>640	PCS	
1641037	L	360<>640	PCS	

**S/S Knob Hatch Adjuster**

Stainless Steel hatch adjuster.

Cod.	Open<>Closed mm	UM	€
1641320	205<>365	PCS	
1641325	255<>475	PCS	

**S/S Spring Hatch Support**

Stainless Steel spring hatch support.

Cod.	mm	UM	€
1640000	ø 10 x L220	PCS	
1640001	ø 14 x L260	PCS	

**HD Spring Hatch Support**

Stainless Steel extra strong spring hatch support. Plates dimensions: 45 x 50 mm.

Cod.	mm	UM	€
1640004	ø 22 x L320	PCS	

**YD Gas Springlifts**

Gas springlifts for controlled opening of doors and hatches. Complete with jointed bases and screws.

Cod.	Open L mm	Stroke mm	Load Kg	UM	€
1640056	170	50	6	PCS	
1640058	220	70	6	PCS	
1640060	250	90	8	PCS	

**Uflex S/S Gas Springlifts**

Superior quality gas springlifts, specially designed for soft and easy opening deck hatches and engine trunks. Stainless Steel shaft and body.

UFLEX



Cod.	Open L mm	Stroke mm	Load Kg	Shaft mm	Accessories	UM	€
1640160	275	100	5	6		PCS	
1640161	275	100	10	6		PCS	
1640162	275	100	20	6		PCS	
1640163	375	150	10	6		PCS	
1640164	375	150	20	6		PCS	
1640165	375	150	30	6		PCS	
1640166	525	220	10	8		PCS	
1640167	525	220	20	8		PCS	
1640168	525	220	30	8		PCS	
1640169	525	220	40	8		PCS	
1640170	585	250	20	8		PCS	
1640171	585	250	30	8		PCS	
1640172	585	250	40	8		PCS	
1640195					D Bracket	PCS	
1640196					E Bracket	PCS	
1640197					F Bracket	PCS	



Per terminali a occhio
For Eye Terminals

316 S/Steel MTM Gas Springs

Customisable 316 Stainless Steel gas springs for controlled opening and closing of doors, hatches, lockers, portholes and engine compartments.

To be completed with end fittings of your choice to be screwed onto the threaded ends.

8mm eye end fittings: M6 or M8 thread.

10mm ball end fittings: M6 or M8 thread.

L = total length including end fittings

Cod.	Open L"	Open L mm	Stroke mm	Load Kg	Body ø mm	Shaft ø mm	Thread	End Fittings	UM	€
1640505	8"	200	70	5	15	6	M6	PCS		
1640506	8"	200	70	10	15	6	M6	PCS		
1640507	8"	200	70	20	15	6	M6	PCS		
1640510	10"	254	90	10	15	6	M6	PCS		
1640511	10"	254	90	20	15	6	M6	PCS		
1640512	10"	254	90	30	15	6	M6	PCS		
1640515	11"	280	100	10	15	6	M6	PCS		
1640516	11"	280	100	20	15	6	M6	PCS		
1640517	11"	280	100	30	15	6	M6	PCS		
1640520	12"	305	110	10	15	6	M6	PCS		
1640521	12"	305	110	20	15	6	M6	PCS		
1640522	12"	305	110	30	15	6	M6	PCS		
1640526	14"	355	130	10	15	6	M6	PCS		
1640527	14"	355	130	20	15	6	M6	PCS		
1640528	14"	355	130	30	15	6	M6	PCS		
1640532	15"	380	150	10	18	8	M8	PCS		
1640533	15"	380	150	20	18	8	M8	PCS		
1640534	15"	380	150	30	18	8	M8	PCS		
1640540	17"	432	170	20	18	8	M8	PCS		
1640541	17"	432	170	30	18	8	M8	PCS		
1640542	17"	432	170	40	18	8	M8	PCS		
1640552	20"	500	210	20	18	8	M8	PCS		
1640553	20"	500	210	30	18	8	M8	PCS		
1640554	20"	500	210	40	18	8	M8	PCS		
1640557	22"	550	230	20	18	8	M8	PCS		
1640558	22"	550	230	30	18	8	M8	PCS		
1640559	22"	550	230	40	18	8	M8	PCS		
1640563	24"	600	255	20	18	8	M8	PCS		
1640564	24"	600	255	30	18	8	M8	PCS		
1640565	24"	600	255	40	18	8	M8	PCS		
1640573	28"	700	300	30	22	10	M8	PCS		
1640575	28"	700	300	50	22	10	M8	PCS		
1640580	32"	800	340	40	22	10	M8	PCS		
1640581	32"	800	340	50	22	10	M8	PCS		
1640582	32"	800	340	60	22	10	M8	PCS		
1640180							Eyelet M6	PCS		
1640181							Eyelet M8	PCS		
1640185							Ball M6	PCS		
1640186							Ball M8	PCS		



New


**Gas Springs Fittings and Brackets**

316 Stainless Steel 10mm ball fittings and 8mm eyelet brackets for gas springs.

Cod.	Accessories	UM	€
1640190	A Bracket for Ball Terminals	PCS	
1640191	B Bracket for Ball Terminals	PCS	
1640192	C Bracket for Ball Terminals	PCS	
1640188	M6 Threaded H Pin for Ball Terminals	PCS	
1640189	M8 Threaded H Pin for Ball Terminals	PCS	
1640195	D Bracket for Eye Terminals	PCS	
1640196	E Bracket for Eye Terminals	PCS	
1640197	F Bracket for Eye Terminals	PCS	



Per terminali a sfera
For Ball Terminals



Per terminali a occhio
For Eye Terminals



**Ulysses Uflex Electric Hatch Springlifts**


Light linear electric hatch springlifts to be mounted as single installation. Designed for opening - even half way - deck hatches and engine room doors. IP65 Waterproof with Stainless Steel shaft. Max load 65 Kg. To be completed with relay and switch to allow opening and closing.

**AV Uflex Electric Hatch Springlifts**



Light linear electric hatch springlifts to be mounted as single installation. Designed for opening - even half way - deck hatches and engine room doors. IP65 Waterproof with Stainless Steel shaft. Max load 120 Kg. To be completed with relay and switch to allow opening and closing.



Cod.	V	Closed mm	Stroke mm	Accessories	UM	€
1640262	12	515	180		PCS	
1640264	24	515	180		PCS	
1640266	12	635	300		PCS	
1640268	24	635	300		PCS	
1640400				12/24V Switch	PCS	
1640412				12V Relay	PCS	
1640424				24V Relay	PCS	





Cod.	V	Closed mm	Stroke mm	Accessories	UM	€
1640280	12	677	300		PCS	
1640285	12	827	450		PCS	
1640306	12	977	600		PCS	
1640320	24	677	300		PCS	
1640322	24	827	450		PCS	
1640324	24	977	600		PCS	
1640400				12/24V Switch	PCS	
1640412				12V Relay	PCS	
1640424				24V Relay	PCS	

**- HATCHES AND DOORS SEALS -****Trim-Lok Co-Extruded Seal**

Co-extruded Trim-Lok seal for doors, hatches and latches. Composed of an expanded EPDM rubber ring extruded on a PVC profile. It is easily mounted thanks to the structure with a Steel spring cast into the rubber which easily adapts to the edge to be covered. Multiple locking tabs ensure a perfect seal even without adhesive. 15 meters pack.

Cod.	Edge Thickness mm	A mm	A2 mm	B mm	L m	UM	€
3835019	2,0<>7,0	13,0	12,0	13,0	15	MT	

**New****Trim-Lok Hatch Seal**



Watertight Trim-Lok seal for doors, hatches and latches. Composed of an expanded EPDM rubber ring extruded on a PVC profile. It is easily mounted thanks to the structure with a segmented Aluminum core that adapts to the shape of the edge to be covered. The locking tab ensures a perfect seal even without adhesive. 15 meters pack.

Cod.	Seal Ring	Edge Thickness mm	A mm	A2 mm	L m	UM	€
3835016	Top	3,0<>5,5	13,5	9,5	15	MT	
3835015	Top	3,0<>5,5	13,5	12,0	15	MT	
3835018	Side	3,0<>5,5	13,5	9,5	15	MT	
3835017	Side	3,0<>5,5	13,5	12,0	15	MT	

**Trim-Lok Locking Gasket**

Watertight Trim-Lok seal for mounting and fixing glass or plexiglass sheets on bulkhead holes. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. Once inserted, the locking profile creates the pressure necessary to lock the glass in place. 15 meters pack.

Cod.	Glass Thickness A mm	Edge Thickness B mm	H mm	L m	UM	€
3835526	3,5<>7,0	2,0<>3,5	23,0	15	MT	
3835528	3,5<>7,0	3,5<>7,0	27,0	15	MT	



Trim-Lok Ribbed Rubber Seal Black


Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835110	HT	9,5	4,5	15	MT	
3835112	HT	12,5	7,5	15	MT	
3835116	HT	16,0	9,5	15	MT	
3835111 	3M	9,5	4,5	15	MT	
3835115 	3M	12,5	7,5	15	MT	
3835117 	3M	16,0	9,5	15	MT	

**Trim-Lok Ribbed Rubber Seal White**

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835113	HT	9,5	4,5	15	MT	
3835114	3M	9,5	4,5	15	MT	

**Trim-Lok Flat Rubber Seal Black**

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835120	HT	12,5	3,0	15	MT	
3835122	HT	12,5	6,5	15	MT	
3835121	3M	12,5	3,0	15	MT	
3835123	3M	12,5	6,5	15	MT	

**Trim-Lok Flat Rubber Seal White**

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835124	HT	12,5	6,5	15	MT	
3835125	3M	12,5	6,5	15	MT	

**Trim-Lok DD Rubber Seal Black**

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835150	HT	9,5	5,5	15	MT	
3835152	HT	12,0	8,0	15	MT	
3835156	HT	15,5	9,0	15	MT	
3835166 	HT	19,0	13,5	15	MT	
3835149 	3M	5,0	4,0	15	MT	
3835153	3M	9,5	5,5	15	MT	
3835155 	3M	12,0	8,0	15	MT	
3835158 	3M	15,5	9,0	15	MT	
3835168	3M	19,0	12,5	15	MT	

**Trim-Lok DD Rubber Seal White**

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835151	HT	9,5	5,5	15	MT	
3835157	HT	15,5	9,0	15	MT	
3835167 	HT	19,0	13,5	15	MT	
3835154 	3M	9,5	5,5	15	MT	
3835159 	3M	15,5	9,0	15	MT	
3835169	3M	19,0	13,5	15	MT	



Trim-Lok DO Rubber Seal Black

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835129	HT	9,5	11,0	15	MT	
3835131 	HT	12,5	12,5	15	MT	
3835133 	3M	9,5	11,0	15	MT	
3835134 	3M	12,5	12,5	15	MT	


Trim-Lok PO Rubber Seal

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.

Cod.	Adesivo	A mm	B mm	B1 mm	L m	UM	€
3835145	HT	32,0	12,5	3,0	15	MT	
3835146	3M	32,0	12,5	3,0	15	MT	




**Trim-Lok Delta Rubber Seal**

Watertight Trim-Lok seal for doors, hatches and latches. Complete with HT acrylic adhesive or strong 3M adhesive specific for exteriors. It is easily mounted thanks to the expanded EPDM rubber structure which adapts perfectly to the shape of the edge. 15 meters pack.


Cod.	Adhesive	A mm	B mm	L m	UM	€
3835140	HT	16,0	16,0	15	MT	
3835141	3M	16,0	16,0	15	MT	



**MTM 25 Seals**

Very high quality expanded EPDM rubber Jim Black seals. Ozone and weather resistant, ideal for interiors and exteriors. For hatch, window and door sealing. 25 meters pack.

Cod.	A mm	B mm	L m	UM	€
3835200	11	11	25	MT	


HatchSeal Blister

Self-adhesive Neoprene seal for protection of porthole edges, hatches and doors. 3 meters pack.

Cod.	Dim mm	L m	UM	€
5720307	19 x 3	3	PCK	
5720308	19 x 6	3	PCK	

**- PROTECTIVE PROFILES FOR EDGES AND CORNERS -****Flex Seal Edge**

PVC flexible profile for edges from 1.5 to 4 mm. 25 meters pack.


Cod.	Colour	L m	UM	€
3835217	WHITE	25	MT	
3835216	BLACK	25	MT	



Trim-Lok Edge Guard

Trim-Lok profile for protection and finishing of edges, corners, windows and windshields. Complete with pre-spread sealing HM adhesive, it is easily mounted thanks to the flexible PVC structure that adapts to the shape of the edge. 15 meters pack.

Cod.	Adhesive	Colour	Edge Thickness mm	A mm	A1 mm	L m	UM	€
3835030	HM	BLACK	< 3	6	8	15	MT	
3835031	HM	WHITE	< 3	6	8	15	MT	
3835032	HM	CHROME	< 3	6	8	15	MT	
3835033	HM	CLEAR	< 3	6	8	15	MT	

**Trim-Lok Rubber Edge Profile**


Very flexible Trim-Lok Neoprene profile for protection and finishing of edges and corners. Complete with pre-spread sealing HM adhesive, it is easily mounted and adapts perfectly to the shape of the edge to be covered. 15 meters pack.

Cod.	Adhesive	Shape	Edge Thickness mm	A mm	A1 mm	B mm	L m	UM	€
3835103	HM	Round	1,0<>3,5	7,0	9,5	7,5	15	MT	
3835104	HM	Round	3,5<>5,5	8,5	12,0	10,5	15	MT	
3835108	HM	Square	1,0<>3,0	6,5	8,0	6,5	15	MT	
3835109	HM	Square	3,5<<5,5	8,0	9,5	8,0	15	MT	

**Trim-Lok Edge Trim Black**

Trim-Lok profile for protection and finishing of edges and corners. It is easily mounted thanks to the flexible PVC structure with segmented Aluminum core that adapts to the shape of the edge to be covered. The locking tab ensures a perfect seal even without adhesive. 15 meters pack.

Cod.	Edge Thickness mm	A mm	A1 mm	L m	UM	€
3835011	2,0<>3,5	12,0	14,5	15	MT	
3835013	3,5<>5,5	11,0	13,5	15	MT	
3835007	5,5<>7,0	10,5	12,5	15	MT	
3835009	7,0<>8,5	14,5	16,5	15	MT	

**Trim-Lok Edge Trim White**

Trim-Lok profile for protection and finishing of edges and corners. It is easily mounted thanks to the flexible PVC structure with segmented Aluminum core that adapts to the shape of the edge to be covered. The locking tab ensures a perfect seal even without adhesive. 15 meters pack.

Cod.	Edge Thickness mm	A mm	A1 mm	L m	UM	€
3835012	2,0<>3,5	12,0	14,5	15	MT	
3835014	3,5<>5,5	11,0	13,5	15	MT	
3835008	5,5<>7,0	10,5	12,5	15	MT	
3835010	7,0<>8,5	14,5	16,5	15	MT	

**Trim-Lok Redi-Stik Profile**

Trim-Lok finishing and decoration profile for edges and corner joints. It is also used to cover and seal cracks and corners between different adjacent materials. Complete with strong 3M adhesive specific for outdoor use, it is easily mounted thanks to the flexible PVC structure that adapts to the shape of the edge. 15 meters pack.

Cod.	Adhesive	A mm	B mm	L m	UM	€
3835186	3M	8,0	5,0	15	MT	
3835189	3M	11,0	5,5	15	MT	

**Trim-Lok Drip Rail Profile**

Trim-Lok drip profile for the runoff of water and drops that form on the upper edge of openings, windows and doors. Applied to superstructures it avoids the filling of cockpits and bilges. Complete with strong 3M adhesive specific for outdoor use, it is easily mounted thanks to the flexible PVC structure that adapts to the shape of the edge. 15 meters pack.

Cod.	Adhesive	Colour	A mm	B mm	L m	UM	€
3835040	3M	BLACK	23,0	12,5	15	MT	
3835041	3M	WHITE	23,0	12,5	15	MT	





DC Small Access Hatch

UV resistant ABS ASA 180° opening walkable watertight access hatch. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces. Deck or bulkhead mount.





Cod.	Dimensions mm	Passage mm	Colour	Accessories	UM	€
4000129	270 x 373	190 x 290	WHITE		PCS	
4000229	270 x 373	190 x 290	GREY		PCS	
0343300				Lock	PCS	

**DC Big Access Hatch**

UV resistant ABS ASA 180° opening walkable watertight access hatch. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces. Deck or bulkhead mount.





Cod.	Dimensions mm	Passage mm	Colour	Accessories	UM	€
4000144	315 x 440	231 x 356	WHITE		PCS	
4000244	315 x 440	231 x 356	GREY		PCS	
0343300				Lock	PCS	

**DC Small Square Access Hatch**

UV resistant ABS ASA 180° opening walkable watertight access hatch. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces. Deck or bulkhead mount.





Cod.	Dimensions mm	Passage mm	Colour	Accessories	UM	€
4000142	373 x 373	290 x 290	WHITE		PCS	
4000242	373 x 373	290 x 290	GREY		PCS	
0343300				Lock	PCS	

**DC Big Square Access Hatch**

UV resistant ABS ASA 180° opening walkable watertight access hatch. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces. Deck or bulkhead mount.




Cod.	Dimensions mm	Passage mm	Colour	Accessories	UM	€
4000150	458 x 513	374 x 430	WHITE		PCS	
4000250	458 x 513	374 x 430	GREY		PCS	
0343300				Lock	PCS	



DC ML Access Hatch

UV resistant ABS ASA 180° opening walkable watertight access hatch. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces. Deck or bulkhead mount.


Cod.	Dimensions mm	Passage mm	Colour	Accessories	UM	€
4000137	243 x 606	157 x 525	WHITE		PCS	
4000237	243 x 606	157 x 525	GREY		PCS	
0343300				Lock	PCS	



DC XL Access Hatch

UV resistant ABS ASA 180° opening walkable watertight access hatch. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces. Deck or bulkhead mount.

Cod.	Dimensions mm	Passage mm	Colour	Accessories	UM	€
4000136	357 x 606	274 x 523	WHITE		PCS	
4000236	357 x 606	274 x 523	GREY		PCS	
0343300				Lock	PCS	



- HEAVY DUTY ACCESS HATCHES -

HMG 1Handle Access Hatch

Almost indistructible Saralon Polypropylene resin hatch door. Walkable, shock-proof, cannot be harmed by UV rays, solvents and fuels. 180° opening with Stainless Steel hinges. In-laid gasket ensures perfect watertight seal. Deck or bulkhead mount. CE certified.

Cod.	Dimensions mm	Deck Cutout mm	UM	€
4002601	280 x 381	235 x 337	PCS	
4002603	331 x 432	286 x 388	PCS	
4002604	407 x 458	362 x 413	PCS	



HMG 2Handle Access Hatch

Almost indistructible Saralon Polypropylene resin hatch door. Walkable, shock-proof, cannot be harmed by UV rays, solvents and fuels. 180° opening with Stainless Steel hinges. In-laid gasket ensures perfect watertight seal. Deck or bulkhead mount. CE certified.

Cod.	Dimensions mm	Deck Cutout mm	UM	€
4002362	331 x 585	286 x 540	PCS	
4002364	331 x 762	286 x 718	PCS	



Small Aluminum Access Hatch

Anodized Aluminum walkable small access hatch. Extremely resistant, shock-proof and well finished.




Cod.	Dimensions mm	Cutout mm	Colour	UM	€
4003027	270 x 370	206 x 306	WHITE	PCS	
4003028	270 x 370	206 x 306	GREY	PCS	

**Large Aluminum Access Hatch**

Anodized Aluminum walkable large access hatch. Extremely resistant, shock-proof and well finished.




Cod.	Dimensions mm	Cutout mm	Colour	UM	€
4003051	460 x 510	393 x 446	WHITE	PCS	
4003052	460 x 510	393 x 446	GREY	PCS	

**Long Aluminum Access Hatch**

Anodized Aluminum walkable long access hatch. Extremely resistant, shock-proof and well finished.



Cod.	Dimensions mm	Cutout mm	Colour	UM	€
4003060	350 x 600	286 x 537	WHITE	PCS	
4003061	350 x 600	286 x 537	GREY	PCS	

**Stainless Steel Inspection Deck Plate**

Sturdy 316 Stainless Steel walkable deck plate.




Cod.	External ø mm	Internal ø mm	UM	€
4000090	147	106	PCS	
4000093	173	133	PCS	
4000096	196	162	PCS	



Small DC Access Box Hatch

UV resistant ABS ASA 180° opening walkable watertight access hatch with box. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces.


Cod.	Dimensions mm	Passage mm	Depth mm	Accessories	UM	€
4000429	270 x 373	190 x 290	160		PCS	
0343300				Lock	PCS	



Small Square DC Access Box Hatch

UV resistant ABS ASA 180° opening walkable watertight access hatch with box. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces.


Cod.	Dimensions mm	Passage mm	Depth mm	Accessories	UM	€
4000442	373 x 373	290 x 290	250		PCS	
0343300				Lock	PCS	



Big DC Access Box Hatch

UV resistant ABS ASA 180° opening walkable watertight access hatch with box. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces.


Cod.	Dimensions mm	Passage mm	Depth mm	Accessories	UM	€
4000436	357 x 606	274 x 523	320		PCS	
0343300				Lock	PCS	



Big Square DC Access Box Hatch

UV resistant ABS ASA 180° opening walkable watertight access hatch with box. Hatch with double opening system: classic and extractable. The extractable system allows to open the hatch in narrow spaces.

Cod.	Dimensions mm	Passage mm	Depth mm	Accessories	UM	€
4000450	458 x 513	374 x 430	330		PCS	
0343300				Lock	PCS	




**Bulkhead Mount ABS Inspection Hatch**

Bulkhead vertical mount inspection and utility hatch.



Cod.	Dimensions mm	Deck Cutout mm	Accessories	UM	€
4000102	306 x 356	246 x 296		PCS	
4000104	380 x 380	295 x 295		PCS	
0343316			Locking System	PCS	

**IPS Inspection Deck Plate**

Almost indistructible Saralon (Polypropylene resin) inspection deck plate. Walkable, shock-proof, cannot be harmed by UV rays, solvents and fuels. Handle closing.



Cod.	External Dim mm	Inner Dim mm	Deck Cutout mm	UM	€
4002114	229 x 356	172 x 295	183 x 310	PCS	

**JB3 Watertight Inspection Deck Plate**

Almost indistructible Polypropylene Resin waterproof inspection deck plate. Walkable and shock-proof, cannot be harmed by UV rays, solvents and fuels. Handle closing.



Cod.	External ø mm	Internal ø mm	UM	€
4002120	202	132	PCS	
4002126	252	182	PCS	

**CN1 Watertight Inspection Deck Hatch**

Handle locking ABS Plastic waterproof inspection hatch.



Cod.	External ø mm	Internal ø mm	UM	€
4000019	265	185	PCS	
4000022	315	230	PCS	

**IPS Watertight Inspection Deck Plate**

Almost indistructible Saralon Polypropylene resin inspection deck plate. Shock-proof, cannot be harmed by UV rays, solvents and fuels. Watertight pressure closing.



Cod.	External ø mm	Internal ø mm	UM	€
4002104	153	96	PCS	
4002106	203	146	PCS	
4002108	254	197	PCS	



BW2 Inspection Deck Plate

Screw-in waterproof Plastic inspection deck plate.

Cod.	External ø mm	Internal ø mm	Colour	UM	€
4000004	143	104	WHITE	PCS	
4000005	143	104	BLACK	PCS	
4000008	205	155	WHITE	PCS	
4000009	205	155	BLACK	PCS	

**BW Vision Inspection Deck Plate**

Screw-in waterproof Plastic inspection deck plate with O-Ring seal gasket. Transparent lid for fast and easy visual inspection.

Cod.	External ø mm	Internal ø mm	UM	€
4000080	143	104	PCS	
4000081	170	130	PCS	
4000082	205	155	PCS	

**BW1 Inspection Deck Plate**

Screw-in waterproof Plastic inspection deck plate with O-Ring seal gasket.

Cod.	External ø mm	Internal ø mm	Colour	UM	€
4000010	140	104	WHITE	PCS	
4000011	140	104	BLACK	PCS	
4000013	165	129	WHITE	PCS	
4000014	165	129	BLACK	PCS	
4000015	190	154	WHITE	PCS	
4000016	190	154	BLACK	PCS	

**CN1 Watertight Inspection Deck Plate**


Screw-in closing Plastic watertight inspection deck plate.

Cod.	External ø mm	Internal ø mm	Colour	UM	€
4000051	160	110	WHITE	PCS	
4000052	160	110	GREY	PCS	
4000053	160	110	BLACK	PCS	
4000055	185	130	WHITE	PCS	
4000056	185	130	GREY	PCS	
4000057	185	130	BLACK	PCS	
4000059	210	160	WHITE	PCS	
4000060	210	160	GREY	PCS	
4000061	210	160	BLACK	PCS	

**SeaPort Inspection Deck Plate**

UV resistant ABS Plastic waterproof inspection deck plate. Easy screw-in closing with rubber seal.


Cod.	External ø mm	Internal ø mm	Cutout ø mm	UM	€
4000083	143	101	113	PCS	
4000084	198	151	162	PCS	
4000085	250	180	197	PCS	



Radio-VHF Hatch


Waterproof hatch for radio or VHF.

Cod.	Key	UM	€
4000017	No	PCS	
4000018	Yes	PCS	

**Radio-VHF Box Hatch**



Waterproof recessed storage locker for radio or VHF.

Cod.	Key	UM	€
4000417	No	PCS	
4000418	Yes	PCS	

**Drawers Box Hatch**

White reinforced Plastic watertight hatch with drawers.

Cod.	Ref	Accessories	UM	€
4000528	Hatch		PCS	
0343308		Lock	PCS	

**Large Storage Pocket**


Plastic recessed large storage case.

Cod.	mm	UM	€
4010042	540 x 240 x 125	PCS	

**Midi Storage Pocket**

Plastic recessed midi storage case.

Cod.	mm	UM	€
4010041	420 x 170 x 100	PCS	

**Mini Flush Pocket**

Plastic recessed mini storage case, also used as a flush handle.


Cod.	mm	UM	€
4010000	85 x 175	PCS	



Cone Recessed Case

Shower or deckfill conical Plastic case.

Cod.	UM	€
4010018	PCS	

**Short Recessed Case**

Shower or battery switch built-in Plastic case.

Cod.	Door	Frame mm	Depth mm	UM	€
4010020	No	160 x 235	100	PCS	
4010024	Yes	175 x 245	100	PCS	

**Compact Recessed Case**

Shower, battery switch and circuit panel built-in Plastic case.

Cod.	Door	Frame mm	Depth mm	UM	€
4010022	No	155 x 200	80	PCS	
4010023	Yes	165 x 210	80	PCS	

**Standard Recessed Case**

Classic built-in Plastic case. May contain a 1 Kg fire extinguisher.

Cod.	Door	Colour	Frame mm	Depth mm	UM	€
4010003	No	WHITE	170 x 420	110	PCS	
4010005	No	BLACK	170 x 420	110	PCS	
4010025	Yes	WHITE	180 x 430	110	PCS	

**Long Recessed Case**

Long built-in Plastic case. May contain a 2 Kg fire extinguisher.

Cod.	Door	Frame mm	Depth mm	UM	€
4010004	No	200 x 470	130	PCS	
4010026	Yes	220 x 485	130	PCS	

**Fire Extinguisher Recessed Case**

Fire extinguisher built-in Plastic case with clear door.

Cod.	Extinguisher	Colour	Frame mm	Depth mm	UM	€
4010035	1 Kg	WHITE	180 x 430	110	PCS	
4010036	1 Kg	BLACK	180 x 430	110	PCS	
4010038	2 Kg	WHITE	196 x 470	125	PCS	
4010039	2 Kg	BLACK	196 x 470	125	PCS	



CB Straight Vent

Chromed Brass thru-hull tank vent. S/Steel mesh wire screening.

Cod.	H mm	Pipe ø mm	UM	€
1710000	68	16	PZ	

**CB R.I.Na. Straight Vent**

Chromed Brass thru-hull tank vent. S/Steel mesh wire screening. Meets R.I.Na. regulations.

Cod.	Pipe ø mm	UM	€
1710001	16	PZ	
1710002	20	PZ	

**CB R.I.Na. Straight Flush Vent**


Chromed Brass recessed tank vent. Meets R.I.Na. regulations.

Cod.	H mm	Pipe ø mm	Flange ø mm	UM	€
1710006	68	16	35	PZ	
1710007	68	20	35	PZ	

**CB R.I.Na. Elbow 90° Vent**


Chromed Brass thru-hull 90° elbow tank vent. S/Steel mesh wire screening. Meets R.I.Na. regulations.

Cod.	Pipe ø mm	Side	UM	€
1710004	16	Right	PZ	
1710314	16	Left	PZ	
1710315	20	Right	PZ	
1710316	20	Left	PZ	

**CB R.I.Na. Elbow 90° Flush Vent**

Chromed Brass recessed 90° elbow tank vent. Meets R.I.Na. regulations.

Cod.	Pipe ø mm	ø1 mm	ø2 mm	Side	UM	€
1710008	16	32	40	Right	PZ	
1710318	16	32	40	Left	PZ	
1710320	20	40	50	Right	PZ	
1710321	20	40	50	Left	PZ	

**Stainless Steel Straight Vent**

Stainless Steel thru-hull tank vent. S/Steel mesh wire screening.

Cod.	H mm	Pipe ø mm	UM	€
1709900	76	16	PZ	

**Stainless Steel Flush Vent**

Stainless Steel recessed tank vent.

Cod.	Ref	H mm	ø mm	Flange ø mm	Bulk >mm<	UM	€
1709901	Straight	76	16	35	15<>25	PZ	
1709905	Elbow 90°	88	16	35	15<>25	PZ	



Stainless Steel Elbow 90° Vent


Stainless Steel thru-hull 90° elbow tank vent. S/Steel mesh wire screening.

Cod.	H mm	ø mm	UM	€
1709904	70	16	PZ	

**Roca CE Straight Flush Vent**


CE flame retardant certified Roca flush-mount vent for tank aeration. 316 Stainless Steel body with removable parts for easy cleaning.

Cod.	Pipe ø mm	Flange ø mm	UM	€
1710312	16	66	PZ	

**Roca CE Elbow 90° Flush Vent**

CE flame retardant certified Roca flush-mount vent for tank aeration. Mirror polished 316 Stainless Steel or black Stainless Steel body. With removable parts for easy cleaning.

Cod.	Stainless Steel	Pipe ø mm	Flange ø mm	UM	€
1710310	Polished	16	66	PZ	
1710311	Black	16	66	PZ	

**Plastic Round Vent**

Plastic thru-hull round head tank vent.

Cod.	Ref	H mm	ø mm	UM	€
1710201	Straight	83	16	PZ	
1710204	Elbow 90°	73	16	PZ	

**Plastic Oval Vent**

Plastic thru-hull oval head tank vent.

Cod.	Ref	H mm	ø mm	UM	€
1710301	Straight	83	16	PZ	
1710305	Elbow 90°	73	16	PZ	

**PLA Clam Shell Vents**

Plastic clam shell, for vents or drainage cover.

Cod.	mm	UM	€
1704008	50 x 55 x H12	PZ	

**STS Clam Shell Vents**

Stainless Steel clam shell, for vents or drainage cover.

Cod.	mm	UM	€
1704004	44 x 41 x H12	PZ	
1704005	54 x 57 x H16	PZ	
1704006	93 x 87 x H25	PZ	



Plastic Louvered M1 Vent

Plastic air vent.

Cod.	Dim mm	Colour	UM	€
1701006	85 x 85	BLACK	PCS	
1701007	85 x 85	WHITE	PCS	

**Plastic Vent with Connection**

Recessed Plastic air vent with 70 and 75 mm pipe to air hose connection.

Cod.	Recess ø mm	UM	€
1702056	70	PCS	
1702057	75	PCS	

**Plastic Louvered M2 Vent**

Plastic air vent.

Cod.	mm	Colour	UM	€
1701008	140 x 124	BLACK	PCS	
1701009	140 x 124	WHITE	PCS	

**Big Plastic Louvered Vent**

Big Plastic air vent.

Cod.	L mm	H mm	Colour	UM	€
1702050	260	125	BLACK	PCS	
1702051	260	125	WHITE	PCS	

**Plastic Short Recessed Louvered Vent**

Recessed short Plastic air vent.

Cod.	L mm	H mm	Colour	UM	€
1702030	335	120	BLACK	PCS	
1702031	335	120	WHITE	PCS	

**Plastic Long Recessed Louvered Vent**

Recessed long Plastic air vent.

Cod.	Dim mm	Recess Dim mm	Colour	UM	€
1702045	460 x 87	405 x 57	BLACK	PCS	
1702046	460 x 87	405 x 57	WHITE	PCS	

**Plastic Trap Recessed Louvered Vent**

Recessed Plastic air vent with water trap.

Cod.	L mm	H mm	UM	€
1702042	420	120	PCS	



S/S Adjustable Round Vent


Stainless Steel round grid air vent or with adjustable closing system.

Cod.	Ref	ø mm	UM	€
1703000	Adjustable	125	PCS	
1703010	Grid	125	PCS	

**Roca Stainless Steel Grid Air Vent**

Roca 316 Stainless Steel round air vent with Plastic air hose connector for 75 mm ventilation hoses. The two pieces are purchased separately.

Cod.	Ref	Dim mm	UM	€
1702060	Grid	82 x 82	PCS	
1702061	Air Hose Connector	82 x 82 x H63	PCS	

**S/S Stamped Cowl Air Vent**

Stamped Stainless Steel large cowl air vent.

Cod.	mm	UM	€
1701031	130 x 120	PCS	

**S/S Mini Louvered Vent**

Mini Stainless Steel air vent.

Cod.	mm	UM	€
1700001	127 x H67	PCS	
1700002	127 x H115	PCS	

**S/S Large Louvered Vent**


Stainless Steel louvered air vent.

Cod.	Dim mm	UM	€
1700003	127 x H228	PCS	
1700004	230 x H116	PCS	

**S/Steel Recessed Vent**

Stainless Steel recessed air vent.

Cod.	External Dim mm	Recess Dim mm	UM	€
1702002	L210 x 110	L180 x 90	PCS	
1702006	L325 x 110	L300 x 90	PCS	
1702010	L430 x 75	L405 x 55	PCS	
1702012	L550 x 110	L540 x 87	PCS	

**S/S Vetus SSVL Recessed Vent**

mirror polished 316 Stainless Steel Vetus SSVL recessed air vent. Recessed part height 26 mm.

Cod.	External Dim mm	Recess Dim mm	UM	€
1702070	670 x 172	650 x 152	PCS	
1702071	730 x 172	710 x 152	PCS	
1702072	750 x 198	730 x 178	PCS	
1702073	890 x 198	870 x 178	PCS	



New

vetus



PVC Low Profile Cowl Vents


Low profile flexible PVC cowl ventilators with base and threaded cap.

Cod.	H mm	Neck ø mm	UM	€	
1706007	90	70	PCS		
1706010	150	100	PCS		

**PVC High Profile Cowl Vents**

High profile flexible PVC cowl ventilators with base and threaded cap.

Cod.	H mm	Neck ø mm	UM	€	
1706107	240	70	PCS		
1706110	240	100	PCS		

**Vetus Low Profile Silicon Cowl Vents**

Low profile Silicon Rubber cowl ventilators with flange and ring made of reinforced Plastic. They can revolve and are removable. Resistant to marine environment, UV rays, dirt and discolouration. The optional Dorade Box endowed with closing handle and bug screen drains off any water entering the ventilator.



vetus

Cod.	H mm	Inner ø mm	Accessories	UM	€
1706207	111	75		PCS	
1706208	205	75		PCS	
1706218			Dorade Box	PCS	

**Vetus High Profile Silicon Cowl Vents**

High profile Silicon Rubber cowl ventilators with flange and ring made of reinforced plastic. They can revolve and are removable. Resistant to marine environment, UV rays, dirt and discolouration. The optional Dorade Box endowed with closing handle and bug screen drains off any water entering the ventilator.



vetus

Cod.	H mm	Inner ø mm	Accessories	UM	€
1706210	250	100		PCS	
1706212	300	125		PCS	
1706220			ø 100 Dorade Box	PCS	
1706222			ø 125 Dorade Box	PCS	

**Universal Air Funnel Awnings**

Folding frame with waterproof fabric sail cockpit awning for hatches up to 1 meter wide. Perfect to aerate moored boats.



Cod.	UM	€
1706300	PCS	



davis

S/S Extra Cowl Air Vent

Mirror Polished Stainless Steel cowl air vent with big air inlet and connection for ø 75 mm air duct hose. Height on deck 55 mm.

Cod.	Dim mm	UM	€
1701030	150 x 120	PCS	

**Mushroom PL Deck Vent**

Mushroom Plastic deck vent with internal adjustment.

Cod.	Base ø mm	Neck ø mm	UM	€
1703515	150	100	PCS	

**Mushroom Stainless Steel Deck Vent**

Mushroom Stainless Steel deck vent with internal adjustment and bug screen.

Cod.	Base mm	Neck mm	H mm	UM	€
1703011	117	85	31<>45	PCS	
1703015	152	122	31<>43	PCS	
1703017	185	147	36<>53	PCS	

**Deck ST Air Vent**

Stainless Steel translucent passive air vent with Polycarbonate transparent top.

Cod.	Base ø mm	Inner ø mm	H mm	UM	€
1703220	230	95	30	PCS	

**MTM****Air Deck SH Vent**

Deck passive aerator with inside lock. Stainless Steel cover and Plastic base.

Cod.	Base ø mm	Neck ø mm	H mm	UM	€
1703019	200	95	57	PCS	

**Roca Deck Air Vent**

Roca deck aerator with inside lock. Polymer or mirror polished Stainless Steel cover. Complete with screws, for bulkhead thickness 3<>40 mm.

Cod.	Ref	Base ø mm	Neck ø mm	H mm	UM	€
1703050	Polymer	200	99	62	PCS	
1703052	Stainless Steel	200	99	55	PCS	

**ROCA****Vetus SS Deck Air Vent**

Stainless Steel body standard cabine ventilator or with CE All class certification. Can be completed with a 12 or 24V electric deck extractor (1703022). CE model can be closed where necessary, with bug screen included.

Cod.	Ref	Base ø mm	Inner ø mm	H mm	UM	€
1703020	Standard	200	72	30	PCS	
1703021	CE	200	85	30	PCS	

**vetus**

Solara SS Air Vent

Waterproof Stainless Steel case solar powered air vent. Wireless installation, no need for switch, starts automatically with sunlight.



Cod.	Base ø mm	Neck mm	H mm	UM	€
1703040	220	120	35	PCS	



MTM

Day & Night Solara SS Air Vent

Stainless Steel case waterproof solar powered air vent. Two types of blades (intake and exhaust) are provided with each vent. In the Day & Night mode it works also during night-time thanks to the rechargeable solar battery.



Cod.	Base ø mm	Neck mm	H mm	UM	€
1703041	217	120	32	PCS	




MTM

Air Deck Extractor

12 or 24V electric air deck extractor.



Cod.	V	Base ø mm	Inner ø mm	H mm	UM	€
1703022	12	130	70-100	60	PCS	
1703024	24	130	70-100	60	PCS	



MTM

- ELECTRIC FANS / BLOWERS -**USB Space Rechargeable Fan**

Universal cordless freestanding fan with Lithium battery rechargeable via USB socket. Oscillating base with non-slip feet, fan with reclinable and swiveling guard, extensible up to 90 cm. Control panel with 3 speeds and timer, autonomy up to 24 hours at low speed.



Cod.	Dim mm	UM	€
1711010	ø 200 x H100	PCS	

**AA Oscillating Fan**

Top or wall mount oscillating fan. Power supply by 12/24V cigarette lighter plug.



Cod.	Diameter mm	V	UM	€
1711020	180	12	PCS	
1711024	180	24	PCS	

**Turbo In-Line 2T Blowers**

Turbo in-line bilge blower for engine rooms, galleys and cabins. Amp draw 2,9A (12V).



Cod.	V	Intake ø mm	L mm	UM	€
1710010	12	75	130	PCS	
1710012	12	100	130	PCS	
1710011	24	100	130	PCS	



MTM

Turbo In-Line Attwood Blowers

Turbo in-line waterproof blowers for engine rooms and cabins. Complete with 2 tie straps. Blowers designed to grant 25% more air flux than other blowers, using 40% less power. Nickel-plated motor with cap and sealed wiring for total corrosion protection.



Cod.	Ref	V	Capacity m3 Hour	Intake ø mm	UM	€
1710015	Turbo 3000	12	3,40	75	PCS	
1710017	Turbo 4000	12	5,70	100	PCS	
1710018	Turbo 4000	24	5,70	100	PCS	




attwood

Ocean Flanged Blowers


High quality continuous duty flanged centrifugal blowers for engine rooms and bilges. Reinforced ABS case and waterproof motor. Wall flange mount. CE certified complying ISO 9097 Marine/ISO 8846/ISO 10133/EN 55014 standards and N.M.M.A USCG 183.410 rules.

Cod.	V	Capacity m3 Hour	H x W x L mm	Ports ø mm	UM	€
1710013	12	280	200 x 165 x 195	In:75 - Out: 72	PCS	
1710024	24	280	200 x 165 x 195	In:75 - Out: 72	PCS	

**Ocean Flanged Heavy Duty Blowers**


High quality continuous and Heavy Duty flanged centrifugal blowers for engine rooms and bilges. Reinforced ABS case and waterproof motor. Wall flanged mount. CE certified complying ISO 9097 Marine/ISO 8846/ISO 10133/EN 55014 standards and N.M.M.A USCG 183.410 rules.

Cod.	V	Capacity m3 Hour	H x W x L mm	Ports ø mm	UM	€
1710055	12	550	290 x 257 x 150	In:110 - Out:103	PCS	
1710056	24	550	290 x 257 x 150	In:110 - Out:103	PCS	
1710057	12	750	290 x 257 x 150	In:150 - Out:103	PCS	
1710058	24	750	290 x 257 x 150	In:150 - Out:103	PCS	
1710061	24	1000	290 x 257 x 180	In:150 - Out:103	PCS	

**Ocean Bracket Blowers**


High quality continuous duty bracket mount centrifugal blowers for engine rooms and bilges. Reinforced ABS case and waterproof motor. Bracket base mount. CE certified complying ISO 9097 Marine/ISO 8846/ISO 10133/EN 55014 standards and N.M.M.A USCG 183.410 rules.

Cod.	V	Capacity m3 Hour	H x W x L mm	Ports ø mm	UM	€
1710075	12	550	290 x 257 x 150	In:100 - Out:110	PCS	
1710076	24	550	290 x 257 x 150	In:100 - Out:110	PCS	
1710077	12	750	290 x 257 x 150	In:150 - Out:103	PCS	
1710078	24	750	290 x 257 x 150	In:150 - Out:103	PCS	
1710081	24	1000	290 x 257 x 180	In:150 - Out:103	PCS	

**Ocean In-Line Flow Blowers**

Large capacity In-line electric blowers with high efficiency silent fan designed with aerospace technology according to ISO8846 EN55014. For intermittent use or for Heavy Duty continuous use.

Cod.	Use	V	Capacity m3 Hour	Intake ø mm	L mm	UM	€
1710083	Intermittent	12	750	178	160	PCS	
1710084	Intermittent	24	750	178	160	PCS	
1710087	HD Continuous	12	1000	178	160	PCS	
1710088	HD Continuous	24	1000	178	160	PCS	

**CEM VE Helicoidal Blowers**

Bi-directional flow in-line helicoidal blowers with permanent magnet electric motor for continuous use. Varnished Steel drum with dynamically and statically balanced Polypropylene fan.

Cod.	V	Capacity m3 Hour	B mm	C mm	D mm	G mm	UM	€
1710152	24	1800	260	200	300	315	PCS	
1710159	24	3000	360	215	300	425	PCS	

