

6

GAUGES / COMPASSES BINOCULARS / ANTENNAS ELECTRONICS



MTM

Nikon Aculon A211 Binoculars 7x35

Aculon A211 7x35 offers superior optical performance in a compact binocular.

- Central focusing system
- Large objective lens diameter for a brighter and wider field of view
- Multilayer-coated lenses for bright, sharp images
- Aspherical eyepiece lenses for undistorted images across entire surface of the lens
- Rubber armoring offers shock resistance and a secure, comfortable grip
- Complete with strap and case
- 10 years warranty.

Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530973	7x	35	118 x 185 x 62	685	PCS	

**Nikon Aculon A211 Binoculars 7x50**

Aculon A211 7x50 offers extra optical performance in a classic binocular.

- Central focusing system
- Large objective lens diameter for a brighter and wider field of view
- Multilayer-coated lenses for bright, sharp images
- Aspherical eyepiece lenses for undistorted images across entire surface of the lens
- Rubber armoring offers shock resistance and a secure, comfortable grip
- Complete with strap and case
- 10 years warranty.

Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530975	7x	50	180 x 197 x 68	905	PCS	

**Nikon Action EX CF Binoculars 7x50**

Nikon Action EX CF 7x50 waterproof and fog-free binoculars.

- Waterproof (up to 1 meter for 5 minutes) and fog-free with nitrogen gas filling
- High-eyepoint design provides a clear field of view even for eyeglass wearers
- Turn-and-slide eyecups that allows easy eyes positioning.
- Long eye relief for a clear field of view for eyeglass wearers.
- Multilayer-coated lenses and large objective diameter for great image clarity
- Rubber armoring for shock resistance and a firm, comfortable grip
- Aspherical eyepiece lens eliminates image distortion
- Complete with strap and case
- 10 years warranty

Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530976	7x	50	179 x 196 x 68	1000	PCS	

**Nikon Navy CF WP Binoculars 10x50**

Nikon Navy CF WP 10x50 waterproof and fog-free binoculars.

- Central focusing system
- Waterproof up to 1m for 5 minutes
- Fog-free with O-ring seals and nitrogen gas
- High-eyepoint design for a clear field of view even for wearers of eyeglasses
- Multilayer-coated lenses for a bright image
- Rubber armoring for shock resistance and a secure, comfortable grip
- Complete with strap, case and floating hand belt that prevents the binoculars to be sinked
- 10 years warranty

Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530979	10x	50	195 x 207 x 71	1065	PCS	



Nikon Navy CF WP Compass Binoculars 7x50

Nikon Navy CF WP 7x50 waterproof and fog-free binoculars featuring a globally balanced compass allowing you to establish directions exactly. • Central focusing system • Waterproof up to 1m for 5 minutes • Fog-free with O-ring seals and nitrogen gas • High-eyepoint design for a clear field of view even for wearers of eyeglasses • Multilayer-coated lenses for a bright image • Rubber armouring for shock resistance and a secure, comfortable grip • Complete with strap, case and floating hand belt that prevents the binoculars to be sunk • 10 years warranty

Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530978	7x	50	193 x 202 x 81	1120	PCS	

**Nikon Sportstar Zoom Binoculars 8-24x25**

Compact and versatile binoculars with exceptionally smooth mechanical zoom control, ideal for zooming in boat's name or number, people's faces on board or on dock, or for sports spectating. Comfortable fit and easy handling with turn-and-slide rubber eyecups for easy positioning of eyes at the correct eyepoint. Multilayer coated fog-free Nitrogen gas filled lenses for bright and high contrast images. 10 years warranty.



Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530926	8x-24x	25	123 x 109 x 42	350	PCS	

**Nikon Aculon A30 Binoculars 8x25**

Compact and lightweight binocular rubber-coated for a better and safer grip. Multilayer coated fog-free Nitrogen gas filled lenses for bright and high contrast images with eco-glass optic parts without lead or arsenic. 10 years warranty.



Cod.	Colour	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530916	BLACK	8x	25	122 x 115 x 42	270	PCS	

**Nikon Aculon T02 Binoculars 8x21**

Elegant and compact design pocket-sized binocular. Lightweight and easy to handle. Multilayer coated lenses for bright and high contrast images, eco-glass optic parts without lead or arsenic. 10 years warranty.



Cod.	Colour	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530911	BLUE	8x	21	87 x 104 x 35	195	PCS	



Nikon Coolshot 20 GII Laser Hypsometer 6x20

Graduated laser rangefinder to measure any distance, even of multiple objects simultaneously. Waterproof, compact, resistant and lightweight, it is ideal for any nautical and sports activity. Measurement range: 5 <-> 730 m. High quality monocular with multilayer coating for bright images and rearward projection for a clear field of vision even for eyeglass wearers.

Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530983	6x	20	91 x 73 x 37	130	PCS	

**Nikon Forestry Pro Laser Hypsometer 6x21**

Graduated laser hypsometer, perfect for basic topographic surveys that measures actual distance, horizontal distance and real height. Endowed with three-point measurement system that allows to measure an object's height even if base or top is covered. Measurement range: 10 - 500 m. With internal and external LCD panels and high quality multilayer coated monocular for bright images. Long eye relief for a clear field of view for eyeglass wearers. Waterproof up to 1 meter in depth for 10 min. 2 years warranty.

Cod.	Magnification	Lens ø mm	Dim mm	Weight g	UM	€
2530985	6x	21	130 x 69 x 45	210	PCS	

**Konuspy Night Vision Monocular**

Digital night vision monocular with exceptionally bright optics for a sharp, 1920x1080 high resolution image. Maximum Observation Distance 300 m, photo and video recording function on 8GB SD Card (included). Works with USB rechargeable 18650 battery. Complete with A/V cable, USB cable, strap and case.

Cod.	Magnification	Lens ø mm	Weight gr	UM	€
2530815	1x-8x	24	300	PCS	

**- KONUS BINOCULARS -****Konusvue Binoculars (7x50)**

Center focus system binocular with extremely bright optics for a high resolution sharp image. Sturdy rubber coated anti-shock structure for a better grip. Supplied with tissue case, shoulder strap and lenses cover.

Cod.	Magnification	Focus System	UM	€
2530753	7x50	Center Focus	PCS	

**Sporty Binoculars (7x50)**

Recreational binoculars with fixed focus from 20 meters onward. Versatile and always ready to use. Extremely bright optics for a high resolution sharp image. Sturdy rubber coated anti-shock structure for a better grip. Supplied with tissue case, shoulder strap and lenses cover.

Cod.	Magnification	Focus System	UM	€
2530752	7x50	20m - unlimited	PCS	



PPX Navigational Protractor Triangle

45° Perspex metric scale triangle protractor with handle.

Cod.	mm	UM	€
2432025	260	PCS	

**Plexi Navigational Protractor Triangle**

Plexiglass 45° metric scale triangle protractor with handle.

Cod.	mm	UM	€
2430025	280	PCS	

**Articulated Parallel Rule**


Millimeter scales parallel rule.

Cod.	mm	UM	€
2435540	400	PCS	

**Parallel Rule with Goniometer**

Millimeter scales parallel rule with goniometer.

Cod.	mm	UM	€
2436540	400	PCS	

**Parallel Rolling Rule**

Millimeter scales parallel rolling rule.

Cod.	mm	UM	€
2437545	450	PCS	

**Quick Course Plotter**


Quick course plotter.

Cod.	UM	€
2438500	PCS	

**Course Plotter with Goniometer**

Course plotter with goniometer.

Cod.	UM	€
2438200	PCS	

**Alu-Mat Plain Divider N**

Satinised Aluminum alloy elegant plain divider.

Cod.	mm	UM	€
2439318	180	PCS	

**Classic BS Plain Divider**

Polished Brass elegant plain divider with Stainless Steel tips perfect for chart plotting.

Cod.	mm	UM	€
2439319	200	PCS	

**One-Hand Divider BS**

Polished Brass single hand divider with Stainless Steel tips perfect for chart plotting.

Cod.	mm	UM	€
2439519	200	PCS	



Plotting Kit S
Boat licence complete navigation set.
It contains:
2 Triangle protractors 2432025
1 Divider
1 Pencil and eraser.

Cod.	UM	€
2430002	PCK	




Plotting Kit M
Boat licence complete navigation set.
It contains:
2 Triangle protractors 2430025
1 One hand divider
1 Pencil and eraser.

Cod.	UM	€
2430001	PCK	



Plotting Kit L
Boat licence complete navigation set.
It contains:
1 Parallel ruler
1 Hand divider
1 Goniometer
1 Triangle protractor 2430025
1 Course plotter 2438200

Cod.	UM	€
2430000	PCK	




Mark 3 Sextant
Plastic lightweight and simple sextant with 4 sunshades for the observation of the sun.
Graduation from +120° to -5°.

Cod.	UM	€
2420151	PCS	



Mark 25 Pro Sextant
Reinforced Polymer very light and precise professional sextant. Equipped with combined full viewing field between the horizon and the observed celestial body and with 7 sunshades for the observation of the sun. With LED lighting for arc reading and simplified calibration. Graduation from +120° to -5°. Complete with lanyard and shockproof case.

Cod.	UM	€
2420153	PCS	



Brass Porthole Barometer / Clock

Barometer or clock on Polished Brass porthole.

Cod.	Ref	ø mm	UM	€
5807618	Barometer	180	PCS	
5807418	Clock	180	PCS	
5807621	Barometer	210	PCS	
5807421	Clock	210	PCS	

**Framed Brass Porthole Barometer / Clock**

Barometer or Clock on polished Brass porthole on Mahogany base.

Cod.	Ref	ø mm	UM	€
5807913	Barometer	230	PCS	
5807813	Clock	230	PCS	

**BOT Weather Station**

Polished Brass plated Zirconium instruments weather station. Barometer, clock, thermo/hygrometer mounted on precious wood plaque. The horizontal station is supplied with table support base. Instruments diameter 100 mm.

Cod.	Ref	Dim mm	UM	€
2417213	Horizontal	360 x H150	PCS	
2417214	Vertical	130 x H410	PCS	

**Class 120 Porthole Weather Instruments**

120 Class fire polished solid Brass professional weather instruments. Hinge and catch lock porthole for easy maintenance and battery changing. Extremely clear resistant mineral glass. Sturdy manufacture with high quality finishing.

Cod.	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2411240	Barometer	120	75	55	PCS	
2411241	Clock	120	75	55	PCS	
2411242	Thermo-Hygrometer	120	75	55	PCS	
2411243	Radio Silence Clock	120	75	55	PCS	

**Class 150 Porthole Weather Instruments**

Class fire professional polished solid Brass weather instruments. Hinge and catch lock porthole for easy maintenance and battery changing. Extremely clear resistant mineral glass. Sturdy manufacture with high quality finishing.

Cod.	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400310	Barometer	150	100	78,5	PCS	
2400311	Clock	150	100	78,5	PCS	
2400314	Thermo-Hygrometer	150	100	78,5	PCS	
2400312	Radio Silence Clock	150	100	78,5	PCS	



**Sea View Gold Weather Instruments**

Cap Horizon (by Barigo) weather instruments with Polished Brass case and white dial.

Cod.	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400200	Barometer	88	70	25	PCS	
2400201	Clock	88	70	25	PCS	
2400202	Thermo-Hygrometer	88	70	25	PCS	
2400210	Barometer	110	85	32	PCS	
2400211	Clock	110	85	32	PCS	
2400212	Thermo-Hygrometer	110	85	32	PCS	
2400222	Barometer	120	100	40	PCS	
2400224	Clock	120	100	40	PCS	
2400225	Thermo-Hygrometer	120	100	40	PCS	

**Sea View Chrome Weather Instruments**

Cap Horizon (by Barigo) weather instruments with Chromed Brass case and white dial.

Cod.	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400203	Barometer	88	70	25	PCS	
2400204	Clock	88	70	25	PCS	
2400205	Thermo-Hygrometer	88	70	25	PCS	
2400213	Barometer	110	85	32	PCS	
2400214	Clock	110	85	32	PCS	
2400215	Thermo-Hygrometer	110	85	32	PCS	
2400226	Barometer	120	100	40	PCS	
2400228	Clock	120	100	40	PCS	
2400229	Thermo-Hygrometer	120	100	40	PCS	

**Sea View S/Steel Weather Instruments**

Cap Horizon (by Barigo) weather instruments with satinised Stainless Steel case and white dial.

Cod.	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400216	Barometer	110	85	32	PCS	
2400217	Clock	110	85	32	PCS	
2400218	Thermo-Hygrometer	110	85	32	PCS	
2400230	Barometer	120	100	40	PCS	
2400232	Clock	120	100	40	PCS	
2400233	Thermo-Hygrometer	120	100	40	PCS	

**Blue Carbon 70/88 Chrome Weather Instruments**

Cap Horizon (by Barigo) weather instruments with Chromed Brass case and blue dial.

Cod.	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400250	Barometer	88	70	30	PCS	
2400251	Clock	88	70	30	PCS	
2400252	Thermo-Hygrometer	88	70	30	PCS	

**e-Racing 100/120 Stainless Steel Weather Instruments**

Cap Horizon (by Barigo) weather instruments with Satinised Stainless Steel case and black dial.

Cod.	Ref	Case ø mm	Dial ø mm	H mm	UM	€
2400240	Baro-Thermo-Hygrometer	120	100	40	PCS	
2400242	Clock	120	100	40	PCS	
2400244	Tide indicator	120	100	40	PCS	



Skywatch Wind

Compact, simple and effective anemometer-thermometer. It measures the wind speed and the air temperature, it is able to provide the perceived temperature (wind-chill). With high contrast LCD display, IP67 floating body, complete with strap, lithium battery and case.

Cod.	Dimensions mm	Weight g	UM	€
2422020	41 x 109 x 17	30	PCS	



Skywatch Eole

Eole is an anemometer with a 54 mm propeller that can measure wind force accurately. The multidirectional propeller allows precise measurement without having to be perfectly oriented in the wind axis. Thanks to its display backlight, it allows use even in problematic light conditions. It can fall into the water without sinking. Measurement units: km/h, mph, m/s, fps, knots and bts.

Cod.	Dimensions mm	Weight g	UM	€
2422022	ø 65 x 155	235	PCS	



Skywatch Meteos

Meteos is an anemometer-thermometer with a 54 mm propeller capable of accurately measuring wind force regardless of its direction. Meteos is able to provide the temperature perceived by the person quickly and accurately. Thanks to its display backlight, it allows use even in problematic light conditions. It can fall into the water without sinking. Wind measurement units: km/h, mph, m/s, fps, knots and bts.

Cod.	Dimensions mm	Weight g	UM	€
2422024	ø 65 x 155	235	PCS	



Skywatch Atmos

Anemometer, thermometer and hygrometer, all-in-one instrument. Perfect to measure with precision wind, temperature and humidity. It calculates the wind chill factor. The LCD screen is divided in three parts: wind speed – humidity – temperature.

Cod.	Dimensions mm	Weight g	UM	€
2422002	62 x 120 x 32	115	PCS	



Skywatch Smartphone BL Bluetooth

Complete weather station which is connected to the smartphone via Bluetooth. Ideal for all professional and outdoor activities like sailing, kite surfing, paragliding, hiking, etc. Built IP67 Anodized Aluminum, with micro USB rechargeable battery. Dimensions Ø26 x 116 mm. Complete with lace, metal clip and storage box. Compatible with iPhone/iPad and Android.

Cod.	Ref	Sensors	UM	€
2422012	BL500 Anemometer - Thermometer - Hygrometer - Barometer - UV Index	PCS		



Windex Wind Direction Indicator

The Windex wind direction indicator provides accurate apparent wind direction information. Sapphire jewel bearing suspension, reference notches refracting from below and adjustable on the wind angle. Optional LED night light for all models, optional birdspike only for 15" model.

Cod.	L '' (mm)	Type	Accessories	UM	€
2420008	6 (150)	6" Dinghy		PCS	
2420010	10 (250)	10" C		PCS	
2420015	15 (380)	15"		PCS	
2421023	23 (570)	23" XL		PCS	
2420016			LED Light	PCS	
2420024			Birdspike (only for 15")	PCS	

**Bora Wind Direction Indicator**

Ball bearing suspension wind direction indicator. Stainless Steel pole bracket and Plastic sensor. Reflective reference flags can be adjusted to the close-hauled angle.

Cod.	L mm	UM	€
2420018	360	PCS	




MTM

Sail Telltales Wind Indicators

Wind direction indicators for sailing boats. With 5 red and 5 green adhesive disks.

Cod.	UM	€
2420114	PCK	

**Telltales Wind Indicators**

Stay wind indicators. No tools needed for attachment to the stay. 360° rotating connection.

Cod.	Stay ø mm	UM	€
2420102	3	PCK	
2420103	5	PCK	
2420104	6	PCK	

**Marine 2000 Clinometer**


Clinometer with scale: 45°-0°-45°.

Cod.	mm	UM	€
2420002	90 x 40	PCS	

**Marine 2001 Clinometer**

Clinometer with scale: 45°-0°-45°. Magnified Scale: 5°-0°-5°.

Cod.	mm	UM	€
2420006	100 x 82	PCS	



Black Hand Bearing Pocket Compass

Plastic case liquid-filled handbearing compass with magnifying glass and pointer objective.



Cod.	mm	UM	€
2510005	75 x 54 x 25	PCS	

**Military Hand Bearing Compass**

Metal case liquid-filled handbearing compass with magnifying glass and pointer objective.



Cod.	mm	UM	€
2510008	76 x 54 x 26	PCS	

**Mizar Hand Bearing Compass**

Floating handbearing Riviera Mizar compass.

- Apparent diameter 1" 7/8 (-50 mm)
- Direct reading (card graduation 10°)
- Floating - Shock resistant
- Rotating bezel - Luminescent card
- Dimensions: 80x60x22 mm



Cod.	Colour	UM	€
2511050	BLACK	PCS	
2511051	YELLOW	PCS	
2511053	BLUE	PCS	
2511054	RED	PCS	

 Riviera**Orion Hand Bearing Compass**

Floating handbearing Riviera Orion compass.

- Apparent diameter 1" 7/8 (-50 mm)
- Direct reading (card graduation 10°)
- Floating - Shock resistant.
- Rotating bezel - Luminescent card
- Dimensions: 100x70x27 mm.



Cod.	Colour	UM	€
2511040	BLACK	PCS	
2511041	YELLOW	PCS	
2511043	BLUE	PCS	
2511044	RED	PCS	

 Riviera**Prisma Hand Bearing Compass**

Very precise and reliable handbearing Riviera Prisma compass.

- Pin suspension
- Prismatic lens reading. 1° card graduation
- Apparent card dia: 2" 1/4 (57,5mm)
- Air bubble trap
- Battery lighting included
- Padded fabric or beechwood optional cases



Cod.	Ref	UM	€
2510010	Compass	PCS	
2510512	Fabric Case	PCS	
2510510	Wooden Box	PCS	



 Riviera

Zenith BZT Tactic Compass

Flush mount compass with tactic rose. Built-in compensator magnets. Internal gimbal. Specifically designed with 3" (-80 mm) tactic rose with one digit for olympic sailing routes.



Cod.	Compass	UM	€
2501920	Black	PCS	
2501921	White	PCS	




Pegasus 3-BP1 Compass

Pegasus BP1 bulkhead mount sailboat compass. Internal gimbal and built-in compensator magnets. Complete with clinometer and 12/24V LED lighting. Front reading 5° graduated rose with 3" (80 mm) apparent diameter.



Cod.	Frame	Rose	Accessories	UM	€
2521020	Black	Black		PCS	
2521021	Black	Red		PCS	
2521022	White	White		PCS	
2521025			Protective Cover	PCS	




Pegasus 4-BP2 Compass

Pegasus BP2 bulkhead mount sailboat compass. Internal gimbal and built-in compensator magnets. Complete with clinometer and 12/24V LED lighting. Front reading 5° graduated rose with 4" (100 mm) apparent diameter.



Cod.	Frame	Rose	Accessories	UM	€
2521006	Black	Black		PCS	
2521009	Black	Red		PCS	
2521008	White	White		PCS	
2521017			Protective Cover	PCS	



T061 Wireless Micro Compass

Great precision and reliability Raymarine T061 Micro Compass. With big letters LCD display, mast mount bracket and Velcro attach/detach system. Without cables keeps the deck free and provides stable and clear informations about tacks.



Cod.	UM	€
5670105	PCS	



**Riviera Comet BC1 Compass**

Binnacle mount anti-glare screen Comet BC1 compass for small boats. • Apparent card dia 2" - 48 mm • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years




Cod.	Compass	UM	€
2500011	BC1 - Black	PCS	
2500013	BC1 - White	PCS	

**Riviera Comet BC2 Compass**

Bracket mount anti-glare screen Comet BC2 compass for small boats. • Apparent card dia 2" - 48 mm • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years




Cod.	Compass	UM	€
2500012	BC2 - Black	PCS	
2500014	BC2 - White	PCS	

**Riviera Stella BS1 Compass**

Binnacle mount Stella BS1 compass with anti-glare screen for small boats. • Easy to remove thanks to the bayonet joint mount • Apparent card dia 2" 1/2 - 65 mm • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years



Cod.	Compass	UM	€
2500001	BS1 - Black	PCS	
2500003	BS1 - White	PCS	
2500004	BS1 - Grey	PCS	

**Riviera Stella BS2 Compass**

Bracket mount Stella BS2 compass with anti-glare screen for small boats. • Easy to remove thanks to the bayonet joint mount • Apparent card dia 2" 1/2 - 65 • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years




Cod.	Compass	UM	€
2500000	BS2 - Black	PCS	
2500002	BS2 - White	PCS	
2500005	BS2 - Grey	PCS	

**Riviera Aries Compass**

Binnacle mount Aries compass with anti-glare screen for small boats. • Easy to remove thanks to the bayonet joint mount • Night time reading with luminous digits • Apparent card dia 2" 1/2 - 65 mm • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years




Cod.	Compass	UM	€
2500007	Aries - White/Black	PCS	
2500008	Aries - White	PCS	
2500009	Aries - Black	PCS	



Riviera Aries Light Compass


Deck mount Aries compass with anti-glare screen. 12V LED lighting. • Easy to remove thanks to the bayonet mount • Lighting: 12V (24V on request) • Apparent card dia 2" 1/2 - 65 mm • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years

Cod.	Compass	UM	€
2500017	Aries - White/Black	PCS	
2500018	Aries - White	PCS	
2500019	Aries - Black	PCS	

**Riviera Artica BA1 Frontal Compass**


Frontal reading Artica BA1 compass with anti-glare screen. • Built-in compensation setting • Internal half-gimbal • Lighting: 12V (24V on request) • Apparent card dia 2" 3/4 (-70 mm) • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Spare Parts	UM	€
2501002	Artica BA1 - Black		PCS	
2501003	Artica BA1 - White		PCS	
2160412		12V Light Bulb	PCS	

**Riviera Artica BA1 Compass**


Artica BA1 flush mount compass with anti-glare screen. • Built-in compensation setting • Internal half-gimbal • Lighting: 12V (24V on request) • Apparent card dia 2" 3/4 - 70 mm • Back reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Spare Parts	UM	€
2501007	Standard - Black		PCS	
2501008	Standard - White		PCS	
2501017	Standard - Grey		PCS	
2160412		12V Light Bulb	PCS	

**Riviera Artica BA2 Compass**


Artica BA2 bracket mount compass with anti-glare screen. • Built-in compensation setting • Internal half-gimbal • Lighting: 12V (24V on request) • Apparent card dia 2" 3/4 (-70 mm) • Back reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Spare Parts	UM	€
2501005	Standard - Black		PCS	
2501009	Standard - White		PCS	
2501015	Standard - Grey		PCS	
2160412		12V Light Bulb	PCS	

**Riviera Artica BA3 Compass**

Artica BA3 deck mount compass with anti-glare screen. • Built-in compensation setting • Internal half-gimbal • Lighting: 12V (24V on request) • Apparent card dia 2" 3/4 - 70 mm • Back reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Spare Parts	UM	€
2501006	Standard - Black		PCS	
2501010	Standard - White		PCS	
2501016	Standard - Grey		PCS	
2160412		12V Light Bulb	PCS	



**Riviera Zenith BZ1 Compass**

Zenith BZ1 flush mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal

- Lighting: 12V (24V on request) • Apparent card dia 3" - 80 mm • Back reading (card graduation 5°) • For standard and high speed boats
- Warranty 3 years * MED certification (if necessary) to be requested before purchase



Cod.	Compass	Spare Parts	UM	€
2501907	Standard - Black		PCS	
2502104	Standard - White		PCS	
2502012	Standard - Grey		PCS	
2502007	High Speed - Black		PCS	
2502114	High Speed - White		PCS	
2502017	High Speed - Grey		PCS	
2160412		12V Light Bulb	PCS	


**Riviera Zenith BZ1 Compass with Cover**

Zenith BZ1C flush mount compass with anti-glare screen and protection cover. Standard and High Speed version for fast boats. • Built-in compensation setting

- Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 3" - 80 mm • Back reading (card graduation 5°) • For standard and high speed boats
- Warranty 3 years * MED certification (if necessary) to be requested before purchase



Cod.	Compass	Spare Parts	UM	€
2502108	Standard - Black		PCS	
2502107	Standard - White		PCS	
2502118	High Speed - Black		PCS	
2502117	High Speed - White		PCS	
2160412		12V Light Bulb	PCS	


**Riviera Zenith BZ2 Compass**

Zenith BZ1 bracket mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal

- Lighting: 12V (24V on request) • Apparent card dia 3" - 80 mm • Back reading (card graduation 5°) • For standard and high speed boats
- Warranty 3 years * MED certification (if necessary) to be requested before purchase



Cod.	Compass	Spare Parts	UM	€
2501905	Standard - Black		PCS	
2502105	Standard - White		PCS	
2502005	High Speed - Black		PCS	
2502115	High Speed - White		PCS	
2160412		12V Light Bulb	PCS	


**Riviera Zenith BZ3 Compass**

Zenith BZ1 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal

- Lighting: 12V (24V on request) • Apparent card dia 3" - 80 mm • Back reading (card graduation 5°) • For standard and high speed boats
- Warranty 3 years * MED certification (if necessary) to be requested before purchase




Cod.	Compass	Spare Parts	UM	€
2501906	Standard - Black		PCS	
2502106	Standard - White		PCS	
2502006	High Speed - Black		PCS	
2502116	High Speed - White		PCS	
2160412		12V Light Bulb	PCS	

**Astra Riviera BAS1 Compass**

Astra BAS1 ceiling flush mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 4" - 100 mm • Front reading (card graduation 5°) • For standard and high speed boats • Warranty 3 years * MED certification (if necessary) to be requested before purchase




Cod.	Compass	Card Scale°	UM	€
2504400	Standard - Black	5	PCS	



**Urania Riviera BU1 Compass**


Urania BU1 flush mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 4" - 100 mm • Back reading (card graduation 5° - 2°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • 2504214 compass comes with R.I.Na. test certification • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2504200	Standard - Black	5		PCS	
2504210	High Speed - Black	5		PCS	
2504212	Standard - Black	2		PCS	
2504214	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	

**Urania Riviera BU2 Compass**


Urania BU2 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 4" - 100 mm • Back reading (card graduation 5° - 2°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • 2503914 compass comes with R.I.Na. test certification • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2503900	Standard - Black	5		PCS	
2503910	High Speed - Black	5		PCS	
2503912	Standard - Black	2		PCS	
2503914	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	

**Urania Riviera BU3 Compass**


Urania BU3 flush mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 4" - 100 mm • Back reading (card graduation 5° - 2°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • 2504014 compass comes with R.I.Na. test certification • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2504000	Standard - Black	5		PCS	
2504010	High Speed - Black	5		PCS	
2504012	Standard - Black	2		PCS	
2504014	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	

**Urania Riviera BU4 Compass**

Urania BU4 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 4" - 100 mm • Back reading (card graduation 5°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2504500	Standard - Black	5		PCS	
2504510	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	

**Urania Riviera BU5 Compass**

Urania BU5 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 4" - 100 mm • Back reading (card graduation 5°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • Warranty 3 years * MED certification (if necessary) to be requested before purchase


Cod.	Compass	Card Scale°	Spare Parts	UM	€
2504605	Standard - Black	5		PCS	
2504606	Standard - White	5		PCS	
2504611	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



**Urania Riviera BU7 S/Steel Compass**

Urania BU7 S/Steel deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 12V (24V on request) • Apparent card dia 4" - 100 mm • Back reading (card graduation 5°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2504700	Standard	5		PCS	
2504710	High Speed	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

White Star Riviera BW1 Compass

White Star BW1 flush mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 5" - 130mm • Back reading (card graduation 5°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505007	Standard - Black	5		PCS	
2505017	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

White Star Riviera BW2 Compass

White Star BW2 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 5" - 130mm • Back reading (card graduation 5° - 2°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • 2505026 compass comes with R.I.Na. test certification • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505004	Standard - Black	5		PCS	
2505014	High Speed - Black	5		PCS	
2505024	Standard - Black	2		PCS	
2505026	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

White Star Riviera BW3 Compass

White Star BW3 flush mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 5" - 130mm • Back reading (card graduation 5° - 2°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • 2505030 compass comes with R.I.Na. test certification • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505009	Standard - Black	5		PCS	
2505019	High Speed - Black	5		PCS	
2505029	Standard - Black	2		PCS	
2505030	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

White Star Riviera BW4 Compass

White Star BW4 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 5" - 130mm • Back reading (card graduation 5°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505003	Standard - Black	5		PCS	
2505002	Standard - White	5		PCS	
2505013	High Speed - Black	5		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

**White Star Riviera BW6 S/Steel Compass**

White Star BW6 S/Steel deck mount compass with anti-glare screen and protection cover. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 5" - 130mm • Back reading (card graduation 2°) • For standard and high speed boats • Approved for pleasure and commercial boats up to 150t • Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505010	Standard	2		PCS	
2505020	High Speed	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

White Star Riviera B6W3 Compass

White Star B6W3 flush mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 6" - 150 mm • Back reading (card graduation 5° - 2°)

- For standard and high speed boats • Approved for pleasure and commercial boats up to 150t
- 2505074 compass comes with R.I.Na. test certification
- Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505061	Standard - Black	5		PCS	
2505071	High Speed - Black	5		PCS	
2505072	Standard - Black	2		PCS	
2505074	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

White Star Riviera B6W4 Compass

White Star B6W3 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 6" - 150 mm • Back reading (card graduation 5° - 2°)

- For standard and high speed boats • Approved for pleasure and commercial boats up to 150t
- 2505054 compass comes with R.I.Na. test certification
- Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505041	Standard - Black	5		PCS	
2505051	High Speed - Black	5		PCS	
2505052	Standard - Black	2		PCS	
2505054	Standard - Black - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Riviera

White Star Riviera B6W5 Compass

White Star B6W5 deck mount compass with anti-glare screen. Standard and High Speed version for fast boats. • Built-in compensation setting • Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 6" - 150 mm • Back reading (card graduation 5° - 2°)

- For standard and high speed boats • Approved for pleasure and commercial boats up to 150t
- 2505034 compass comes with R.I.Na. test certification
- Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505031	Standard - White	5		PCS	
2505032	Standard - White	2		PCS	
2505034	Standard - White - R.I.Na.	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	




Riviera

White Star Riviera B6W6 S/Steel Compass

White Star B6W5 Stainless Steel deck mount compass with anti-glare screen and protection cover. Standard and High Speed version for fast boats. • Built-in compensation setting

- Internal gimbal • Lighting: 24V (12V on request) • Apparent card dia 6" - 150 mm
- Back reading (card graduation 5° - 2°) • For standard and high speed boats
- Approved for pleasure and commercial boats up to 150t
- Warranty 3 years * MED certification (if necessary) to be requested before purchase

Cod.	Compass	Card Scale°	Spare Parts	UM	€
2505021	Standard	5		PCS	
2505022	Standard	2		PCS	
2160412			12V Light Bulb	PCS	
2160424			24V Light Bulb	PCS	



Riviera

Ecms All Black Series Gauges

Ecms 12/24V All Black gauges complete with wired Molex connector.

Black Stainless Steel bezel and black dial.

Watertight IP67 protected domed fog-resistant lens.

Customizable multi-color LED backlighting dial.

The level gauges can be set to any impedance value using the rear configuration button. They are pre-set to the standard value 0-190 Ohm. The 5 and 10 bar oil pressure gauges are compatible with standard sensors (10-180 Ohm), while the 30 bar one is only compatible with electronic sensors (0.5-4.5V). The ammeters are complete with sensor (shunt) to measure the current.



Cod.	Instrument	Range	ø mm	UM	€
2361006	Fuel Level Gauge	E-1/2-F	52	PCS	
2361016	Water Level Gauge	E-1/2-F	52	PCS	
2361026	Sewage Level Gauge	E-1/2-F	52	PCS	
2361045	Oil Pressure Gauge	0-5 bar	52	PCS	
2361051	Oil Pressure Gauge	0-10 bar	52	PCS	
2361054	Oil Pressure Gauge	0-30 bar	52	PCS	
2361036	Water Temperature Gauge	40-120°	52	PCS	
2361060	Voltmeter 12/24V	8-32V	52	PCS	
2361074	Analogic Ammeter with Shunt	-80+80A	52	PCS	
2361079	Digital Ammeter with Shunt	-150+150A	52	PCS	
2361096	Hourmeter	0-99999.9H	52	PCS	
2361071	Rudder Angle Gauge	Port-Starboard	52	PCS	
2361087	Trim Gauge 0-190 Ohm	Up-Dn	52	PCS	
2361088	Trim Gauge 167-10 Ohm	Up-Dn	52	PCS	

**Ecms All Black Series Tach/Hourmeter**

Ecms All Black 12/24V Tach/Hourmeter complete with wired Molex connector. Black Stainless Steel bezel and black dial. Watertight IP67 protected domed fog-resistant lens. Customizable multi-color LED backlighting dial.



Cod.	Instrument	Range	ø mm	UM	€
2361412	Tachometer/Hourmeter	4000 RPM	85	PCS	
2361426	Tachometer/Hourmeter	6000 RPM	85	PCS	

**Ecms All Black Series GPS Speedometer**

Ecms 12/24V All Black GPS Speedometer complete with GPS sensor and wired Molex connector. Black Stainless Steel bezel and black dial. Watertight IP67 protected domed fog-resistant lens. It calculates the traveled distance and allows to manage the distance of single trips measuring the speed in Knots, MPH or Kmh. Customizable multi-color LED backlighting dial.



Cod.	Instrument	Range	ø mm	UM	€
2361436	GPS Speedometer	0-999	85	PCS	



Ecms Black Chrome Series Gauges

Ecms Black Chrome 12/24V gauges complete with wired Molex connector. Polished Stainless Steel bezel and black dial. Watertight IP67 protected domed fog-resistant lens. Customizable multi-color LED backlighted dial. The level gauges can be set to any impedance value using the rear configuration button. They are pre-set to the standard value 0-190 Ohm. The 5 and 10 bar oil pressure gauges are compatible with standard sensors (10-180 Ohm), while the 30 bar one is only compatible with electronic sensors (0.5-4.5V). The ammeters are complete with sensor (shunt) to measure the current.

Cod.	Instrument	Range	ø mm	UM	€
2361004	Fuel Level Gauge	E-1/2-F	52	PCS	
2361014	Water Level Gauge	E-1/2-F	52	PCS	
2361024	Sewage Level Gauge	E-1/2-F	52	PCS	
2361044	Oil Pressure Gauge	0-5 bar	52	PCS	
2361049	Oil Pressure Gauge	0-10 bar	52	PCS	
2361053	Oil Pressure Gauge	0-30 bar	52	PCS	
2361034	Water Temperature Gauge	40-120°	52	PCS	
2361059	Voltmeter 12/24V	8-32V	52	PCS	
2361073	Analogic Ammeter with Shunt	-80+80A	52	PCS	
2361078	Digital Ammeter with Shunt	-150+150A	52	PCS	
2361093	Hourmeter	0-99999.9H	52	PCS	
2361069	Rudder Angle Gauge	Port-Starboard	52	PCS	
2361084	Trim Gauge 0-190 Ohm	Up-Dn	52	PCS	
2361085	Trim Gauge 167-10 Ohm	Up-Dn	52	PCS	



Ecms Black Chrome Series Tach/Hourmeter

Ecms Black Chrome 12/24V Tach/Hourmeter complete with wired Molex connector. Polished Stainless Steel bezel and black dial. Watertight IP67 protected domed fog-resistant lens. Customizable multi-color LED backlighted dial.

Cod.	Instrument	Range	ø mm	UM	€
2361409	Tachometer/Hourmeter	4000 RPM	85	PCS	
2361423	Tachometer/Hourmeter	6000 RPM	85	PCS	



Ecms Black Chrome Series GPS Speedometer

Ecms Black Chrome 12/24V GPS Speedometer complete with GPS sensor and wired Molex connector. Polished Stainless Steel bezel and black dial. Watertight IP67 protected domed fog-resistant lens. Calculates the traveled distance and allows to manage the distance of single trips measuring the speed in Knots, MPH or Kmh. Customizable multi-color LED backlighted dial.

Cod.	Instrument	Range	ø mm	UM	€
2361433	GPS Speedometer	0-999	85	PCS	




Ecms White Chrome Series Gauges

Ecms White Chrome 12/24V gauges complete with wired Molex connector. Polished Stainless Steel bezel and white dial. Watertight IP67 protected domed fog-resistant lens. Customizable multi-color LED backlighted dial. The level gauges can be set to any impedance value using the rear configuration button. They are pre-set to the standard value 0-190 Ohm. The 5 and 10 bar oil pressure gauges are compatible with standard sensors (10-180 Ohm), while the 30 bar one is only compatible with electronic sensors (0.5-4.5V). The ammeters are complete with sensor (shunt) to measure the current.



Cod.	Instrument	Range	ø mm	UM	€
2361001	Fuel Level Gauge	E-1/2-F	52	PCS	
2361011	Water Level Gauge	E-1/2-F	52	PCS	
2361021	Sewage Level Gauge	E-1/2-F	52	PCS	
2361041	Oil Pressure Gauge	0-5 bar	52	PCS	
2361046	Oil Pressure Gauge	0-10 bar	52	PCS	
2361052	Oil Pressure Gauge	0-30 bar	52	PCS	
2361031	Water Temperature Gauge	40-120°	52	PCS	
2361056	Voltmeter 12/24V	8-32V	52	PCS	
2361072	Analogic Ammeter with Shunt	-80+80A	52	PCS	
2361075	Digital Ammeter with Shunt	-150+150A	52	PCS	
2361090	Hourmeter	0-99999.9H	52	PCS	
2361066	Rudder Angle Gauge	Port-Starboard	52	PCS	
2361081	Trim Gauge 0-190 Ohm	Up-Dn	52	PCS	
2361082	Trim Gauge 167-10 Ohm	Up-Dn	52	PCS	

**Ecms White Chrome Series Tach/Hourmeter**

Ecms White Chrome 12/24V Tach/Hourmeter complete with wired Molex connector. Polished Stainless Steel bezel and white dial. Watertight IP67 protected domed fog-resistant lens. Customizable multi-color LED backlighted dial.



Cod.	Instrument	Range	ø mm	UM	€
2361406	Tachometer/Hourmeter	4000 RPM	85	PCS	
2361420	Tachometer/Hourmeter	6000 RPM	85	PCS	

**Ecms White Chrome Speedometer GPS**

Ecms White Chrome 12/24V GPS Speedometer complete with GPS sensor and wired Molex connector. Polished Stainless Steel bezel and white dial. Watertight IP67 protected domed fog-resistant lens. Calculates the traveled distance and allows to manage the distance of single trips measuring the speed in Knots, MPH or Kmh. Customizable multi-color LED backlighted dial.



Cod.	Instrument	Range	ø mm	UM	€
2361430	GPS Speedometer	0-999	85	PCS	



Ultra Black Series Uflex Gauges

Uflex IP67 waterproof instruments with double layer reinforced anti-condensation lens. Plastic black bezel and black dial. Universal voltage 12/24V with customizable red or yellow backlight. Plug and play installation complete with wired Molex connector. All pressure, temperature, level and angle indicators must be completed with sensors. The GPS speed indicator is complete with receiver and antenna.



Cod.	ø mm	Ref	Range	UM	€
2360521	52	Oil Pressure Gauge	0-5 bar	PCS	
2360522	52	Oil Pressure Gauge	0-10 bar	PCS	
2360526	52	Water Temperature Gauge	40-120°	PCS	
2360529	52	Voltmeter 12V	8-16V	PCS	
2360741	52	Voltmeter 24V	18-32V	PCS	
2360532	52	Ammeter with Shunt 100A	-80+80A	PCS	
2360530	52	Hourmeter	0-99999H	PCS	
2360518	52	Fuel Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360520	52	Water Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360570	52	Trim Gauge 160-10 Ohm	Up-Dn	PCS	
2360571	52	Trim Gauge 0-190 Ohm	Up-Dn	PCS	
2360699	85	Rudder Angle Gauge	Port-Stbd	PCS	
2360512	85	Pitot Speed Gauge	35 Knots	PCS	
2360513	85	Pitot Speed Gauge	55 Knots	PCS	
2360580	85	GPS Speed Gauge	60 Knots	PCS	
2360908	85	Tachometer/Hourmeter	8000 RPM	PCS	
2360909	85	Tachometer/Hourmeter	6000 RPM	PCS	
2360911	85	Tachometer/Hourmeter	4000 RPM	PCS	
2360400	52	Chromed Frame D52		PCS	
2360401	85	Chromed Frame D85		PCS	



Ultra White Uflex Gauges

Uflex IP67 waterproof instruments with double layer reinforced anti-condensation lens. Plastic black bezel and white dial. Universal voltage 12/24V with customizable red or yellow backlight. Plug and play installation complete with wired Molex connector. All pressure, temperature, level and angle indicators must be completed with sensors. The GPS speed indicator is complete with receiver and antenna.



Cod.	ø mm	Ref	Range	UM	€
2360545	52	Oil Pressure Gauge	0-5 bar	PCS	
2360546	52	Oil Pressure Gauge	0-10 bar	PCS	
2360550	52	Water Temperature Gauge	40-120°	PCS	
2360553	52	Voltmeter 12V	10-16V	PCS	
2360742	52	Voltmeter 24V	20-32V	PCS	
2360540	52	Ammeter with Shunt	-60+60A	PCS	
2360554	52	Hourmeter	0-99999H	PCS	
2360542	52	Fuel Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360544	52	Water Level Gauge 0-190 Ohm	E-1/2-F	PCS	
2360575	52	Trim Gauge 160-10 Ohm	Up-Dn	PCS	
2360576	52	Trim Gauge 0-190 Ohm	Up-Dn	PCS	
2360700	85	Rudder Angle Gauge	Port-Starboard	PCS	
2360536	85	Pitot Speed Gauge	35 Knots	PCS	
2360537	85	Pitot Speed Gauge	55 Knots	PCS	
2360582	85	GPS Speed Gauge	60 Knots	PCS	
2360918	85	Tachometer/Hourmeter	8000 RPM	PCS	
2360919	85	Tachometer/Hourmeter	6000 RPM	PCS	
2360921	85	Tachometer/Hourmeter	4000 RPM	PCS	
2360400	52	Chromed Frame D52		PCS	
2360401	85	Chromed Frame D85		PCS	



VDO Black View-Line Gauges

View-Line 8-32V VDO gauges complete with connection cables, bezel and instructions. Anti-fog double lens with IP67 protection rating. Integrated LED light.



Cod.	Ref	Range	ø mm	UM	€
2300220	Oil-Pressure Gauge	5 bar	52	PCS	
2300221	Oil-Pressure Gauge	10 bar	52	PCS	
2300222	Oil-Pressure Gauge	30 bar	52	PCS	
2300225	Water Temp. Gauge	40° - 120°	52	PCS	
2300229	Voltmeter	8-16V	52	PCS	
2300230	Voltmeter	18-32V	52	PCS	
2300227	Ammeter	-60+60A	52	PCS	
2300232	Fuel Gauge (3-180 ohm)	0 - 1/1	52	PCS	
2300233	Fuel Gauge (90-4 ohm)	0 - 1/1	52	PCS	
2300234	Fuel Gauge (240-30 ohm)	0 - 1/1	52	PCS	
2300236	Water Level (3-180 ohm)	0 - 1/1	52	PCS	
2300237	Water Level (20 mA)	0 - 1/1	52	PCS	
2300239	Waste Water Level (20 mA)	0 - 1/1	52	PCS	
2300242	Rudder Angle	40° - 40°	52	PCS	
2300245	Hourmeter		52	PCS	
2300205	Tachometer/Hourmeter	3000 RPM	85	PCS	
2300206	Tachometer/Hourmeter	4000 RPM	85	PCS	
2300207	Tachometer/Hourmeter	5000 RPM	85	PCS	
2300208	Tachometer/Hourmeter	6000 RPM	85	PCS	



VDO

VDO White View-Line Gauges

View-Line 8-32V VDO gauges complete with connection cables, bezel and instructions. Anti-fog double lens with IP67 protection rating. Integrated LED light.



Cod.	Ref	Range	ø mm	UM	€
2300270	Oil-Pressure Gauge	5 bar	52	PCS	
2300271	Oil-Pressure Gauge	10 bar	52	PCS	
2300272	Oil-Pressure Gauge	30 bar	52	PCS	
2300275	Water Temp. Gauge	40° - 120°	52	PCS	
2300279	Voltmeter	8-16V	52	PCS	
2300280	Voltmeter	18-32V	52	PCS	
2300277	Ammeter	-60+60A	52	PCS	
2300282	Fuel Gauge (3-180 ohm)	0 - 1/1	52	PCS	
2300283	Fuel Gauge (90-4 ohm)	0 - 1/1	52	PCS	
2300285	Fuel Gauge (240-30 ohm)	0 - 1/1	52	PCS	
2300286	Water Level (3-180 ohm)	0 - 1/1	52	PCS	
2300287	Water Level (20 mA)	0 - 1/1	52	PCS	
2300289	Waste Water Level (20 mA)	0 - 1/1	52	PCS	
2300292	Rudder Angle	40° - 40°	52	PCS	
2300296	Hourmeter		52	PCS	
2300255	Tachometer/Hourmeter	3000 RPM	85	PCS	
2300256	Tachometer/Hourmeter	4000 RPM	85	PCS	
2300257	Tachometer/Hourmeter	5000 RPM	85	PCS	
2300258	Tachometer/Hourmeter	6000 RPM	85	PCS	




VDO

VDO View-Line Spare Parts and Accessories

VDO View-Line spare parts and accessories.



Cod.	Ref	UM	€
2300300	BLACK Bezel for ø 52 mm Gauges	PCS	
2300301	WHITE Bezel for ø 52 mm Gauges	PCS	
2300302	CHROMED Bezel for ø 52 mm Gauges	PCS	
2300304	BLACK Bezel for ø 85 mm Gauges	PCS	
2300305	WHITE Bezel for ø 85 mm Gauges	PCS	
2300306	CHROMED Bezel for ø 85 mm Gauges	PCS	
2300303	24V Circuit Resistance	PCS	
2300307	60A Amperometer Shunt	PCS	
2300309	View Line Gauges 8 PIN 8 Wires Cable	PCS	
2300310	View Line LCD Tachometer 14 PIN 5 Wires Cable	PCS	



VDO

Veratron VMH35 Display

Multifunction digital TFT hybrid color display with black look mineral glass and Stainless Steel base. Endowed with NMEA2000 connectivity and speedometer with integrated GPS antenna. Two analogue and one frequency inputs for non-NMEA speedometer, can be set up to be compatible with any sensor. Supplied as standard on Honda/Selva engines, compatible with any other 12V analog and electronic engine.



veratron


Cod.	Recess ø mm	UM	€
2360300	85	PCS	



VDO Temperature Senders

VDO temperature senders compatible for 12/24V circuits.

Cod.	C°	Thread	L x ø mm	Ref VDO	Type	UM	€
2300121	40-120	1/4" x 18 NPTF	29 x 10,9	325-805-003-001C	2 Poles	PCS	
2300110	40-120	1/2" x 14 NPTF	40 x 10,8	323-803-001-030D	1 Pole+Alarm 100°	PCS	
2300504	40-120	1/2" x 14 NPTF	40 x 10,8	323-803-001-019D	1 Pole+Alarm 95°	PCS	
2300106	40-120	M14 x 1,5	29 x 9	323-801-001-006N	1 Pole	PCS	
2300501	40-120	M14 x 1,5	40 x 10,8	323-803-001-006D	1 Pole+Alarm 96°	PCS	
2300108	40-120	M14 x 1,5	29 x 11	323-805-001-001N	2 Poles	PCS	
2300140	40-120	M16 x 1,5	29 x 9	323-801-001-040N	1 Pole	PCS	

**VDO****VDO Oil Pressure Senders**

VDO oil pressure senders compatible for 12/24V circuits. VDO standard impedance 10-184 Ohm except 2301135 with 5-90 Ohm. Diameter: 46mm. Total height without thread and without poles: 40 mm.

Cod.	Bar	Thread	Ref VDO	Type	UM	€
2301104	5	1/8" x 27 NPTF	360-081-029-004C	1 Pole	PCS	
2301149	5	1/8" x 27 NPTF	360-081-030-086C	1 Pole+Alarm 0,5 Bar (M4 Nuts)	PCS	
2301102	5	10 x 1	360-081-030-004C	1 Pole+Alarm 0,7 Bar	PCS	
2301152	10	1/8" x 27 NPTF	360-081-030-015C	1 Pole+Alarm 0,8 Bar	PCS	
2301132	10	1/8" x 27 NPTF	360-081-032-014C	2 Poles	PCS	
2301110	10	M10 x 1	360-081-029-010C	1 Pole	PCS	
2301109	10	M10 x 1	360-081-030-009C	1 Pole+Alarm 0,5 Bar	PCS	
2301111	10	M10 x 1	360-081-032-003C	2 Poles	PCS	
2301122	10	M12 x 1,5	360-081-030-022C	1 Pole+Alarm 0,5 Bar	PCS	
2301108	25	1/8" x 27 NPTF	360-081-038-003C	2 Poles (M4 nuts)	PCS	
2301135	25	1/8" x 27 NPTF	362-081-002-001K	2 Poles 5-90 (M4 Nuts)	PCS	
2301101	25	M14 x 1,5	360-081-038-001C	2 Poles (M4 nuts)	PCS	

**VDO****ECMS Water Temperature Senders**

Ecms water temperature senders with VDO 287-23 Ohm standard impedance. Compatible for 12/24V circuits.

Cod.	C°	Thread	L x ø mm	Ref VDO	Type	UM	€
2301274	40-120°	1/8" x 27 NPTF	22 x 8,5	323-801-005-001D	1 Pole	PCS	
2301278	40-120°	1/4" x 18 NPTF	29 x 9	323-801-001-009N	1 Pole	PCS	
2301283	40-120°	1/2" x 14 NPTF	29 x 11	323-801-001-010N	1 Pole	PCS	
2301280	40-120°	1/2" x 14 NPTF	40 x 10,8	323-803-001-019D	1 Pole+Alarm 95°	PCS	
2301277	40-120°	1/2" x 14 NPTF	29 x 11	323-805-001-004N	2 Poles (Signal + Mass)	PCS	
2301279	40-120°	1/2" x 14 NPTF	29 x 11	325-805-003-001C	2 Poles (Double Station)	PCS	
2301285	40-120°	M14 x 1,5	29 x 9	323-801-001-006N	1 Pole	PCS	
2301281	40-120°	M14 x 1,5	40 x 10,8	323-803-001-006D	1 Pole+Alarm 96°	PCS	
2301284	40-120°	M14 x 1,5	29 x 11	323-805-001-001K	2 Poles (Signal + Mass)	PCS	
2301282	40-120°	M16 x 1,5	29 x 9	323-801-001-040N	1 Pole	PCS	

**MTM****ECMS Oil Pressure Senders**

Ecms oil pressure senders with VDO 10-184 Ohm standard impedance. Compatible for 12/24V circuits.

Cod.	Bar	Thread	Ref VDO	Type	UM	€
2301299	5	1/8" x 27 NPTF	360-081-029-004C	1 Pole	PCS	
2301295	5	1/8" x 27 NPTF	360-081-030-049C	1 Pole+Alarm 0,5 bar	PCS	
2301289	5	1/8" x 27 NPTF	360-081-032-001C	2 Poles (Signal + Mass)	PCS	
2301288	5	M10 x 1	360-081-029-001C	1 Pole	PCS	
2301294	5	M10 x 1	360-081-030-002C	1 Pole+Alarm 0,5 bar	PCS	
2301287	5	M10 x 1	360-081-032-002C	2 Poles (Signal + Mass)	PCS	
2301297	10	1/8" x 27 NPTF	360-081-029-012C	1 Pole	PCS	
2301293	10	1/8" x 27 NPTF	360-081-030-015C	1 Pole+Alarm 0,8 bar	PCS	
2301286	10	1/8" x 27 NPTF	360-081-032-014C	2 Poles (Signal + Mass)	PCS	
2301298	10	M10 x 1	360-081-029-010C	1 Pole	PCS	
2301292	10	M10 x 1	360-081-030-009C	1 Pole+Alarm 0,5 bar	PCS	
2301290	30	1/8" x 27 NPTF	365-100-030-121K	Electronic (0,5-4,5V)	PCS	

**MTM**

VDO Fuel Level Tubular Sending Unit

VDO Stainless Steel tubular fuel senders with 5 holes flange and wheelbase holes diameter 54 mm. Complete with counter flange, screws and Superseal connector. Universal 12/24V power supply. Compatible with any instrument with impedance 60/90 - 2/5 Ohm.

Cod.	L mm	Ref VDO	UM	€
2301301	160	224-011-000-160X	PCS	
2301303	200	224-011-000-200X	PCS	
2301304	250	224-011-000-250X	PCS	
2301306	300	224-011-000-300X	PCS	
2301308	350	224-011-000-350X	PCS	
2301310	400	224-011-000-400X	PCS	
2301315	450	224-011-000-450X	PCS	
2301324	500	224-011-000-500X	PCS	
2301325	550	224-011-000-550X	PCS	
2301328	600	224-011-000-600X	PCS	
2301329	650	224-011-000-650X	PCS	
2301331	700	224-011-000-700X	PCS	
2301332	750	224-011-000-750X	PCS	
2301333	800	224-011-000-800X	PCS	

**VDO Universal Level Tubular Sending Unit**

VDO Stainless Steel tubular sensors for the monitoring of any type of liquid levels, from water to fuel. 5 holes flange, with wheelbase holes diameter 54 mm. Universal 12/24V power supply. Compatible with any instrument with impedance 0-180 Ohm.

Cod.	L mm	Ref VDO	UM	€
2301407	200	ES-224-011-0200	PCS	
2301411	250	ES-224-011-0250	PCS	
2301413	300	ES-224-011-0300	PCS	
2301416	350	ES-224-011-0350	PCS	
2301417	400	ES-224-011-0400	PCS	
2301418	450	ES-224-011-0450	PCS	
2301419	500	ES-224-011-0500	PCS	
2301420	550	ES-224-011-0550	PCS	
2301421	600	ES-224-011-0600	PCS	
2301423	700	ES-224-011-0700	PCS	
2301425	800	ES-224-011-0800	PCS	
2301427	900	ES-224-011-0900	PCS	
2301428	1000	ES-224-011-1000	PCS	

**ECMS Water/Fuel Level Sending Unit**

316 Stainless Steel water and fuel level senders. VDO type 5 holes dia 54 mm flange. 12/24V Power supply. Average impedance 0 - 190 Ohm.

Cod.	L mm	UM	€
2362430	150	PCS	
2362431	200	PCS	
2362432	250	PCS	
2362433	300	PCS	
2362434	350	PCS	
2362435	400	PCS	
2362436	450	PCS	
2362437	500	PCS	
2362438	600	PCS	
2362439	700	PCS	
2362440	800	PCS	
2362441	900	PCS	
2362442	1000	PCS	

**SIC Water/Fuel Level Sending Unit**

Vertical water/fuel level senders with VDO type 5 hole flange threaded 1"1/4. 316 Stainless Steel body. Impedance 10 - 180 Ohm (empty-full). Suitable for VDO - YAZAKI - FARIA EUROPE instruments.

Cod.	L mm	UM	€
2360756	170	PCS	
2360758	200	PCS	
2360757	250	PCS	
2360759	300	PCS	
2360761	400	PCS	
2360762	450	PCS	
2360763	500	PCS	
2360764	550	PCS	
2360765	600	PCS	
2360766	650	PCS	
2360806	700	PCS	
2360807	750	PCS	
2360808	800	PCS	

**VDO Water Level Sending Unit**

Water level sender. The waste water model is complete with alarm contact. For 4 - 20 mA water level instruments.

Cod.	Water	mm	Ref VDO	UM	€
2322236	Fresh	80<>600	N02-240-402	PCS	
2322238	Fresh	600<>1200	N02-240-404	PCS	
2322240	Waste	200<>600	N02-240-902	PCS	

**VDO 240/33 Fuel Level Swingarm Sending Unit**

12/24V VDO fuel lever swingarm sending unit endowed with fixing flange. For 150 to 600 mm depth tanks.

Cod.	Impedance Ohm	Ref VDO	UM	€
2301340	240-33,6	A2C1364580001	PCS	

**VDO 3/180 Fuel Level Swingarm Sending Unit**


12/24V VDO fuel lever swingarm sending unit endowed with fixing flange. For 150 to 600 mm depth tanks.

Cod.	Impedance Ohm	Ref VDO	UM	€
2301302	3-180	226-801-015-001G	PCS	
2301342	2-90	N02-240-106	PCS	

**Uflex Fuel Level Swingarm Sending Unit**

Uflex fuel lever swingarm sending unit for 200-600 mm tanks.

Cod.	Impedance Ohm	Ref VDO	UM	€
2360608	10-180		PCS	



VDO Rudder Angle Sending Unit

12V/24V power supply rudder's angle sender.

Cod.	Station	Ref VDO	UM	€
2302901	Single	440-102-001-001D	PCS	
2302902	Dual	440-102-002-001	PCS	



VDO

ECMS Rudder Angle Sending Unit

Single station 0-190 Ohm Ecms rudder angle sender.

Cod.	UM	€
2301273	PCS	

MTM
QUALITY**Speedometer Pitot**

Speedometer pitot complete with mounting bracket.

Cod.	Ref	UM	€
2360515	Pitot Only	PCS	
2360516	Pitot with 6 m Tube	PCS	

**Sender Thread Adapter**

Adapter to convert the thread of water temperature and oil pressure senders.

Cod.	Thread	UM	€
2360618	1/8 NPTF > M10x1	PCS	
2360619	1/8 NPTF > M12x1	PCS	
2360620	1/8 NPTF > M16x1,5	PCS	
2360617	1/8 NPTF > 1/4-3/8	PCS	

**I Warning Buzzer**


Universal warning buzzer for instruments. For indoor use only.

Cod.	V	UM	€
2323062	12	PCS	
2323064	24	PCS	

**BK92 Warning Buzzer**


Universal warning buzzer used for instruments and vehicle warning movement. Universal power supply 12100V, absorption 0.03A, 92dB, IP44 protection.

Cod.	UM	€
2323066	PCS	

**12V 6MM LED CB Pilot Lights**

Watertight Chromed Brass 12V LED pilot lights. Complete with nut, seal and lock washer. Max panel thickness 6 mm.

Cod.	Colour	UM	€
2105017	YELLOW	PCS	
2105019	RED	PCS	
2105018	GREEN	PCS	

**12V 8MM LED CB Pilot Lights**

Watertight Chromed Brass 12V LED pilot lights. Complete with nut, seal and lock washer. Max panel thickness 13 mm.

Cod.	Colour	UM	€
2105005	YELLOW	PCS	
2105008	RED	PCS	
2105012	GREEN	PCS	

**12V 12MM LED CB Pilot Lights**

Watertight Chromed Brass 12V LED pilot lights. Complete with nut, seal and lock washer. Max panel thickness 10 mm.

Cod.	Colour	UM	€
2105006	YELLOW	PCS	
2105009	RED	PCS	
2105013	GREEN	PCS	

**12V 19MM LED Stainless Steel Pilot Lights**

Watertight Stainless Steel 12V LED pilot lights. Complete with nut and seal. Max panel thickness 21 mm.

Cod.	Colour	UM	€
2105007	YELLOW	PCS	
2105010	RED	PCS	
2105014	GREEN	PCS	



i40 Speed Pack

Compact and functioning Raymarine i40 Speed Pack instrument with easy reading 28 mm large digits LCD display. Fully integrates with all Raymarine navigation equipment. Displays actual, average and maximum speed, log trip and seawater temperature. Complete with P371 speed/temp through-hull plastic transducer.

Cod.	Dim mm	UM	€
5653041	128 x H72	PCS	



Raymarine

**i40 Depth Pack**

Compact and functioning Raymarine i40 Depth Pack instrument with easy reading 28 mm large digits LCD display. Fully integrates with all Raymarine navigation equipment. Displays depth with various alarm settings for the boat and the anchor. Complete with through-hull P7 plastic transducer.

Cod.	Dim mm	UM	€
5653042	128 x H72	PCS	



Raymarine

**i40 Bidata Pack**

Compact and functioning Raymarine i40 Bidata Pack instrument with easy reading 28 mm large digits LCD display. Fully integrates with all Raymarine navigation equipment. Displays speed, depth, trip log and seawater temperature, allows more data to be displayed simultaneously. Complete with speed/temp P371 and depth P7 through-hull plastic transducers.

Cod.	Dim mm	UM	€
5653043	128 x H72	PCS	



Raymarine

**i40 Wind Pack**

Compact and functioning Raymarine i40 Wind Pack instrument with easy reading 28 mm large digits LCD display. Fully integrates with all Raymarine navigation equipment. Displays apparent and true wind direction, sends data to the autopilot in order to steer according to the selected apparent wind angle. Complete with Wind Rotavecta transducer. Surface or bracket mount.

Cod.	Dim mm	UM	€
5653045	128 x H72	PCS	



Raymarine

**i50 Speed Pack**

Compact and functional Raymarine i50 Speed Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It shows speed over water or Speed over ground (with GPS), sea water temperature, partial and total miles counter. Complete with extractable Plastic through-hull ST900/P120 Speed/Temp transducer. With built-in transducer interface.

Cod.	Dim mm	UM	€
5665051	110 x H115	PCS	



Raymarine

**i50 Depth Pack**

Compact and functional Raymarine i50 Depth Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It shows depth trend indicator, min/max depth with anchor and deep water alarms. Complete with Plastic through-hull P19 transducer. With built-in transducer interface.

Cod.	Dim mm	UM	€
5665052	110 x H115	PCS	



Raymarine

**i50 Tridata Pack**

Compact and functional Raymarine i50 Tridata Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It combines depth and speed data in an easy-to-read 3-line display, partial and total miles counter, sea water temperature and SOG. Complete with through-hull Plastic ST900/P120 extractable Speed/Temp and P19 Depth transducers. With built-in transducer interface.

Cod.	Dim mm	UM	€
5665053	110 x H115	PCS	



Raymarine



i60 Wind Pack

Compact and functional Raymarine i60 Wind Pack instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It displays analogue and digital data, calculates apparent (relative) and true wind speed/angle (with SeaTalk speed through water data). Complete with Wind transducer with 30 meters cable and a built-in transducer interface.



Cod.	Dim mm	UM	€
5665055	110 x H115	PCS	



Raymarine

i60 Close Hauled Wind

Compact and functional Raymarine i60 Close Hauled Wind instrument with LCD display, with SeaTalk and NMEA2000 interface, offers full integration with Raymarine navigation equipment. It displays 20°<->60° wind angle amplifier, the perfect race instrument when a single degree can make the difference. With built-in transducer interface.



Cod.	Dim mm	UM	€
5665056	110 x H115	PCS	



Raymarine

i70s Multifunction Display

Raymarine i70s multifunction display with wide angle view 4,1" LCD screen and bright colours in any weather condition. Easy to use interface with raised buttons for precise application. Customizable view of many data sources according to boat requirements and characteristics. Capable to display analogue and graphic data, works also as AIS repeater. SeaTalk and NMEA2000 connectivity for a complete integration with other devices on board. Complete with screen cover and mount kit.



The System Pack version also contains the transducers to have a complete system with a single display. Includes display, multiple converter pod for up to 5 transducers, P319 depth thru-hull transducer, ST900/P120 speed/temperature thru-hull transducer and Wind transducer.

Cod.	Ref	Dim mm	UM	€
5667001	Display i70s	110 x H115	PCS	
5667004	Display i70s+System Pack	110 x H115	PCS	



Raymarine

p70s Sailboat Control Unit

Raymarine p70s autopilot control unit with wide angle view 3.5" 320x240 pixel LCD display and bright colours in any weather condition. Easy to use interface with sailboat type raised buttons for precise application. Endowed with wizard to configure the pilot in few minutes. SeaTalk connectivity for a complete integration with other devices on board.



Cod.	Dim mm	UM	€
5667002	110 x 115	PCS	



Raymarine

p70Rs Motorboat Control Unit

Raymarine p70Rs autopilot control unit with wide angle view 3.5" 320x240 pixel LCD display and bright colours in any weather condition. Easy to use interface with motorboat type raised buttons and knob for precise application. Endowed with wizard to configure the pilot in few minutes. SeaTalk connectivity for a complete integration with other devices on board.



Cod.	Dim mm	UM	€
5667003	110 x 115	PCS	



Raymarine

Seatalk Converter

Converter kit to adapt the Seatalk1 protocol to Seatalk NG. Allows older Seatalk1 instruments to communicate with new Seatalk NG devices.



Cod.	UM	€
5660002	PCS	



Raymarine

Garmin GNX Display

Backlight LCD display with glass-bonded non-glare technology. Great brightness and low energy consumption. Touchscreen buttons, it can display more than 50 different data views. NMEA2000 compatible, it integrates with all systems on board. Flush or surface mount thanks to the optional brackets. Complete with NMEA2000 cable, connectors kit and screen cover. The optional GNX keyboard allows to control the display from remote.



GARMIN

Cod.	Ref	Display	Dim mm	Accessories	UM	€
5627122	GNX 120	7"	181 x 115 x 17		PCS	
5627123	GNX 130	10"	249 x 153 x 19		PCS	
5627130				GNX Keyboard	PCS	
5627132				2 Display Mast Bracket	PCS	
5627133				3 Display Mast Bracket	PCS	
5627134				4 Display Mast Bracket	PCS	

**Garmin gWind V1**

Garmin gWind V1 includes GMI20 display, GND10 converter and the transducers gWind and DST810.

GMI20: low energy consumption 4" colour back-lighted and glass-bonded LED display that allows to keep under control more than 100 configurable data pages. NMEA0183/2000 compatible.

GND10: converter module that grants compatibility between Nexus sensors and Garmin products.

gWind: wind transducer with stable reading double weathercock and anemometer.

DST810: Plastic thru-hull transducer for depth, speed and temperature.



GARMIN

Cod.	Ref	Spare Parts	UM	€
5627111	gWind V1		PCS	
5628173		DST810 6m Cable Thru-Hull Transducer	PCS	

**Garmin gWind V2**

Garmin gWind V2 includes GMI20 display, GNX20 display, GND10 converter and the transducers gWind and DST810.

GMI20: low energy consumption 4" colour back-lighted and glass-bonded LED display that allows to keep under control more than 100 configurable data pages. NMEA0183/2000 compatible.

GNX20: low energy consumption 4" back-lighted and glass-bonded LCD display that allows to keep under control more than 50 configurable data pages. NMEA0183/2000 compatible.

GND10: converter module that grants compatibility between Nexus sensors and Garmin products.

gWind: wind transducer with stable reading double weathercock and anemometer.

DST810: Plastic thru-hull transducer for depth, speed and temperature.



GARMIN

Cod.	Ref	Spare Parts	UM	€
5627112	gWind V2		PCS	
5628173		DST810 6m Cable Thru-Hull Transducer	PCS	

**Garmin gWind V3**

Garmin gWind V3 includes GNX20 display, GNXWind display, GND10 converter and the transducers gWind and DST810.

GNX20: low energy consumption 4" back-lighted and glass-bonded LCD display that allows to keep under control more than 50 configurable data pages. NMEA0183/2000 compatible.

GNXWind: low energy consumption 4" glass-bonded LCD display that allows to keep under control important sailboats data. NMEA2000 compatible.

GND10: converter module that grants compatibility between Nexus sensors and Garmin products.

gWind: wind transducer with stable reading double weathercock and anemometer.

DST810: Plastic thru-hull transducer for depth, speed and temperature.



GARMIN

Cod.	Ref	Spare Parts	UM	€
5627113	gWind V3		PCS	
5628173		DST810 6m Cable Thru-Hull Transducer	PCS	



Compact Reactor 40 Hydraulic Garmin Autopilot

Garmin Compact Reactor 40 is the ideal autopilot for small and medium boats with hydraulic steering systems. Endowed with 9 axis AHRS technology to ensure compass accuracy data, less rudder movement, less energy loss and an excellent course hold in any weather conditions.

GHC50: Wireless display which allows to control the autopilot from any position on the boat. Shadow Drive: allows to control manually the rudder or to modify the course to avoid barriers without turning off the autopilot, which can be easily activated again with a button.

Contains: electronic control unit (ECU), CCU reactor 40, 1Lt pump (for cylinders up to 262cc), connection cables, NMEA2000 installation kit and alarm device.

Cod.	Ref	UM	€
5626010	Compact Reactor 40 AP	PCS	
5626011	Compact Reactor 40 AP with GHC50	PCS	
5626012	Compact Reactor 40 AP with GHC50 and Shadow Drive	PCS	



Reactor 40 Hydraulic Garmin Autopilot

Garmin Reactor 40 is the ideal autopilot for boats with hydraulic steering systems. Thanks to Shadow Drive technology it is possible to manually control the rudder at any time in order to avoid obstacle or modify the course without turning off the autopilot. When course is resumed, autopilot can be easily activated with a button. The aerospace technology derivation and 3 axis compass grants an excellent course hold in any weather conditions. It does not require rudder angle sensor, it is endowed with preset Man Over Board and fish courses and with Auto Guidance, where the course is automatically set with Garmin chartplotter.

Contains GHC 50 display, shadow drive, electronic control unit (ECU), CCU reactor 40, connection cables, NMEA2000 installation kit and alarm device.

Cod.	Ref	Accessories	UM	€
5626000	Reactor 40 AP		PCS	
5626100		Reversible Pump 1.2Lt 12V	PCS	
5626101		Reversible Pump (No Verado) 2.0Lt 12V	PCS	



Reactor 40 Mechanic/Hydraulic/Solenoid Garmin Autopilot

Automatic Reactor 40 autopilot for sail and motor boats with mechanic, solenoid and hydraulic steering systems designed with aerospace derived technology. The integrated gyrocompass sensor grants perfect boat course control and precision. On sailboats, when autopilot is linked with wind sensor, all manouvers are simplified and allow to follow any course according to wind direction or to simply set any turn.

Contains GHC 50 display, electronic control unit (ECU), CCU reactor 40, shadow drive, connection cables, NMEA2000 installation kit and alarm device.

Cod.	Ref	Accessories	UM	€
5626001	Reactor 40 AP		PCS	
5626102		GRF10 Rudder Angle Transducer with 2m Cable	PCS	
5626103		5m GRF10 Cable Extension	PCS	
5626104		Third Parties Rudder Angle Transducer Cable	PCS	
5626105		Tiller Power Cable	PCS	
5626106		12V Inline Mechanical Actuator up to 13t	PCS	
5626108		12/24V Hydraulic Actuator up to 22t	PCS	
5626109		12/24V Rudder Angle Hydraulic Actuator up to 36t	PCS	



ST1000+ Autopilot

Removable Raymarine ST1000 cockpit autopilots for tiller steered yachts. The AutoTack automatically turns the boat and allows you to keep your hands free and to steer the sheets, while the AutoSeastate intelligently keeps the boat on its course with less energy consumption. It can be used as a stand-alone pilot or with a SeaTalk/NMEA GPS.

Recommended Maximum Displacement: 3000 kg (6600 lbs).

Always consider the fully laden displacement weight of your vessel (often 20% more than the designed displacement). The optional S100 wireless remote control is endowed with a basestation receiver.

Cod.	Ref	Accessories	UM	€
5660010	ST1000+ AP		PCS	
5660001		S100 Remote Control	PCS	

**ST2000+ Autopilot**

Removable Raymarine ST2000 cockpit autopilots for tiller steered yachts. The AutoTack automatically turns the boat and allows you to keep your hands free and to steer the sheets, while the AutoSeastate intelligently keeps the boat on its course with less energy consumption. Can be used as a stand-alone pilot or with a SeaTalk/NMEA GPS.

Recommended Maximum Displacement: 4500 kg (10000 lbs).

Always consider the fully laden displacement weight of your vessel (often 20% more than the designed displacement). The optional S100 wireless remote control is endowed with a basestation receiver.

Cod.	Ref	Accessories	UM	€
5660020	ST2000+ AP		PCS	
5660001		S100 Remote Control	PCS	

**Raymarine EV-100 Tiller Package Autopilot**

Raymarine Evolution EV-100 Pack autopilot for tiller steering systems of small sailboats with maximum displacement of up to 6000 Kg. Includes ACU-100 course computer, p70s control unit and tiller actuator. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching. The optional S100 wireless remote control is endowed with a basestation receiver and must be interfaced with the autopilot via the Seatack1>NG converter.

Cod.	Ref	Accessories	UM	€
5660051	EV-100 Tiller		PCS	
5660001		S100 Remote Control	PCS	
5660002		Seatack1>NG Converter	PCS	

**Raymarine EV-200 Linear Package Autopilot**

Raymarine Evolution EV-200 Pack autopilot for mechanical steering systems of sailboats with maximum displacement up to 11000 Kg. Includes ACU-200 course computer, p70s control unit and linear type 1 actuator. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching. The optional S100 wireless remote control is endowed with a basestation receiver and must be interfaced with the autopilot via the Seatack1>NG converter.

Cod.	Ref	Accessories	UM	€
5660052	EV-200 Linear		PCS	
5660001		S100 Remote Control	PCS	
5660002		Seatack1>NG Converter	PCS	



Raymarine EV-100 Wheel Package Autopilot

Raymarine Evolution EV-100 Pack wheel autopilot for small sailboats with maximum displacement of up to 7500 Kg. Includes ACU-100 course computer, p70s control unit and wheel actuator. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching. The optional S100 wireless remote control is endowed with a basestation receiver and must be interfaced with the autopilot via the Seatalk1>NG converter.

Cod.	Ref	Accessories	UM	€
5660055	EV-100 Wheel		PCS	
5660001		S100 Remote Control	PCS	
5660002		Seatalk1>NG Converter	PCS	



Raymarine EV-100 Hydraulic Package Autopilot

Raymarine Evolution EV-100 Pack hydraulic autopilot for small motorboats. Includes ACU-100 course computer, p70Rs control unit and 0.5 type hydraulic pump supporting 50 - 110cc. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching. The optional S100 wireless remote control is endowed with a basestation receiver and must be interfaced with the autopilot via the Seatalk1>NG converter.

Cod.	Ref	Accessories	UM	€
5660045	EV-100 Hydraulic		PCS	
5660001		S100 Remote Control	PCS	
5660002		Seatalk1>NG Converter	PCS	



Raymarine EV-150 Hydraulic Package Autopilot

Raymarine Evolution EV-150 Pack hydraulic autopilot for small motorboats. Includes ACU-150 course computer, p70Rs control unit and type 1 hydraulic pump supporting 80 - 230 cc. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching. The optional S100 wireless remote control is endowed with a basestation receiver and must be interfaced with the autopilot via the Seatalk1>NG converter.

Cod.	Ref	Accessories	UM	€
5660048	EV-150 Hydraulic		PCS	
5660001		S100 Remote Control	PCS	
5660002		Seatalk1>NG Converter	PCS	



Raymarine EV-200 Hydraulic Package Autopilot

Raymarine Evolution EV-200 Pack hydraulic autopilot for motorboats. Includes ACU-200 course computer, p70Rs control unit and type 1 hydraulic pump supporting 80 - 230 cc. Capable to detect environment parameters and to quickly calculate the best settings in order to reach the highest performance. The result is a precise and reliable course-keeping, regardless of boat's speed or sea conditions. Without complicated learn procedure and compass calibration, but endowed with auto-magic calibration and 9 axis precise monitoring of the bow, rolling and pitching. The optional S100 wireless remote control is endowed with a basestation receiver and must be interfaced with the autopilot via the Seatalk1>NG converter.

Cod.	Ref	Accessories	UM	€
5660046	EV-200 Hydraulic		PCS	
5660001		S100 Remote Control	PCS	
5660002		Seatalk1>NG Converter	PCS	



Garmin Striker Cast Fishfinder

Garmin Striker Cast portable launch fishfinder, is used as a floating buoy with integrated fishfinder. It connects wirelessly to smartphones or tablets, turning them into real displays designed for fishing. Frequency 260/455 kHz, maximum depth 45 m, action range up to 60 m. Version with integrated GPS is also endowed with Quickdraw Contours function which allows to plot real-time bathymetrics and share them online. Complete with 10-hour internal rechargeable battery, carrying bag and USB cable. Dimensions 76 x 76 x 58 mm.

Cod.	Ref	UM	€
5600720	Striker Cast	PCS	
5600722	Striker Cast GPS	PCS	

**Garmin Portable Kit**

Soft portable bag kit with rigid frame for all Garmin Striker fishfinders. Suitable for small boats, kayaks, canoes or for pier fishing. Includes a sealed AGM rechargeable battery with smart charger, built-in transducer cable management and storage, suction cup transducer mount and float for the cable.

Cod.	UM	€
5600750	PCS	

**Garmin Striker Plus 4 Fishfinder**

Garmin Striker Plus 4 fishfinder with integrated GPS system. Endowed with standard and CHIRP technology. Power 200W. 3.5"/480x320 pixel screen. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online.

Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer

Cod.	Ref	Accessories and Spare Parts	UM	€
5620730	Striker Plus 4		PCS	
5628164		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628104		STD 77/200 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	



GARMIN

**Garmin Striker Vivid 4CV Fishfinder**

Garmin Striker Vivid 4CV fishfinder with integrated GPS receiver. Endowed with standard, CHIRP and ClearVu technology. Power 300W. New bright 4.3"/480x272 pixel display with wide colour range to identify even the smallest targets. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online.

Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer

Cod.	Ref	Accessories and Spare Parts	UM	€
5620732	Striker Vivid 4CV		PCS	
5628164		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628138		GT20-TM STD 77/200 CHIRP CV 455/800 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	



GARMIN



Transom Transducer Bracket

Stainless Steel telescopic transom transducer extensions. Allows to lift, lower or to slip off all kinds of transducers for fishfinders. 55x82 mm fixing plate.

Cod.	L mm	UM	€
5645020	20<>35	PCS	
5645030	30<>55	PCS	
5645040	40<>65	PCS	



Garmin Striker Vivid 5CV Fishfinder

Garmin Striker Vivid 5CV fishfinder with integrated GPS receiver. Endowed with standard, CHIRP and ClearVu technology. Power 500W. New bright 5"/800x400 pixel display with wide colour range to identify even the smallest targets. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online.

Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer



GARMIN

Cod.	Ref	Accessories and Spare Parts	UM	€
5620734	Striker Vivid 5CV		PCS	
5628160		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628138		GT20-TM STD 77/200 CHIRP CV 455/800 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin Striker Vivid 7CV Fishfinder

Garmin Striker Vivid 7CV fishfinder with integrated Wi-Fi and GPS system. Endowed with standard, CHIRP and ClearVu technology. Power 500W. New bright 7"/800x400 pixel display with wide colour range to identify even the smallest targets. The fishfinder and all aboard Garmin Marine instruments can be easily managed with the smartphone, thanks to the new ActiveCaptain free App. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit and power/data cable.

TD = Transducer



GARMIN

Cod.	Ref	Accessories and Spare Parts	UM	€
5620736	Striker Vivid 7CV		PCS	
5628168		Screen Cover	PCS	
5628131		TD 8 Pin to Eco 4 Pin Adapter Cable	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628111		GT23M-TH CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Thru-Hull TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628138		GT20-TM STD 77/200 CHIRP CV 455/800 kHz 4 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin Striker Vivid 7SV Fishfinder

Garmin Striker Vivid 7SV fishfinder with integrated Wi-Fi and GPS system. Endowed with standard, CHIRP, ClearVu and SideVu technology. Power 500W. New bright 7"/800x400 pixel display with wide colour range to identify even the smallest targets. The fishfinder and all aboard Garmin Marine instruments can be easily managed with the smartphone, thanks to the new ActiveCaptain free App. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit, power/data cable and Y cable for 12 pin transducer to 2 displays with 4 pin codes. TD = Transducer



GARMIN



Cod.	Ref	Accessories and Spare Parts	UM	€
5620738	Striker Vivid 7SV		PCS	
5628168		Screen Cover	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628170		GT51M-TM CHIRP 80/160 CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628110		GT52HW-TM CHIRP 150/240 CHIRP CV/SV 455/800 kHz 12 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin Striker Vivid 9SV Fishfinder

Garmin Striker Vivid 9SV fishfinder with integrated Wi-Fi and GPS system. Endowed with standard, CHIRP, ClearVu and SideVu technology. Power 500W. New bright 9"/800x400 pixel display with wide colour range to identify even the smallest targets. The fishfinder and all aboard Garmin Marine instruments can be easily managed with the smartphone, thanks to the new ActiveCaptain free App. With Quickdraw Contours which allows to plot real-time bathymetrics and share them online. Complete with transducer, rotating tilt bracket, stern mount kit, power/data cable and Y cable for 12 pin transducer to 2 displays with 4 pin codes. TD = Transducer



GARMIN



Cod.	Ref	Accessories and Spare Parts	UM	€
5620740	Striker Vivid 9SV		PCS	
5628178		Screen Cover	PCS	
5628118		GT8HW-TM CHIRP 150/240 kHz 8 Pin 6m Cable Stern TD	PCS	
5628112		GT15M-TM CHIRP 85/165 kHz 8 Pin 6m Cable Stern TD	PCS	
5628120		GT15M-IH CHIRP 85/165 kHz 8 Pin 6m Cable Inner TD	PCS	
5628115		GT22HW-TM CHIRP 150/240 CHIRP CV 455/800 kHz 8 Pin 6m Cable Stern TD	PCS	
5628113		GT23M-TM CHIRP 80/160 CHIRP CV 260/455 kHz 8 Pin 9m Cable Stern TD	PCS	
5628170		GT51M-TM CHIRP 80/160 CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628163		Power/Data Cable (Replacement)	PCS	
5628110		GT52HW-TM CHIRP 150/240 CHIRP CV/SV 455/800 kHz 12 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP UHD2 52CV

Garmin echoMAP UHD2 52CV chartplotter/fishfinder with 5"/800x480 pixel touchscreen display, integrated keypad and inner GPS receiver. 500W integrated CHIRP, ClearVu and UHD module. Compatible with all Garmin BlueChart and Garmin Navionics+ cartography, with integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.


Complete with adjustable bracket and power/data cable.

Compatible with all traditional, All-in-One and UHD transducers, 4 Pin connection. For 8 Pin transducers, the adapter cable has to be purchased separately.

TD = Transducer



GARMIN



Cod.	Ref	TD	Accessories and Spare Parts	UM	€
5627840	echoMAP UHD2 52CV	No		PCS	
5627841	echoMAP UHD2 52CV	Yes		PCS	
5628114			50/200kHz 40°/10° 500W 8 Pin 9m Cable Stern/Temp TD	PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628115			GT22HW-TM CHIRP CV 455/800kHz 24°/16° 500W 8 Pin 6m Cable Stern TD	PCS	
5628113			GT23M-TM CHIRP CV 260/455kHz 40°/10° 500W 8 Pin 9m Cable Stern TD	PCS	
5628123			GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PCS	
5628187			Screen Cover	PCS	
5628131			TD 8 Pin > Eco 4 Pin Adapter Cable	PCS	
5628163			Power/Data Cable (Replacement)	PCS	
5628138			GT20-TM STD 77/200 CHIRP CV 455/800kHz 500W 4 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP UHD2 72CV

Garmin echoMAP UHD2 72CV chartplotter/fishfinder with 7"/800x480 pixel touchscreen display, integrated keypad and inner GPS receiver. 500W integrated CHIRP, ClearVu and UHD module. Compatible with all Garmin BlueChart and Garmin Navionics+ cartography, with integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.


Complete with adjustable bracket and power/data cable.

Compatible with all traditional, All-in-One and UHD transducers, 4 Pin connection. For 8 Pin transducers, the adapter cable has to be purchased separately.

TD = Transducer



GARMIN




Cod.	Ref	TD	Accessories and Spare Parts	UM	€
5627844	echoMAP UHD2 72CV	No		PCS	
5627845	echoMAP UHD2 72CV	Yes		PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628115			GT22HW-TM CHIRP CV 455/800kHz 24°/16° 500W 8 Pin 6m Cable Stern TD	PCS	
5628113			GT23M-TM CHIRP CV 260/455kHz 40°/10° 500W 8 Pin 9m Cable Stern TD	PCS	
5628111			GT23M-TH CHIRP CV 260/455kHz 40°/10° 500W 8 Pin 9m Cable Thru-Hull TD	PCS	
5628123			GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PCS	
5628189			Screen Cover	PCS	
5628131			TD 8 Pin > Eco 4 Pin Adapter Cable	PCS	
5628163			Power/Data Cable (Replacement)	PCS	
5628138			GT20-TM STD 77/200 CHIRP CV 455/800kHz 500W 4 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP UHD2 62SV

Garmin echoMAP UHD2 62SV chartplotter/fishfinder with 6"/800x480 pixel touchscreen display, quick keys and inner GPS receiver. 500W integrated CHIRP, ClearVu, SideVu and UHD module. Compatible with all Garmin BlueChart and Garmin Navionics+ cartography, integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.

Complete with adjustable bracket, screen cover and power/data cable. Compatible with all traditional, All-in-One, Panoptix and UHD transducers, 12 Pin connection. The model without transducer is supplied with adapter cable from 8-pin transducer to 12-pin eco.

TD = Transducer




Cod.	Ref	TD	Accessories and Spare Parts	UM	€
5627842	echoMAP UHD 62SV	No		PCS	
5627843	echoMAP UHD 62SV	Yes		PCS	
5628114			50/200kHz 40°/10° 500W 8 Pin 9m Cable Stern/Temp TD	PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121			GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628170			GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628110			GT52HW-TM CHIRP 150-240 CHIRP CV/SV 455/800 kHz 12 pin 6m cable Stern TD	PCS	
5628188			Screen Cover (Replacement)	PCS	
5628163			Power/Data Cable (Replacement)	PCS	
5628124			GT54UHD-TM UHD CV 760/880 SV 1060/1170 kHz 24°/16° 500W 12 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP UHD2 72SV

Garmin echoMAP UHD2 72SV chartplotter/fishfinder with 7"/800x480 pixel touchscreen display, quick keys and inner GPS receiver. 500W integrated CHIRP, ClearVu, SideVu and UHD module. Compatible with all Garmin BlueChart and Garmin Navionics+ cartography, integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.

Complete with adjustable bracket, screen cover and power/data cable. Compatible with all traditional, All-in-One and UHD transducers, 12 Pin connection. The model without transducer is supplied with adapter cable from 8-pin transducer to 12-pin eco.

TD = Transducer




Cod.	Ref	TD	Accessories and Spare Parts	UM	€
5627846	echoMAP UHD 72SV	No		PCS	
5627847	echoMAP UHD 72SV	Yes		PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121			GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628170			GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628110			GT52HW-TM CHIRP 150-240 CHIRP CV/SV 455/800 kHz 12 pin 6m cable Stern TD	PCS	
5628125			GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	PR	
5628190			Screen Cover (Replacement)	PCS	
5628163			Power/Data Cable (Replacement)	PCS	
5628124			GT54UHD-TM UHD CV 760/880 SV 1060/1170 kHz 24°/16° 500W 12 Pin 6m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP UHD2 92SV

Garmin echoMAP UHD2 92SV chartplotter/fishfinder with 9"/800x480 pixel touchscreen display, quick keys and inner GPS receiver. 500W integrated CHIRP, ClearVu, SideVu and UHD module. Compatible with all Garmin BlueChart and Garmin Navionics+ cartography, integrated wireless connectivity, NMEA0183/2000 and Fusion-Link. It integrates completely with all on-board systems. Equipped with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.

Complete with adjustable bracket, screen cover and power/data cable. Compatible with all traditional, All-in-One, Panoptix and UHD transducers, 12 Pin connection. The model without transducer is supplied with adapter cable from 8-pin transducer to 12-pin eco.

TD = Transducer




Cod.	Ref	TD	Accessories and Spare Parts	UM	€
5627848	echoMAP UHD 92SV	No		PCS	
5627849	echoMAP UHD 92SV	Yes		PCS	
5628118			GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121			GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628170			GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628110			GT52HW-TM CHIRP 150-240 CHIRP CV/SV 455/800 kHz 12 pin 6m cable Stern TD	PCS	
5628125			GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	PR	
5628191			Screen Cover (Replacement)	PCS	
5628163			Power/Data Cable (Replacement)	PCS	
5628126			GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD (Replacement)	PCS	

Garmin echoMAP ULTRA2 102/122SV

Garmin echoMAP ULTRA2 102SV and 122SV chartplotter/fishfinder with 10" and 12" 1280x800 pixel touchscreen display and integrated GPS receiver. 600kW Power integrated CHIRP, ClearVu, SideVu and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. Garmin BlueChart and Garmin Navionics+ cartography, with integrated wireless connectivity, NMEA0183/2000, Garmin Marine Network, Fusion-Link and ANT compatible, it can be easily integrated with all other devices. Complete with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours.

Complete with adjustable bracket, built-in installation kit, screen cover and power cable.

TD = Transducer



New




Cod.	Ref	TD	Accessories and Spare Parts	UM	€
5628031	echoMAP ULTRA2 102SV	GT56		PCS	
5628032	echoMAP ULTRA2 102SV	No		PCS	
5628033	echoMAP ULTRA2 122SV	GT56		PCS	
5628034	echoMAP ULTRA2 122SV	No		PCS	
5628118			GT8HW-TM CHIRP 150/240 kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PCS	
5628112			GT15M-TM CHIRP 85/165 kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PCS	
5628120			GT15M-IH CHIRP 85/165 kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PCS	
5628121			GT51M-TM CHIRP CV/SV 260/455 kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PCS	
5628170			GT51M-TH CHIRP CV/SV 260/455 kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PCS	
5628125			GT51M-THP CHIRP CV/SV 260/455 kHz 24°/13° 500W 12 Pin 9m Cable Pair Thru-Hull TD	PR	
5628123			GT24UHD-TM CHIRP 150/240 UHD CV 760/880 kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PCS	
5628124			GT54UHD-TM UHD CV 760/880 SV 1060/1170 kHz 24°/16° 500W 12 Pin 6m Cable Stern TD	PCS	
5628126			GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD (Replacement)	PCS	

Garmin GPSMAP 723xsv

Garmin GPSMAP 723xsv chartplotter/fishfinder with 7"/1024x600 pixel touchscreen display with high backlight and anti-reflective finish. With integrated GPS receiver, 1W integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. Garmin BlueChart and Garmin Navionics+ cartography compatible. Endowed with 2 microSD slots, USB port, J1939 port, wireless connectivity, NMEA2000, Garmin Marine Network and ANT. It integrates completely with all on-board systems. Equipped with Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours and OneHelm functions.

Complete with adjustable bracket, flush mount kit, screen cover and power/data cable. To be completed with transducer.
TD = Transducer



Cod.	Ref	Accessories and Spare Parts	UM
5628026	GPSMAP 723xsv		PZ
5628118		GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PZ
5628112		GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PZ
5628120		GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PZ
5628121		GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PZ
5628170		GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PZ
5628125		GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	CP
5628123		GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PZ
5628126		GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PZ
5628174		Screen Cover (Replacement)	PZ

GARMIN

**Garmin GPSMAP 923xsv**

Garmin GPSMAP 923xsv chartplotter/fishfinder with IPS glassbonded 9"/1280x720 pixel touchscreen display with high backlight and anti-reflective finish. With integrated GPS receiver, 1W integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. Garmin BlueChart and Garmin Navionics+ cartography compatible. Endowed with 2 microSD slots, USB port, J1939 port, wireless connectivity, NMEA2000, Garmin Marine Network and ANT. It integrates completely with all on-board systems. Equipped with Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours and OneHelm functions.

Complete with adjustable bracket, flush mount kit, screen cover and power/data cable. To be completed with transducer.
TD = Transducer



Cod.	Ref	Accessories and Spare Parts	UM
5628028	GPSMAP 923xsv		PZ
5628118		GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PZ
5628112		GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PZ
5628120		GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PZ
5628121		GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PZ
5628170		GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PZ
5628125		GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	CP
5628123		GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PZ
5628126		GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PZ
5628175		Screen Cover (Replacement)	PZ

GARMIN

**Garmin GPSMAP 1223xsv**

Garmin GPSMAP 1223xsv chartplotter/fishfinder with IPS glassbonded 12"/1280x800 pixel touchscreen display with high backlight and anti-reflective finish. With integrated GPS receiver, 1W integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One, Panoptix and UHD transducers. Garmin BlueChart and Garmin Navionics+ cartography compatible. Endowed with 2 microSD slots, USB port, HDMI port, J1939 port, wireless connectivity, NMEA2000, Garmin Marine Network and ANT. It integrates completely with all on-board systems. Equipped with Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours and OneHelm functions.

Complete with adjustable bracket, flush mount kit, screen cover and power/data cable. To be completed with transducer.
TD = Transducer



Cod.	Ref	Accessories and Spare Parts	UM
5628030	GPSMAP 1223xsv		PZ
5628118		GT8HW-TM CHIRP 150/240kHz 24°/16° 250W 8 Pin 6m Cable Stern TD	PZ
5628112		GT15M-TM CHIRP 85/165kHz 24°/16° 600W 8 Pin 6m Cable Stern TD	PZ
5628120		GT15M-IH CHIRP 85/165kHz 24°/13° 600W 8 Pin 6m Cable Inner TD	PZ
5628121		GT51M-TM CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Stern TD	PZ
5628170		GT51M-TH CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull TD	PZ
5628125		GT51M-THP CHIRP CV/SV 260/455kHz 24°/13° 500W 12 Pin 9m Cable Thru-Hull Pair TD	CP
5628123		GT24UHD-TM CHIRP 150/240 UHD CV 760/880kHz 24°/16° 350W 8 Pin 6m Cable Stern TD	PZ
5628126		GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PZ
5628167		Screen Cover (Replacement)	PZ

GARMIN



Garmin GPSMAP 8400 Series Chartplotter

Garmin GPSMAP 8400 series multifunction chartplotter with touchscreen display and integrated GPS receiver. Garmin BlueChart and Garmin Navionics+ cartography compatible with world basemap installed. NMEA0183/2000, Garmin Marine Network, Fusion-Link and ANT compatible, with integrated wireless connectivity, it can be easily integrated with all other devices. Endowed with J1939 port for engine data. Complete with all Garmin functions, such as Auto Guidance, Active Captain and Sail Assist. Complete with adjustable bracket (only 10"/12"/16"), built-in installation kit, screen cover, NMEA2000 cable, power cable and T-connector.



Cod.	Ref	Display	UM	€
5628085	GPSMAP 8410	10" (1920 x 1200) XGA	PCS	
5628086	GPSMAP 8412	12" (1920 x 1080) FHD	PCS	
5628087	GPSMAP 8416	16" (1920 x 1080) FHD	PCS	




Garmin GPSMAP 8400xsv Series Chartplotter/Fishfinder

Garmin GPSMAP 8400xsv series multifunction chartplotter/fishfinder with touchscreen display and integrated GPS receiver. 1kW power dual channel integrated CHIRP, ClearVU, SideVU and UHD module, compatible with all traditional, All-in-One and Panoptix transducers. Garmin BlueChart and Garmin Navionics+ cartography compatible with world basemap installed. NMEA0183/2000, Garmin Marine Network, Fusion-Link and ANT compatible, with integrated wireless connectivity, it can be easily integrated with all other devices. Endowed with J1939 port for engine data. Complete with all Garmin functions, such as Auto Guidance, Active Captain, Sail Assist and Quickdraw Contours. Complete with adjustable bracket (only 10"/12"/16"), built-in installation kit, screen cover, NMEA2000 cable, power cable and T-connector. To be completed with transducer.

TD = Transducer



Cod.	Ref	Display	Accessories	UM	€
5628065	GPSMAP 8410xsv	10" (1920 x 1200) XGA		PCS	
5628066	GPSMAP 8412xsv	12" (1920 x 1080) FHD		PCS	
5628067	GPSMAP 8416xsv	16" (1920 x 1080) FHD		PCS	
5628121			GT51M-TM CHIRP 80/160 kHz CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Stern TD	PCS	
5628170			GT51M-TH CHIRP 80/160 kHz CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull TD	PCS	
5628125			GT51M-THP CHIRP 80/160 kHz CHIRP CV/SV 260/455 kHz 12 Pin 9m Cable Thru-Hull Pair TD	PR	
5628126			GT56UHD-TM CHIRP 150/240kHz UHD CV/SV 455/800/1000kHz 24°/16° 500W 12 Pin 8m Cable Stern TD	PCS	



Garmin Panoptix LiveScope

Latest generation Garmin Panoptix LiveScope mobile transducer that allows you to position and orient your transducer according to your needs. It is fixed on a mobile immersion rod or on the stem of the trolling motor. It displays everything around the boat in 3D in real time, giving an exact and extremely realistic perception of the surrounding underwater environment. Complete with GLS10 module, it is compatible with all echoMAP, UHD, Ultra, GPSMAP series and 8400 series. Range:

LiveScope LVS34: 60 meters

LiveScope XR: 100 meters in salt water, 150 meters in fresh water

Cod.	Ref	UM	€
5628105	LiveScope LVS34 with GLS10	PCS	
5628106	LiveScope XR with GLS10	PCS	



New




Garmin Navionics+ Charts

The Garmin Navionics+ cartography uses the world's n.1 technology to plot the route on Garmin chartplotter with bright colors, a simplified interface and complete contents to the smallest detail. Complete with Auto Guidance+ technology and updates via the ActiveCaptain app. Compatible with echoMAP UHD 7x/9x, ULTRA 102/122, GPSMAP 723/923/1223 and 8400 series.



GARMIN

Cod.	Ref	Coverage	UM	€
5628510	NSEU010R	Spain and Mediterranean Coast	PCS	
5628512	NSEU012R	Italy West Coast	PCS	
5628514	NSEU014R	Italy Adriatic Coast	PCS	
5628515	NSEU015R	Aegean Sea and Sea of Marmara	PCS	
5628516	NSEU016R	South East Mediterranean	PCS	
5628543	NSEU643L	Mediterranean Sea, Black Sea and Iberian Peninsula	PCS	
5628546	NSEU646L	Central and Western Europe	PCS	



**Garmin Navionics Vision+ Charts**

The Garmin Navionics+ cartography uses the world's n.1 technology to plot the route on Garmin chartplotter with bright colors, a simplified interface and complete contents to the smallest detail. Equipped with additional 3D features such as MarinerEye and FishEye views, Relief Shading, HD satellite imagery and aerial photos. Complete with Auto Guidance+ technology and updates via the ActiveCaptain app. Compatible with echoMAP UHD 7x/9x, ULTRA 102/122, GPSMAP 723/923/1223 and 8400 series.



GARMIN

Cod.	Ref	Coverage	UM	€
5628610	NVEU010R	Spain and Mediterranean Coast	PCS	
5628612	NVEU012R	Italy West Coast	PCS	
5628614	NVEU014R	Italy Adriatic Coast	PCS	
5628615	NVEU015R	Aegean Sea and Sea of Marmara	PCS	
5628616	NVEU016R	South East Mediterranean	PCS	
5628643	NVEU643L	Mediterranean Sea, Black Sea and Iberian Peninsula	PCS	
5628646	NVEU646L	Central and Western Europe	PCS	




Navionics+ Charts

Integrated all-in-one Navionics+ cartography packed with essential details for navigation, sailing and fishing. Through the Navionics Boating app you access advanced features such as SonarChart HD and live, community edits, peer-to-peer auto route, shaded overlay and access to weather data with forecasts.



Cod.	Ref	Coverage	UM	€
5629010	NAEU010R	Spain and Mediterranean Coast	PCS	
5629012	NAEU012R	Italy West Coast	PCS	
5629014	NAEU014R	Italy Adriatic Coast	PCS	
5629015	NAEU015R	Aegean Sea and Sea of Marmara	PCS	
5629016	NAEU016R	South East Mediterranean	PCS	
5629043	NAEU643L	Mediterranean and Black Sea	PCS	
5629046	NAEU646L	Central and Western Europe	PCS	





Navionics Platinum+ Charts

Integrated all-in-one Navionics Platinum+ cartography packed with essential details for navigation, sailing and fishing. Equipped with additional 3D features such as relief shading, satellite imagery with overlay, 3D view and aerial photos. Through the Navionics Boating app you access advanced features such as SonarChart HD and live, community edits, peer-to-peer auto route, shaded overlay and access to weather data with forecasts.



Cod.	Ref	Coverage	UM	€
5629110	NPEU010R	Spain and Mediterranean Coast	PCS	
5629112	NPEU012R	Italy West Coast	PCS	
5629114	NPEU014R	Italy Adriatic Coast	PCS	
5629115	NPEU015R	Aegean Sea and Sea of Marmara	PCS	
5629116	NPEU016R	South East Mediterranean	PCS	
5629143	NPEU643L	Mediterranean and Black Sea	PCS	
5629146	NPEU646L	Central and Western Europe	PCS	



Raymarine Axiom+ Wi-Fi Touch Chartplotters

Raymarine Axiom+ multifunction chartplotter with new IPS glass bonded enhanced contrast touchscreen display, perfectly visible from all angles, even in the sunlight. Increased speed thanks to the new quad-core processor with LightHouse 3 interface. Endowed with integrated 10Hz GPS antenna, Wi-Fi, Bluetooth and NMEA2000 connectivity, micro USB port and micro SD slot. Compatible with Lighthouse Charts, Navionics Gold, Platinum and C-MAP cartography. Complete with screen cover, power/data cable and bracket/flush mount kit.



Raymarine

Cod.	Ref	Display	V	UM	€
5661007	Axiom+ 7	7" (1024 x 600)	12	PCS	
5661009	Axiom+ 9	9" (1280 x 720)	12	PCS	
5661012	Axiom+ 12	12" (1280 x 800)	12	PCS	

**Raymarine Axiom+ Wi-Fi Touch Chartplotters / Fishfinders**


Raymarine Axiom+ RV multifunction chartplotter/fishfinder with new IPS glass bonded enhanced contrast touchscreen display, perfectly visible from all angles, even in the sunlight. Built-in High-CHIRP wide spectrum technology sonar, DownVision, SideVision and RealVision 3D. Increased speed thanks to the new quad-core processor with LightHouse 3 interface. Endowed with integrated 10Hz GPS antenna, Wi-Fi, Bluetooth and NMEA2000 connectivity, micro USB port and micro SD slot. Compatible with Lighthouse Charts, Navionics Gold, Platinum and C-MAP cartography. Complete with screen cover, power/data cable and bracket/flush mount kit. RV-100 (5661210) transducer is endowed with models complete with transducer.

TD = Transducer



Raymarine

Cod.	Ref	TD	Display	V	Accessories	UM	€
5661017	Axiom+ 7 RV	Yes	7" (1024 x 600)	12		PCS	
5661019	Axiom+ 9 RV	No	9" (1280 x 720)	12		PCS	
5661020	Axiom+ 9 RV	Yes	9" (1280 x 720)	12		PCS	
5661022	Axiom+ 12 RV	No	12" (1280 x 800)	12		PCS	
5661023	Axiom+ 12 RV	Yes	12" (1280 x 800)	12		PCS	
5661210					8 m Cable RealVision 3D RV-100 Stern TD	PCS	
5661220					8 m Cable RealVision 3D RV-200 Tilt 0° Bronze Thru-Hull TD	PCS	
5661221					2+2+8 m + Y Cable RealVision 3D RV-212P&S Tilt 12° Bronze Thru-Hull Pair TD	PCS	
5661222					2+2+8 m + Y Cable RealVision 3D RV-220P&S Tilt 20° Bronze Thru-Hull Pair TD	PCS	
5661230					8 m Cable RealVision 3D RV-300 Tilt 0° Plastic Thru-Hull TD	PCS	
5661231					2+2+8 m + Y Cable RealVision 3D RV-312P&S Tilt 12° Plastic Thru-Hull Pair TD	PCS	
5661232					2+2+8 m + Y Cable RealVision 3D RV-320P&S Tilt 20° Plastic Thru-Hull Pair TD	PCS	
5661250					TD 7 Pin to Eco 25 Pin Adapter Cable	PCS	
5661251					TD 8 Pin to Eco 25 Pin Adapter Cable	PCS	



Raymarine Axiom2 Pro-S Wi-Fi Touch Chartplotters / Fishfinders

Raymarine Axiom2 Pro-S multifunction chartplotter/fishfinder with nano-coated glass HydroTough Hybridtouch touchscreen display with high contrast super bright LED technology that makes the display visible in the sunlight. Combined use with touchscreen, ergonomic knob and buttons. Built-in high definition CHIRP 1000W conic sonar. Latest generation 6-core processor and LightHouse 4 interface. Integrated GPS antenna, Wi-Fi, NMEA2000 and HDMI connectivity and 2 micro SD slots. Compatible with all Navionics+ and Platinum+ charts.



Complete with screen cover, power/data cable and bracket/flush mount kit. To be completed with transducer.
TD = Transducer

Cod.	Ref	Display	V	Accessories	UM	€
5661049	Axiom2 Pro-S 9	9" (1280 x 720)	12/24		PCS	
5661052	Axiom2 Pro-S 12	12" (1280 x 800)	12/24		PCS	
5661240				10m 9 Pin Cable High CHIRP Conical CPT-S Stern TD	PCS	
5661241				10m 9 pin Cable High CHIRP Conical CPT-S Tilt 0° Plastic Thru-Hull TD	PCS	
5661242				10m 9 Pin Cable High CHIRP Conical CPT-S Tilt 12° Plastic Thru-Hull TD	PCS	
5661243				10m 9 Pin Cable High CHIRP Conical CPT-S Tilt 20° Plastic Thru-Hull TD	PCS	
5661245				10m 9 Pin Cable High CHIRP Conical CPT-S Tilt 0° Bronze Thru-Hull TD	PCS	
5661246				10m 9 Pin Cable High CHIRP Conical CPT-S Tilt 12° Bronze Thru-Hull TD	PCS	
5661247				10m 9 Pin Cable High CHIRP Conical CPT-S Tilt 20° Bronze Thru-Hull TD	PCS	
5661253				TD 9 Pin to Eco 25 Pin Adapter Cable	PCS	



Raymarine Axiom2 Pro-RVM Wi-Fi Touch Chartplotters / Fishfinders

Raymarine Axiom2 Pro-RVM multifunction chartplotter/fishfinder with nano-coated glass HydroTough Hybridtouch touchscreen display with enhanced contrast super bright LED technology that makes the display visible in the sunlight. Combined use with touchscreen, ergonomic knob and keys. Built-in 3D RealVision MAX high definition CHIRP 1000W DownVision and SideVision sonar. Latest generation 6-core processor and LightHouse 4 interface. With integrated GPS antenna, Wi-Fi connectivity, NMEA2000, HDMI and 2 micro SD slots. Compatible with all Navionics+ and Platinum+ charts. Complete with screen cover, power/data cable and bracket/flush mount kit. To be completed with transducer.



Cod.	Ref	Display	V	Accessories	UM	€
5661059	Axiom2 Pro-RVM 9	9" (1280 x 720)	12/24		PCS	
5661062	Axiom2 Pro-RVM 12	12" (1280 x 800)	12/24		PCS	
5661235				8m 25 Pin Cable 3D RealVision MAX RVM-100 Stern TD	PCS	
5661236				8m 25 Pin Cable 3D RealVision MAX RVM-400 tilt 0° S/Steel Thru-Hull TD	PCS	
5661237				2+2+8 m+Y 25Pin Cable 3D RealVision MAX RVM-412P&S tilt 12° S/Steel Thru-Hull Pair TD	PCS	
5661238				2+2+8 m+Y 25Pin Cable 3D RealVision MAX RVM-420P&S tilt 20° S/Steel Thru-Hull Pair TD	PCS	




Garmin Fantom Radar Antenna

Pulse compression solid state technology radar antenna, safe and non-harmful. Superior performance and higher definition over long and short detection ranges with minimal disturbances. Endowed with various functions such as Auto Bird Gain, Echo Trail, dual support, Dynamic Auto Gain, Sea Filter, Overlay, Marpa, VRM, EBL and MotionScope Doppler technology that prevents hazards by calculating targets' collision course. 10-32V power supply, low consumption of only 4W in standby, it starts up in a few seconds without heating. Complete with 15 m power cable, 15 m data cable and mount kit.



GARMIN

Cod.	Colour	Ref	Dim mm	Max Range mg	UM	€
5628218	WHITE	Antenna Fantom 18x	ø 508 x H249	48	PCS	
5628224	WHITE	Antenna Fantom 24x	ø 645 x H249	48	PCS	
5628219	BLACK	Antenna Fantom 18x	ø 508 x H249	48	PCS	
5628225	BLACK	Antenna Fantom 24x	ø 645 x H249	48	PCS	


**Garmin GMR HD3 Radar Antenna**

HD3 Radar system with 4 kW high definition Radome antenna that allows to display four time more detailed data than other traditional radars can do. Silent engine, dual radar support, ARPA detection, radar overlay on map, dynamic auto gain and all sea condition filter functions. Complete with 15 meters power supply/radar cable and mount kit. Universal 12/24V power supply.



GARMIN

Cod.	Ref	Dim mm	Max Range nm	Accessories	UM	€
5628150	GMR18 HD3 Antenna	ø 508 x H248	36		PCS	
5628153	GMR18 xHD3 Antenna	ø 508 x H248	48		PCS	
5628154	GMR24 xHD3 Antenna	ø 645 x H248	48		PCS	
5628155				Base Bracket H150 mm	PCS	
5628156				Base Bracket H350 mm	PCS	
5628159				Mast Bracket SC20	PCS	




Raymarine Quantum Q24C Radar

Raymarine Chirp 12/24V solid state pulse compression technology radar antenna. Low emission, safe, harmless, very light and with reduced power consumption, only 17W in transmit mode and 7W in standby. Wireless connection with other devices on the boat, provides higher quality images than traditional radars, starts up in an instant and rejects interference from other devices. Complete with 10 meters power supply cable and 10 meters data cable.



Cod.	Dim mm	Max Range mg	Accessories	UM	€
5660034	ø 541 x H210	24	12/24	PCS	
5628159			Mast bracket SC20	PCS	




Raymarine Quantum2 Doppler Q24D Antenna

Raymarine Chirp Doppler 12/24V solid state pulse compression technology radar antenna. Low emission, safe, harmless, very light and with reduced power consumption, only 17W in transmit mode and 7W in standby. Wireless connection with other devices on the boat, provides higher quality images than traditional radars, starts up in an instant and rejects interference from other devices. Equipped with Doppler technology that perceives and highlights moving targets by calculating the collision course. Complete with 10 meters power supply cable and 10 meters data cable.



Cod.	Dim mm	Max Range mg	Accessories	UM	€
5660038	ø 541 x H210	24		PCS	
5628159			Mast bracket SC20	PCS	



Garmin GPS eTrex SE

Portable GPS with transfective 2.2" 240x320 pixel display, multi-GNSS receiver and Bluetooth connectivity. Robust and IPX7 waterproof construction, powered by 2 AA batteries not included for a duration of 168 hours. Complete with digital compass and compatibility with the Garmin Explore app for Geocaching and Active Weather. Dimensions 61x100xH33 mm.

Cod.	UM	€
5627001	PCS	



New



GARMIN

Garmin GPS eTrex 22x

Cartographic GPS with transfective 2.2" 240x320 pixel colour display. Robust and IP67 waterproof construction. With microSD card slot, 8GB internal memory, and pre-charged TopoActive Europe maps. With high-sensitivity GPS and GLONASS receiver it locates the position quickly and precisely and maintains it even in heavy cloud cover and deep canyons. Complete with USB cable. Dimensions 5,4 x 10,3 x 3,3 cm. Weight 142g with 2 batteries AA type (not included).

Cod.	Ref	Accessories	UM	€
5627004	GPS eTrex 22x		PCS	
5627052		12/24V Power Supply Cable	PCS	
5627053		Nautic Bracket	PCS	
5627054		Rail Bracket	PCS	



GARMIN

Garmin GPS eTrex 32x

Cartographic GPS with transfective 2.2" 240x320 pixel colour display. Robust and IP67 waterproof construction. With wireless connectivity, barometric altimeter, 3-axis tilt-compensated compass, microSD card slot, 8GB internal memory, and pre-charged TopoActive Europe maps. It can upload additional maps and share waypoints, trails and geocaches wirelessly with other Garmin GPS devices. With high-sensitivity GPS and GLONASS receiver it locates the position quickly and precisely and maintains it even in heavy cloud cover and deep canyons. Complete with USB cable. Dimensions 5,4 x 10,3 x 3,3 cm. Weight 142g with 2 batteries AA type (not included).

Cod.	Ref	Accessories	UM	€
5627008	GPS eTrex 32x		PCS	
5627052		12/24V Power Supply Cable	PCS	
5627053		Nautic Bracket	PCS	
5627054		Rail Bracket	PCS	



GARMIN

Garmin GPS 73

Handheld, high sensibility, floating and IPx7 waterproof Garmin 73 GPS device with backlit 2.6" LCD display and receiver. Integrated nautic functions such as SailAssist for sailboats, MOB button, anchor and course alarm and much more. NMEA0183 compatible.

Cod.	Ref	Accessories	UM	€
5627023	GPS 73		PCS	
5628130		12V Lighter Plug Power Cable	PCS	
5627039		Nautic Bracket	PCS	



GARMIN

GPS Garmin GPSMAP 79s

Waterproof floating portable GPS chartplotter with 240x400 touchscreen 3" colour display, perfectly legible in any lighting condition. High sensitivity GPS receiver with fast and optimal reception even in the worst weather conditions. With 3-axis compass, 8GB of memory, preloaded basemap, supporting BlueChart G3 mapping. NMEA0183 compatible, it allows to connect to all on-board systems. Works with 2 AA batteries and guarantees a 19 hours autonomy at full consumption. Complete with wrist strap and USB cable.

Cod.	Ref	Spare Parts and Accessories	UM	€
5627010	GPSMAP 79s		PCS	
5627051		USB Cable	PCS	
5627053		Nautic Bracket	PCS	



GPS Garmin GPSMAP 86s

Waterproof floating portable GPS chartplotter with 3" colour display, perfectly legible in any lighting condition. With a preloaded basemap, it supports BlueChart G3 mapping. Equipped with wireless connectivity, it allows you to have a virtual extension of all navigation devices installed on board on the palm of your hand. Equipped with altimeter, accelerometer and compass sensors. Complete with wrist strap and USB cable.

Cod.	Ref	Spare Parts	UM	€
5627000	GPSMAP 86s		PCS	
5627051		USB Cable	PCS	



GPS Garmin GPSMAP 86i

Waterproof floating portable GPS chartplotter with 3" colour display, perfectly legible in any lighting condition. With a preloaded basemap, it supports BlueChart G3 mapping. Equipped with wireless connectivity, it allows you to have a virtual extension of all navigation devices installed on board on the palm of your hand. Equipped with altimeter, accelerometer and compass sensors. It includes the InReach technology which, through the global Iridium network, guarantees a 24-hour emergency service and two-way messaging to all mobile devices. Complete with wrist strap, USB cable, support bracket with power supply and a cigarette lighter plug.

Cod.	Ref	Spare Parts	UM	€
5627002	GPSMAP 86i		PCS	
5627051		USB Cable	PCS	



Garmin GPS Smartwatch Quatix 7

Garmin Quatix 7 smartwatch with GPS, Bluetooth and wireless connectivity. Integrates perfectly with all on-board systems. Anti-scratch glass non-glare 260x260 pixel touchscreen display and powerful rechargeable battery. Equipped with barometer, altimeter, compass and all functions for boating, sailing and regattas, smartphone connection for emails and messages, multisport profiles, wrist heart rate, contactless payment system and much more. Water resistant up to 100 meters. The The The Pro version has an AMOLED display and LED flashlight integrated into the case. The Solar version has a Titanium case and strap in addition to the normal Silicone one, LED flashlight and solar cells that increase battery life.

Cod.	Ref	UM	€
5627067	Quatix 7	PCS	
5627068	Quatix 7 Pro	PCS	
5627069	Quatix 7x Solar	PCS	



OLAS Smartphone MOB Signaller

MOB (Man Over Board) signalling bracelet that allows to assure the crew presence on board and to report an occurrence of man overboard. Simple and effective, it connects to the smartphone via Bluetooth and a free dedicated application that manages up to 8 bracelets. It can be worn on the wrist or fixed at any safety device, such as rafts and lifejackets. Suitable for boats up to 15 meters.

Cod.	UM	€
5633750	PCS	



MOB GME AIS Beacon

MO520 man overboard emergency beacon that sends the alarm on the AIS system for the SAR forces and for all vessels in the vicinity. It activates automatically upon contact with water, instant and precise AIS detection thanks to the integrated GPS, in case of darkness the beacon is also equipped with a high intensity LED light. IP68 waterproof, compact, easily attaches to the life jacket, 5 year battery life.

Cod.	Dim mm	UM	€
5633762	129 x 52 x 40	PCS	



New



GPS GME PLB Emergency Locator

GME MT610G emergency locator with GPS and PLB technology operating on COSPAS/SARSAT distress frequencies ready to activate SAR forces. Pocket-sized, equipped with LED stroboscopic light, IP68 floating, easily activated in an emergency, 7-year battery life.

Cod.	Dim mm	UM	€
5633760	88 x 66 x 36	PCS	



New




VHF Antenna - Stainless Steel - Sail

Stainless Steel VHF antennas for sailboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. With masthead bracket, connector and thru-deck wire seals.



Cod.	Type	Coax Cable	UM	€
5636310	RA109SLS	No	PCS	
5636318	RA106SLSSB18	18 Meters	PCS	




VHF Antenna - Fiberglass - Sail

Fiberglass VHF antennas for sailboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. With masthead bracket, connector and thru-deck wire seals.



Cod.	Type	Coax Cable	UM	€
5636311	RA109GRP	No	PCS	
5636328	RA106GRPSB18	18 Meters	PCS	



VHF Emergency Antenna - RA111

Regatta or emergency VHF RA111 antenna with 18 m coax cable. Height: 14 cm. Complete with mounting bracket.



Cod.	UM	€
5636211	PCS	



RA179 Wind Indicator

RA179 wind indicator suitable for RA 109 SLS and RA 109 GRP VHF antennas.



Cod.	L mm	UM	€
5636309	380	PCS	



VHF Antenna - RA106 - RIB

Fiberglass or Stainless Steel VHF RA106 unscrewable and stowable antennas for inflatable boats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. Complete with 4.5 m coaxial cable, connector, cable feed-thru and RA135 base.

Cod.	Ref	UM	€
5636219	Fiberglass Antenna	PCS	
5636220	S/Steel Antenna	PCS	

**VHF Antenna - RA106GRPPB6-135 - Motor**

Fiberglass VHF RA106GRPPB6-135 antenna for motorboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. Complete with 4.5 m coaxial cable, connector, cable feed-thru and RA135 base.

Cod.	UM	€
5636209	PCS	

**VHF Antenna - RA104 - Compact**

Fiberglass VHF RA104 compact antennas for prestige motorboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 1 m. Complete with 4.5 m coaxial cable, connector and Nylon or Stainless Steel base.

Cod.	Ref	UM	€
5636200	Nylon Base Antenna	PCS	
5636201	S/Steel Base Antenna	PCS	

**VHF Antenna RA400**

Fiberglass VHF RA400 antennas for any type of boat. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 1.5 m. Complete with Nylon ferrule and 4,5 meters coax cable.

Cod.	Ref	Colour	UM	€
5636214	RA400	WHITE	PCS	
5636213	RA400BK	BLACK	PCS	

**VHF Antenna - RA112 - Motor**


Fiberglass VHF RA 112 antenna for motorboats. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 1.5 m. Complete with 4.5 m coaxial cable and connector.

Cod.	UM	€
5636215	PCS	

**Splitter RA201**

Thanks to this splitter you can only use one VHF antenna to simultaneously receive the AM/FM and AIS radio signals; furthermore, the VHF transceiver can also be used. It is a compact component which is easy to install in any place. It requires only a 12V power supply. It is provided with a coaxial input for the antenna and three outputs for VHF, AM/FM radio and AIS. This means a simpler and less expensive system. Impedance: 50 Ohm. VHF maximum power: 100W. Power supply: 12V. Current draw: 25mA.

Cod.	UM	€
5636481	PCS	




VHF Antenna - RA1206 - Motor

Fiberglass VHF RA1206 antenna for motorboats. 100W / 6db / 156/162 MHz / 50 Ohm. Height: 2.4 m. Complete with 4.5 m coaxial cable and connector.



Cod.	UM	€
5636227	PCS	



VHF Antenna - RA1225HP - Motor

High-Performance Fiberglass VHF RA1225 antenna for motorboats. Stainless Steel bushing with integrated cable feed-thru, Brass and Copper elements. 100W / 6db / 156/162 MHz / 50 Ohm. Height: 2.4 m. Complete with 7,62 m coaxial cable and connector.



Cod.	UM	€
5636228	PCS	



VHF Antenna - RA121 - Compact Dome

Compact VHF RA121 antenna supplied with all accessories required for installation. Same shape and dimensions as the VT300 AVIOR TV antenna for a more balanced look. Diameter: 10 cm - Height: 21 cm.



Cod.	UM	€
5637055	PCS	



VHF Antenna - RA124 - Compact Dome

Compact VHF RA124 TV antenna supplied with all accessories required for installation. Same shape and dimension as the V9126 ALTAIR TV antenna for a more balanced look. Diameter: 25 cm. - Height: 30 cm.



Cod.	UM	€
5637057	PCS	



5G Multi-band PRA485A Antenna

Fiberglass GSM/4G/LTE/5G/UMTS/GPRS/Wi-Fi PRA485A antenna for mobile phones and smartphones use also in open sea. 3db / 50 Ohm / Multi-band 450-470/698-960/1427-1518/1710-2170/2300-2690/3300-3800 MHz.

Connection on base with 1" threaded F ferrule. Height 44 cm.




Cod.	UM	€
5636441	PCS	

**CB Antenna RA127**

Fiberglass RA127 CB antenna. 50 W / 27 MHz citizen band. Height: 1.50 m. Complete with cable and connector.



Cod.	UM	€
5636415	PCS	

**AM-FM Antenna RA1281**

Fiberglass AM-FM RA1281 antenna. 100 W / AM 550-1600/FM 88-108 Mhz. Height: 30 cm. Complete with 3 m coaxial cable.




Cod.	UM	€
5636403	PCS	

**AM-FM Antenna RA128**

Fiberglass AM-FM RA128 antenna which allows to listen to AM-FM radio stations even when offshore. 100W / AM 550-1600/FM 88-108 Mhz. Height: 1.5 m. Complete with 6 m coaxial cable.




Cod.	UM	€
5636421	PCS	

**AM-FM Antenna RA1288**

Fiberglass AM-FM RA1288 antenna which allows to listen to AM-FM radio stations even offshore. 100W / AM 550-1600/FM 88-108 Mhz. Height: 2.4 m. Complete with 6 m coaxial cable.




Cod.	UM	€
5636424	PCS	



VHF Antenna - RA106 SLS/GRP FME

UV Resistant flexible Fiberglass or Stainless Steel VHF RA106 FME antenna for any type of boat. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 100W / 3db / 156/162 MHz / 50 Ohm. Height: 0.9 m. With the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.


Cod.	Ref	Accessories	UM	€
5636242	Fiberglass GRP		PCS	
5636243	S/Steel SLS		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5637028		FME > PL258 Connector	PCS	



Antenna FM RA300FM

UV Resistant flexible Fiberglass FM RA300FM antenna for any type of boat. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 100W / FM 88/108 MHz / 93 Ohm. Height: 1.2 m. With the extension or the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.


Cod.	Ref	Accessories	UM	€
5636240	RA300FM		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5636241	RA303	1,2 m 5/8" x 24 > 1" x 14 Extension	PCS	
5637028		FME > PL258 Connector	PCS	



DAB Antenna - RA300DAB

UV Resistant flexible Fiberglass DAB (Digital Audio Broadcasting) RA300DAB antenna for any type of boat. Allows to receive digital radio DAB signal with a better quality also during navigation. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 174-240 MHz / 50 Ohm. Height: 1.2 m. With the extension or the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.


Cod.	Ref	Accessories	UM	€
5636430	RA300DAB		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5636241	RA303	1,2 m 5/8" x 24 > 1" x 14 Extension	PCS	
5637028		FME > PL258 Connector	PCS	



AIS Antenna - RA300AIS

UV Resistant flexible Fiberglass AIS (Automatic Identification System) RA300AIS antenna for any type of boat. Allows to receive AIS signal and relative informations about the traffic in the surrounding area. The FME connector allows quick and easy installation thanks to the plugged cables and adaptors. 5/8" x 24 threaded base. 100W / 6db / 161.975-162.025 MHz / 50 Ohm. Height: 1.2 m. With the extension or the adapter the antenna can be mounted on 1" x 14 threaded bases. The connector allows to connect the FME thread to the PL258 coaxial connection.

Cod.	Ref	Accessories	UM	€
5636230	RA300AIS		PCS	
5636720		5/8" x 24 > 1" x 14 Adapter	PCS	
5636241	RA303	1,2 m 5/8" x 24 > 1" x 14 Extension	PCS	
5637028		FME > PL258 Connector	PCS	



GLOMEX

FME Pre-Installed VHF Coaxial Cables

Ready to install VHF RG8X coaxial cable with two pre-installed FME connectors on both ends. 6 mm 50 Ohm Twin Screen + Low Loss cable with dual screen protection and low signal loss.



Cod.	L m	Accessories	UM	€
5637148	3		PCK	
5637150	6		PCK	
5637152	12		PCK	
5637154	18		PCK	
5637156	25		PCK	
5637029		FME > PL259 Connector	PCS	
5637030		FME <> FME Double Connector	PCS	



GLOMEX

FME Pre-Installed FM Coaxial Cables

Ready to install FM RG62 coaxial cable with pre-installed FME connector and Motorola plug on the other side. 6 mm 50 Ohm Twin Screen + Low Loss cable with dual screen protection and low signal loss.



Cod.	L m	UM	€
5637170	6	PCK	
5637172	18	PCK	

**RA135FME Adjustable Knob Base**

Double junction RA135FME base. Made of UV resistant reinforced Nylon and adjustable with knob. With waterproof cable feed-thru 5/8" x 24 thread for FME Glomeasy antennas.



Cod.	UM	€
5636514	PCS	



GLOMEX

- ANTENNAS BASES AND ACCESSORIES -**Reinforced Nylon Adjustable Knob Base**

Reinforced Nylon adjustable knob base.



Cod.	Holes Wheelbase mm	UM	€
5636500	47 x 75	PCS	

**Reinforced Nylon RA135 Adjustable Base**

Double junction RA135 base. Made of UV resistant reinforced Nylon and adjustable with knob. With waterproof cable feed-thru and side slot. 1" x 14 standard thread.



Cod.	UM	€
5636512	PCS	



GLOMEX

Stainless Steel RA107SSFME Adjustable Base

RA107SSFME double junction adjustable base. Made of electropolished Stainless Steel. With waterproof cable feed-thru and side slot. 1" x 14 Standard thread.



Cod.	UM	€
5636516	PCS	



GLOMEX

RA115 Reinforced Nylon Adjustable Lever Base

RA115 reinforced Nylon adjustable lever base. Standard 1" x 14 thread with 100 x 60 mm connection plate.

Cod.	Ref	Colour	UM	€
5636510	RA115	WHITE	PCS	
5636508	RA115BK	BLACK	PCS	



Stainless Steel Adjustable Base

Stainless Steel adjustable lever base. Standard 1" x 14 thread with 94 x 65 mm connection plate.

Cod.	UM	€
5636503	PCS	



Nylon Clamp Mount Base

Nylon clamp-on lever base.

Cod.	for Rail ø mm	UM	€
5636600	25	PCS	



Glomex Reinforced Nylon Clamp Mount Base

Reinforced Nylon Glomex clamp-on lever base with cable side slot.

Cod.	for Rail ø mm	UM	€
5636610	22/25	PCS	



Nylon Clamp Mount 22/25/30 mm Base

Clamp-on reinforced Nylon GPS antenna base. To be mounted only on horizontal 22(7/8")-25(1")-30 mm rails. Supplied with cable side slot and clamps for all 3 rail diameters.

Cod.	for Rail ø mm	UM	€
5636704	22/25/30	PCS	



Chromed Brass Clamp Mount Base

Chromed Brass clamp-on lever base.

Cod.	for Rail ø mm	UM	€
5636602	18/20/22/25/30	PCS	



Stainless Steel Clamp Mount Base

Stainless Steel clamp-on lever base.


Cod.	for Rail ø mm	UM	€
5636603	22/25	PCS	



Stainless Steel Uni 2580 mm Clamp Mount Base

Stainless Steel clamp-on base. For horizontal or vertical from dia 25 to 80 mm tubes mount.

Cod.	for Rail ø mm	UM	€
5636707	25<->80	PCS	

**Stainless Steel L Masthead Base**

Stainless Steel masthead type L base.

Cod.	H mm	UM	€
5636706	200	PCS	

**Stainless Steel Fix Base**

Stainless Steel GPS antennas fix mount base with standard 1" x 14 thread. It can be completed with the 5636735 and 5636736 extensions.

Cod.	Base ø mm	H mm	UM	€
5636733	77	107	PCS	

**V91750T/V9177 Fixed Mount Bases**

Fixed mount bases which can be used with RA129 extensions. 1" x 14 Standard thread.

Cod.	Ref	Dim mm	UM	€
5636700	V91750T Reinforced Nylon	ø 70 x H40	PCS	
5636701	V9177 Polished Stainless Steel	ø 70 x H40	PCS	

**Universal Fixed Mount Base**

H Type fixed bases for VHF and GPS antennas. They can also be used as bases for RA129 type extensions.

Cod.	Ref	Dim mm	UM	€
5636702	Reinforced Nylon	ø 70 x H100	PCS	
5636703	S/Steel	ø 70 x H100	PCS	

**Stainless Steel Extensions**

Stainless Steel extensions for metal GPS bases.

Cod.	Tube ø mm	Threaded	H cm	UM	€
5636735	27	1"	15	PCS	
5636736	27	1"	30	PCS	

**RA129 Glomex Extensions for GPS Antennas**

Glomex RA129 white lacquered Aluminum extensions for GPS antennas. Allow central and side passage of the GPS cable. Standard 1" x 14 thread on both ends.

Cod.	H cm	UM	€
5636715	15	PCS	
5636716	30	PCS	



GLOMEX

3 Wedges Set for Antenna Base

Set of 3 wedges for rectangular antenna mounts to set the antenna vertically or inclined.

Cod.	UM	€
5636710	PCS	

**2 Wedges Set for Round Antenna Base**

Set of 2 wedges for round antenna mounts to set the antenna vertically or inclined.

Cod.	UM	€
5636711	PCS	

**Coax Cable Watertight Thru-Deck Wire Seal**

Watertight Nylon thru-deck wire seal for one or two coaxial VHF cables. Cutout 25 mm.

Cod.	UM	€
5637112	PCS	

**Thru-Deck Kit with PL259 Gold Connector**

Watertight thru-deck kit with PL259-RA132 Gold connector and PVC protection. For VHF antennas coaxial cables.

Cod.	UM	€
5637021	PCS	

**VHF Cables Connectors and Protections**

VHF Coaxial cables (50 Ohm) connectors and protections.

Cod.	Ref	Connection	UM	€
5637024	RA132 Connector	Nickel Plated PL259	PCS	
5637022	RA132 Connector	Gold Plated PL259	PCS	
5637025	RA133 Double Connector	Nickel Plated PL258	PCS	
5637023	RA138 PVC Protection	for RA132 Connectors	PCS	

**VHF Coaxial Cables**

VHF coaxial cable. Supplied in packs.

Twin Screen = Twin screen protection.

Twin Screen + Low Loss = Twin screen protection + Low signal loss.

Cod.	Glomex Cable	ø mm	Coil m	UM	€
5637117100	RA117 Twin Screen	5	100	MT	
5637118100	RA152 Twin Screen + Low Loss	5	100	MT	

**Glomex Ground Plates**

Glomex ground plates made of golden Bronze microspheres that increase about 15% the surface in contact with water and protect on-board electronic devices. The round plate is also used in tanks in order to neutralize static electricity. Complete with screws and spacers.

Cod.	Ref	Dim mm	Ground Area m2	UM	€
5637200	RA206	ø 55 x H10	1,00	PCS	
5637204	RA204	205 x 64 x H11	2,00	PCS	



TV Cables Connectors

TV Coaxial cables (75 Ohm) connectors.

Cod.	Ref	Connection	UM	€
5637026	RA163 Double Connector	F Gold Plated	PCS	
5637027	V9144 Connector	F Gold Plated	PCS	



GLOMEX

Stainless Steel Base Mount

Stainless Steel base mount for Glomex TV antennas.

Cod.	Ref	For Antennas	UM	€
5637012	V9124	Avior / Talitha / Altair / Polaris / Webboat	PCS	
5637015	V9172	Nashira / Adhara	PCS	



GLOMEX

Stainless Steel Mast Mount

Stainless Steel mast mount for Glomex TV antennas.

Cod.	Ref	For Antennas	UM	€
5637013	V9123	Avior / Talitha	PCS	
5637014	V9173TV	Nashira / Adhara / Polaris / Webboat	PCS	



GLOMEX

RA304TV Alya TV + FM DAB Radio Antenna

Extremely compact omnidirectional digital terrestrial TV and FM/DAB radio Glomex Alya RA304TV antenna. With inner amplifier that allows the reception of TV and FM/DAB frequencies with a single antenna. The FME 5/8" x 14 connection allows a quick and easy installation using ready-made connectors and cables on both sailing and motor boats. Endowed with connectors, 5m coax cable, 2 output power supply and 1 1,5m TV cable.

Cod.	Height cm	Accessories	UM	€
5636434	25		PCS	
5636514		Base RA135FME 5/8" x 24	PCS	
5636720		Bushing 5/8" x 24 > 1" x 14	PCS	
5636485		AM/FM Radio Cable	PCK	



GLOMEX

**VT300 Avior TV + FM Radio Antenna**

Omnidirectional TV/RadioFM Glomex antenna for analog/digital TV and radio. The new high-performance amplifier allows to get an increase in the gain and to receive vertically and horizontally polarized TV signals coming from more directions at the same time. The inner amplifier is coupled to the power inserter with 2 independent outputs for TV and radio (V9114PI-FM) and allows the reception of TV and FM frequencies with a single antenna. It can be installed on sailboats or motorboats and it can be matched to the VHF RA121 antenna with same dimensions. Endowed with 10m coax cable.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637052	21	10	0,25		PCS	
5637012				S/Steel Antenna Base	PCS	
5637013				S/Steel Antenna Bracket Base	PCS	
5636485				AM/FM Radio Cable	PCK	



GLOMEX

**V9126AGC Altair TV + FM Radio Antenna**

This compact Glomex Altair TV antenna provides optimum omni-directional performance with both horizontal and vertical polarised signals, thanks to the extended height of the radome enclosure which allows for the inclusion of a vertical element inside. Equipped with a shielded amplifier with low noise factor and automatic gain control (AGC) which ensures a perfect signal both offshore and in the marina. If matched with a V9147 (2-way, optional) splitter, installed between the antenna and the amplifier, it can also receive AM-FM radio frequencies. Universal 12/24V power supply.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637051	30	25	0,43		PCS	
5637012				S/Steel Antenna Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PCK	



GLOMEX



V9112AGCU/DAB20 Nashira TV AGC + AM-FM Radio Antenna

Omnidirectional Glomex V9112AGCU/DAB20 Nashira TV antenna for analogue/digital TV signals. Thanks to the 55 mm height shark fin it is able to receive vertical and horizontal polarized TV signals, thus it is the ideal solution for any type of boat, sailboat or motorboat. The reinforced base with the micro-fused Stainless Steel mount ensures the best antenna's stability in all sea conditions. Endowed with stylus for receiving the DAB signal and automatic gain control amplifier (AGC) that ensures a perfect signal either at sea and at berth. With V9147 splitter, installed between the antenna and the amplifier, the antenna can also receive AM-FM radio frequencies. It can be set up to max 2 TV devices. Frequency 87,5/774 MHz, 174/240 MHz DAB - Impedance 75 Ohm - Universal power supply 12/24V. Complete with 20 m coax cable and TV set cord.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637004	24	37	0,97		PCS	
5637015				S/Steel Antenna Base	PCS	
5637014				S/Steel Antenna Bracket Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PCK	

**V9150AGC/DAB20 Adhara TV AGC + AM-FM Radio Antenna**

Omnidirectional Glomex V9150AGC Adhara TV antenna for analogue/digital TV signals. Ideal for any type of boat. Thanks to the 55 mm height shark fin it is able to receive vertical and horizontal polarized TV signals. Endowed with stylus for receiving the DAB signal and automatic gain control amplifier (AGC) that ensures a perfect signal either at sea and at berth. The reinforced base with the micro-fused Stainless Steel mount ensures the best antenna's stability in all sea conditions. With the optional V9147 splitter, installed between the antenna and the amplifier, the antenna can also receive AM-FM radio frequencies. With 6 TV devices. Frequency 87,5/774 MHz, 174/240 MHz DAB - Impedance 75 Ohm - Universal power supply 12/24V. Complete with 3x20 m coax cables and TV set cord.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637008	24	37	0,97		PCS	
5637015				S/Steel Antenna Base	PCS	
5637014				S/Steel Antenna Bracket Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PCK	

**V9125AGCU/DAB20 Talitha TV AGC + FM Radio Antenna**

Omnidirectional Glomex V9125AGCU/DAB20 Talitha antenna for analog/digital TV. Thanks to the 31 mm height shark fin, which allows the receiving of vertical signals, this antenna can receive analog or digital TV signals polarized both horizontally and vertically, thus it is the ideal solution for any type of boat, sailboat or motorboat. Endowed with stylus for receiving the DAB signal and automatic gain control amplifier (AGC) that ensures a perfect signal either at sea and at berth. If matched with a V9147 splitter (2-way, optional), installed between the antenna and the amplifier, it can also receive AM-FM radio frequencies. Frequency 87,5/774 MHz, 174/240 MHz DA - Impedance 75 Ohm - Universal power supply 12/24V.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637002	15	25	0,4		PCS	
5637012				S/Steel Antenna Base	PCS	
5637013				S/Steel Antenna Bracket Base	PCS	
5636482				V9147 2 Way Splitter	PCS	
5636485				AM/FM Radio Cable	PCK	



V8001N Pandora Satellite TV Antenna

Gyro-stabilized satellite Glomex Pandora antenna for full-HD DVB-S2 4K TV signals. Additional wireless Bluetooth control with free dedicated App, 39 cm parabolic dish and low energy consumption (1.5A-12V). Exceptional performance thanks to the new signal research software, the innovative STO (Silent Tracking Operation) noise reduction system and the new electronics that allow the compensation of quality losses due to the increasing of the satellites on the terrestrial orbit whilst transmitting on frequency. The (0°/+90°) elevation range guarantees the signals reception even at the edges of the coverage area. Endowed with 1 TV output. Easy to install, complete with 10 m coax cable, antenna extension cable and control unit. The empty twin radome is complete with screws and rubber seal.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637070	45	42	6		PCS	
5637018				S/Steel Antenna Base	PCS	
5637087				V8001N Twin Radome (Empty)	PCS	

**V8100N Rhea Satellite TV Antenna**

Gyro-stabilized satellite Glomex Rhea antenna for full-HD DVB-S2 4K TV signals. Additional wireless Bluetooth control with free dedicated App, 47 cm parabolic dish and reduced consumption (1.5A-12/24V). Exceptional performance thanks to the new signal research software, the innovative STO (Silent Tracking Operation) noise reduction system and the new electronics that allow the compensation of quality losses due to the increasing of the satellites on the terrestrial orbit whilst transmitting on frequency. The (0°/90°) elevation range guarantees the signals reception even at the edges of the coverage area. Endowed with 1 TV output. Easy to install, complete with 10 m coax cable, antenna extension and control unit. The empty twin radome is complete with screws and rubber seal.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637041	56	50	13		PCS	
5637018				S/Steel Antenna Base	PCS	
5637090				V8100N Twin Radome (Empty)	PCS	

**V9104N Saturn 4 Satellite TV Antenna**

Gyro-stabilized satellite Glomex Saturn 4 antenna for full-HD DVB-S2 4K TV signals. Additional wireless Bluetooth control with free dedicated App, 47 cm parabolic dish and reduced consumption (2.5A-12/24V). Exceptional performance thanks to the new signal search software and the innovative STO (Silent Tracking Operation) noise reduction system. Endowed with new electronics that allow the compensation of quality losses due to the increasing of the satellites on the terrestrial orbit whilst transmitting on frequency. The elevation radius (0°/90°) is able to guarantee the receptive capacity of the signal even at the edges of the coverage area. Complete with multiswitch for installations up to 16 TV outputs. Easy to install, complete with 4x10 meters of coax cables, antenna extension and control unit. The empty twin radome is complete with screws and rubber seal.

Cod.	Height cm	Diameter cm	Weight Kg	Accessories	UM	€
5637044	56	50	13		PCS	
5637018				S/Steel Antenna Base	PCS	
5637091				V9104N Twin Radome (Empty)	PCS	

**S/Steel Satellite Antenna Base Mount**

Stainless Steel 0-5° adjustable inclination mount base and two rubber gaskets suitable for all Glomex satellite TV antennas.

Cod.	Ref	Dim mm	UM	€
5637018	V9500	ø 240 x H80	PCS	



GLOMEX

Webboat Wi-Fi/4G Lite Evo Antenna

Webboat Lite Evo Wi-Fi e GSM/GPRS/EDGE/UMTS - 3G/4G/LTE Glomex 10-30V antenna which allows to get internet and GSM signal up to 15 miles from the coast. Works as Wi-Fi access point and on-board router with 4 ethernet ports, as well as an antenna for the mobile phone thanks to four 4G receivers. Endowed with two SIM slots for GSM connection and two Wi-Fi antennas providing internet for each web device on-board, including smartphone, PC and tablet. Automatic switching between GSM and Wi-Fi to reduce internet costs. Free Android and iPhone Apps and Plug&Play installation for easy and immediate control. Complete with 1" 1/4 mount base.

Cod.	Height cm	Diameter cm	Weight Kg	UM	€
5637062	20	14	0,90	PCS	

**Webboat Wi-Fi/4G Plus Evo Antenna**

Webboat Plus Evo Wi-Fi and GSM/GPRS/EDGE/UMTS - 3G/4G/LTE Glomex 10-30V antenna which allows to get internet and GSM signal up to 20 miles from the coast. Works as Wi-Fi access point and on-board router with 4 ethernet ports, as well as an antenna for the mobile phone thanks to four 4G receivers. Endowed with two SIM slots for GSM connection and two Wi-Fi antennas providing internet for each web device on-board, including smartphone, PC and tablet. Automatic switching between GSM and Wi-Fi to reduce internet costs. Free Android and iPhone Apps and Plug&Play installation for easy and immediate control. Complete with 1" 1/4 mount base.

Cod.	Height cm	Diameter cm	Weight Kg	UM	€
5637060	30	25	1,20	PCS	

**Webboat Wi-Fi/5G Plus Antenna**

Webboat Plus Wi-Fi and GSM/GPRS/EDGE/UMTS - 4G/5G/LTE Glomex 10-30V antenna which allows to get internet and GSM signal up to 20 miles from the coast. Works as Wi-Fi access point and on-board router with 2 ethernet ports, as well as an antenna for the mobile phone thanks to four 5G receivers. Endowed with two SIM slots for GSM connection and two Wi-Fi antennas providing internet for each web device on-board, including smartphone, PC and tablet. Automatic switching between GSM and Wi-Fi to reduce internet costs. Free Android and iPhone Apps and Plug&Play installation for easy and immediate control. Complete with 1" 1/4 mount base.

Cod.	Height cm	Diameter cm	Weight Kg	UM	€
5637064	30	25	1,20	PCS	

**Webboat Link Wi-Fi Antenna**

Webboat 4G/LTE Link Wi-Fi Glomex 12/24V router antenna which allows to get internet and GSM signal up to 10 miles from the coast. Works as an on-board Wi-Fi access point and router to connect any device such as smartphone, PC or tablet to the web. Specifically designed for the marine environment, with SIM slot for GSM connection and SAT input with automatic switch between the various systems in order to reduce costs. Control with free dedicated App and simplified user interface with automatic APN.

Cod.	Dim cm	UM	€
5637066	17 x 9 x H4	PCS	



Amalfi Supergain AM-FM Antenna

High performance AM-FM Supergain Amalfi antenna for any type of boats. Ideal for rollbar installation thanks to the integrated support with waterproof gasket. Stainless Steel flexible black stylus. 100 mA-12V / 8db AM-FM / AM 535-1705/FM 88-108 MHz / 50-75 Ohm. Height 0.49 m. Complete with 0.56 m coaxial cable with motorola plug.

Cod.	UM	€
5636218	PCS	

**Positano Supergain VHF Antenna**

VHF Supergain Positano antenna for any type of boat. Very versatile, it can be fixed with a magnetic base on any type of metal surface. Stainless Steel flexible black stylus. 25W / 3db / 134/172 MHz / 50 Ohm. Height: 0.53 m. Complete with 4.5 m coax cable and integrated mount base.

Cod.	UM	€
5636217	PCS	

**Target Supergain VHF Antenna**

VHF Supergain Target Steel antenna for any type of boat. 50W / 3db / 156/162 MHz / 50 Ohm. Height: 0.53 m. Complete with 6 m coax cable and integrated mount base.

Cod.	UM	€
5636205	PCS	

**Task Supergain VHF Antenna**

VHF Supergain Task Steel antenna for rigid inflatable boats. 50 W / 3 db / 156/162 MHz / 50 Ohm. Height: 0.53 m. Endowed with 8 m coax cable and L mount bracket.

Cod.	UM	€
5636221	PCS	

**Black Swan Supergain VHF Antenna**

VHF Supergain Black Swan Stainless Steel antenna with wind indicator for sailboats. 50W / 3db / 156/162 MHz / 50 Ohm. Height: 0.80 m. Complete with 20 m coax cable and masthead bracket mount base.

Cod.	UM	€
5636320	PCS	

**Elba Supergain VHF Antenna**

VHF Supergain Elba Fiberglass antenna for sailboats. 50 W / 3 db / 156/162 MHz / 50 Ohm. Height: 0.97 m. Endowed with 20 m coax cable and L bracket mount.

Cod.	UM	€
5636329	PCS	



Capri Supergain VHF Antenna
Copper Alloy covered with Fiberglass VHF Supergain Capri antenna for workboats.
50W / 3db / 156/162 MHz / 50 Ohm. Height: 1.40 m.
Complete with 6 m coax cable and integrated adjustable mount base.



Cod.	UM	€
5636216	PCS	



Portofino Supergain VHF Antenna
Copper Alloy covered with Fiberglass VHF Supergain Portofino antenna for workboats.
50W / 6db / 156/162 MHz / 50 Ohm. Height: 2.30 m.
Complete with 6 m coax cable and integrated tilt mount base.



Cod.	UM	€
5636224	PCS	



Nomade Supergain TV Antenna
Omnidirectional Supergain Nomade TV DVBT/HDTV antenna. Compact dimensions and easy to install thanks to integrated tilt +/-15° mount. Endowed with amplifier, 5 m coax cable and 12V adapter. Frequency: 170/890 MHz - Impedence: 75 Ohm.



Cod.	Height cm	Diameter cm	Weight Kg	UM	€
5637003	8	24	0,2	PCS	



Ballade Supergain TV Antenna
Omnidirectional Supergain Ballade TV DVBT/HDTV antenna. Small dimensions and easy to install thanks to integrated mount. Endowed with amplifier, 5 m coax cable and 12V adapter. Frequency: 170/890 MHz - Impedence: 75 Ohm.



Cod.	Height cm	Diameter cm	Weight Kg	UM	€
5637053	16	7	0,11	PCS	



COBRA HH150 FLTE VHF

Floating and submersible VHF Cobra HH150 FLTE IP-X7 waterproof 30 min in 1 meter depth with high visibility orange core design. Small, shaped and finished for more comfortable handle, with removable antenna. Integrated functions: Dual Watch, Roger Beep, instant access to safety channel, battery charge indicator, keyboard lock, signal intensity bar. Powered by 5 rechargeable NiMH AAA type batteries included. Complete with lighter type 12V charger and belt clip. Max Power 3W - Mid 1W - Min 0,5W. Battery autonomy 9 hours. Dimensions without antenna: 69 x 38 x H117 mm.



Cod.	Ref	Accessories	UM	€
5633668	HH150		PCS	
5633684		Handheld Mic	PCS	



Cobra

COBRA HH350 FLT EU VHF

Floating and submersible VHF Cobra HH350 FLT EU with IP-X7 waterproof requirements (30 min in 1 meter depth) with high visibility orange core design. Small, shaped and finished for more comfortable handle, with removable antenna on SMA male connector. Integrated functions: Call Tones, Roger Beep, instant access to saved channel, battery charge indicator, keyboard lock, Burp function, Noise-canceling microphone and signal strength indicator. Locking desktop charger, 12 volt vehicle adapter, AC wall adapter and mounting hardware included. Max Power 6 W - Mid 3 W - Min 1 W. Battery autonomy 16 hours.



Cod.	Ref	Accessories	UM	€
5633670	HH350		PCS	
5633684		Handheld Mic	PCS	



Cobra

COBRA HH500 FLT EU BT VHF

Floating and submersible VHF Cobra HH500 FLT EU BT IP-X7 waterproof (30 min in 1 meter depth) with high visibility orange core design. Small, shaped and finished for more comfortable handle, with removable antenna on SMA male connector. Integrated functions: Call Tones, Roger Beep, instant access to saved channel, battery charge indicator, keyboard lock, Burp function, Noise-canceling microphone and signal strength indicator, Cobra Microblue® Bluetooth, Rewind Say Again and VibrAlert®. Locking desktop charger, 12 volt vehicle adapter, AC wall adapter and mounting hardware included. Max Power 6 W - Mid 3 W - Min 1 W. Battery life 16 hours.



Cod.	Ref	Accessories	UM	€
5633675	HH500		PCS	
5633684		Handheld Mic	PCS	



Cobra

COBRA HH600 GPS BT EU VHF

Cobra HH600 GPS BT EU VHF with DSC D class functionality, Bluetooth connectivity and integrated 66-channel GPS. IPx8 construction, completely waterproof up to one meter depth, floating, with high visibility orange covering. Compact, finished and shaped with a comfortable grip, a removable antenna on SMA male connector and flashlight with strobe function. Integrated functions: Call Tones, Roger Beep, Burp, Noise Canceling, Signal Bar, Rewind Say Again and VibrAlert. Complete with battery, pack case for batteries, 220/12V rapid battery charger, belt fastening and carrying strap. Max power 6W, 16 hours battery life at 1W. Dimensions without antenna: 72 x 47 x H145 mm.



Cod.	Ref	Accessories	UM	€
5633676	HH600		PCS	
5633684		Handheld Mic	PCS	



Cobra

**ICOM IC-M87 VHF**

IPx7 watertight (30 min in 1 meter depth) compact ICOM IC-M87 VHF with long battery autonomy. Marine VHF and PMR band together in one device. International channels and 22 programmable channels. Dual/TriWatch function. 5W transmitting power. Rechargeable Lithium battery and battery charger. Instant access to emergency channel 16. One-touch TAG scanning easy selection. Key lock function. Complete with power cable, mic, mounting bracket and owner's manual.



Cod.	Ref	UM	€
5633681	ICOM IC-M85E	PCS	

**ICOM IC-M25E VHF**

ICOM IC-M25E waterproof IPx7 floating portable VHF with alarm sound and red LED signaling light. Ergonomic handle with LCD display and backlit buttons, noise canceling microphone, dual/tri watch, autoscan and AquaQuake functions to remove water from the grill. Dedicated channel 16 button, 5W RF power and 11 hours of battery life. Complete with Li-Ion battery, charger, micro USB cable, belt clip, antenna, strap and manual. Dimensions: 57 x 31 x H134 mm.



Cod.	Ref	UM	€
5633660	ICOM IC-M25E	PCS	

**ICOM IC-M37E VHF**

Slim and lightweight portable ICOM IC-M37E VHF with LCD display. IPx7 Watertight and buoyant with alarm sound and blinking red LED light. With backlit display and keys, noise-reduction microphone, Dual/TriWatch, autoscan and AquaQuake functions, which removes water from the speaker. Emergency channel 16, 6W power and 12 hours of autonomy. Complete with battery pack, battery charger, micro USB cable, belt clip, antenna, strap and owner's manual. Dimensions: 60 x 39 x H140 mm.



Cod.	Ref	UM	€
5633685	ICOM IC-M37E	PCS	

**ICOM IC-M94DE VHF**

Portable VHF ICOM IC-M94DE with class H DSC and integrated AIS and GPS receivers. Slim and ergonomic handle, with large LCD display and backlit buttons. IPx7 watertight and floating with alarm light that activates in case of accidental fall into water. Equipped with AquaQuake function to remove water from the grill, ANC for noise cancellation, dual/tri watch, MOB key, dedicated channel 16 key and TAG. 6W power with 10 hours of autonomy. Complete with battery pack, table battery charger, belt clip, antenna, lace and owner's manual. Dimensions: 61 x 44 x H146 mm.



Cod.	Ref	UM	€
5633686	ICOM IC-M94DE	PCS	

**- FIXED MOUNT VHF AND AIS -****Garmin AIS 800**

Garmin AIS 800 class B/SO transceiver with integrated GPS and antenna. It allows to view the AIS data of all the surrounding boats and to send its own information automatically with a power of 5W. With integrated active splitter the same VHF antenna can be used without new installations. Thanks to NMEA0183/2000 connectivity it integrates perfectly with all on-board systems. Complete with 2 m NMEA2000 cable, T-connector, 1.2 m coaxial cable, USB cable and supply cable.



Cod.	Dim mm	Accessories	UM	€
5633702	175 x 142 x H55		PCS	
5633700		GA38 Outer GPS Antenna 10 m Cable	PCS	



GARMIN 115i VHF

IPX7 Waterproof and compact DSC Class D Garmin VHF with integrated GPS receiver. Perfectly integrated with other devices thanks to the NMEA2000 connectivity. With megaphone function, 12V power supply, transmitting power 25W. Complete with power cable, mount bracket, protective cover, flush mount kit and mic hanger. Dimensions: 170 x 146 x H85 mm



Cod.	Ref	Accessories	UM	€
5633694	VHF 115i		PCS	
5633700		GA38 Outer GPS Antenna Cable 10 m	PCS	

**GARMIN 215i VHF**

IPX7 Waterproof and compact DSC Class D Garmin VHF with integrated GPS receiver. Perfectly integrated with other devices thanks to the NMEA2000 connectivity. Allows to connect a second station via the GHS11i handset. The 215i AIS type is endowed with integrated AIS (Automatic Identification System) that allows class A and B targets to be monitored on chartplotter. With megaphone function, 12V power supply, transmitting power 25W. Complete with power cable, mount bracket, protective cover, flush mount kit and mic hanger. Dimensions: 197 x 149 x H98 mm



Cod.	Ref	Accessories	UM	€
5633696	VHF 215i		PCS	
5633695	VHF 215i AIS		PCS	
5633704		GHS11i Handset Cable 10 m	PCS	
5633700		GA38 Outer GPS Antenna Cable 10 m	PCS	



GARMIN

GARMIN 315i VHF

DSC Class D Garmin VHF 315i modular system with central black box unit that can be connected to up to 3 mic/handset stations GHS11i. Ideal for multi-station systems, or where there is not space for dashboard installation. It integrates perfectly with other systems thanks to the NMEA0183/2000 connectivity. Includes various Garmin VHF functions such as Voice Mail for continuous recording/transmission, Repeat for recording the last 90 seconds and Buddy Tracking for tracking other vessels with Garmin devices. Contains core pack VHF315i unit, GHS11i handset, active speaker, power cable, 10m deck cable, double mic hanger and mounting hardware. Dimensions: 205 x 181 x H60 mm



Cod.	Ref	Accessories	UM	€
5633698	VHF 315i		PCS	
5633704		GHS11i Handset Cable 10 m	PCS	
5633700		GA38 Outer GPS Antenna Cable 10 m	PCS	



GARMIN

COBRA F77 EU VHF

Fixed mount MR F77 EU Cobra Marine VHF/DSC with integrated GPS, microphone, wide display, soft key buttons and channel description. IPx7 Watertight Aluminum casing, recessed and bracket mounting kit. NMEA0183 Input and output to see DSC signals from other ships on the GPS and to use the VHF as alarm alert from other devices. Automatic Radio Check feature: allows to check battery transmission voltage, RF transmission power and antenna operation. Rewind Say Again feature: allows user to play back 20 seconds of a missed call with the simple touch of a button. Voice amplifier feature: when connected to auxiliary speakers, the VHF can send an audio message to all crew members.



Cod.	UM	€
5633677	PCS	



Cobra

ICOM IC-M330GE VHF

Compact fixed mount ICOM IC-M330GE 12V class D DSC VHF with microphone and external GPS. With back-lighted buttons LCD display, IPx7 watertight case with Aqua Quake function that allows you to remove any water residues from the speaker. NMEA0183 interface to see DSC signals from other ships and to use the VHF as alarm alert from other devices. With AIS transponder ready connection, GPS antenna 5 m cable, mounting bracket, screws, power supply cable and user's manual. Compliant with EN301025 standards. Dimensions: 157 x 110 x H67 mm.



Cod.	Ref	UM	€
5633626	VHF IC-M330GE	PCS	

**ICOM IC-M423GE VHF**

Fixed mount ICOM IC-M423GE class D DSC VHF with microphone and integrated GPS receiver with external antenna. With backlit LCD display, IPx7 watertight casing, dual/tri watch feature, active noise canceller (ANC), audio amplifier (PA), 10W fog siren, AIS Target Call function: allows you to set up an individual DSC call without having to input an MMSI number and Aqua Quake function that allows you to remove any water residues in the speaker grill. With NMEA0183 connectivity to see DSC signals from other ships and to use the VHF as alarm alert from other devices. With AIS transponder ready connection. The optional HM-195GB Commandmic remote microphone can also be used as an intercom and for sending DSC calls via the Distress button. With GPS antenna and 5 m cable, mounting bracket, screws, power supply cable and user's manual. Compliant with EN300388 standards. Dimensions: 180 x 120 x H82 mm.



Cod.	Ref	Accessories	UM	€
5633658	VHF IC-M423GE		PCS	
5633691	6 m Cable BLACK HM-195GB Commandmic		PCS	

**ICOM IC-M510E VHF**

Fixed mount ICOM IC-M510E 12V class D DSC VHF with microphone and external GPS. With the CT-M500 optional wireless box interface it can be controlled from a remote station or smartphone through a free dedicated App. The AIS version allows to DSC view, select and call all targets directly from the screen. Colour 4.3" LCD TFT display, IP68 watertight casing, NMEA0183 connectivity (NMEA2000 WLAN with wireless box), navigation functions with waypoint, anti-fog siren, dual/tri watch feature, channel 16 instant access, active noise canceller (ANC), TAG and AquaQuake for water drainage. The optional Commandmic HM-229B microphone allows to control all the VHF functions from another location. It is also used as an intercom or to set up DSC calls. With GPS antenna and 10 m cable, mounting bracket, power supply cable and user's manual. Dimensions: 175 x 71 x H110 mm.



Cod.	Colour	Accessories	UM	€
5633620	IC-M510E		PCS	
5633622	IC-M510E AIS		PCS	
5633623		Commandmic HM-229B	PCS	
5633624		Wireless Box CT-M500	PCS	



Fusion MS-AM402 Amplifier

2 channel AB class Fusion MS-AM402 marine amplifier. Complete with subsonic filter, variable crossover and bass boost.



Cod.	Dim mm	Power W	UM	€
5640632	296 x 299 x H53	100 x 2 (2 Ohm)	PCS	

**Fusion MS-AM504 Amplifier**

4 channel AB class Fusion MS-AM504 marine amplifier complete with subsonic filter, variable crossover and bass boost.



Cod.	Dim mm	Power W	UM	€
5640634	366 x 299 x H53	100 x 4 (2 Ohm)	PCS	

**Fusion SG-DA51600 1600W Amplifier**

5 Channel D class Fusion SG-DA51600 marine amplifier. Stainless Steel front panel with Aluminum heat sinks. Complete with variable crossover and voltage protection.



Cod.	Dim mm	Power W	UM	€
5640640	300 x 210 x H50	130 x 4 + 330 (2 Ohm)	PCS	



Fusion Apollo Amplifiers

Two, four and eight channel D class Fusion Apollo marine amplifiers. Designed specifically for use with Fusion Apollo stereos enabled with DSP (Digital Signal Processing) technology. Thanks to the Easy Tune2 function they can automatically adjust the sound settings to improve the sound quality. Equipped with LED indicators, full protection from electrical damage, vibration and saline environment, optimized for minimal energy consumption. Complete with brackets, screws, screw covers, power connector, connectors for speakers and manual with template.

Cod.	Ref	Dim mm	Power W	UM	€
5640636	MS-AP41200	235 x 180 x H45	150 x 4 (4 Ohm)	PCS	
5640637	MS-AP61800	297 x 180 x H45	150 x 6 (4 Ohm)	PCS	
5640638	MS-AP82400	359 x 180 x H45	150 x 8 (4 Ohm)	PCS	



5640637



- RADIO COVERS -

Radio Hatch Cover

Watertight, anti-shock and UV resistant radio/CD splashproof cover.

Cod.	Dim mm	UM	€
5640420	230 x 110	PCS	



VDO Type Radio Cover

Watertight, anti-shock and UV resistant VDO type radio/CD splashproof cover.

Cod.	Dim mm	UM	€
5640421	240 x 100	PCS	



Radio Cover White

Watertight, anti-shock and UV resistant radio/CD splashproof cover. Outstanding material quality construction and finishing.

Cod.	UM	€
5640425	PCS	



Bracket Mount Radio Cover / Box

Radio/CD splashproof cover with universal watertight box. External bracket mounting.

Cod.	mm	UM	€
5640419	280 x 280 x H190	PCS	




BOSS MR632UAB RDS / USB / SD / Bluetooth Radio Player

Removable cover BOSS MR632UAB Radio player with LCD display. Synthesized FM/AM radio, front USB port and AUX input protected by rubber tip, front SD card slot, integrated Bluetooth with cell phone call and play music functions. Complete with infrared remote control, slide, cover case and connection cables. D=depth



Cod.	Dim mm	Power W	V	Accessories	UM	€
5640106	178 x 50 x D97	4 x 50	12		PCS	
5640107				FM/AM 75 Ohm Dipole Antenna	PCS	

**BOSS MR1308UAB RDS / USB / SD / Bluetooth Radio Player**

Removable cover BOSS MR1308UAB Radio player with LCD display. Synthesized FM/AM radio, front USB port and AUX input protected by rubber tip, front SD card slot, integrated Bluetooth with cell phone call and play music functions. Complete with infrared remote control, slide, cover case and connection cables. D=depth




Cod.	Dim mm	Power W	V	Accessories	UM	€
5640102	181 x 54 x D127	4 x 50	12		PCS	
5640107				FM/AM 75 Ohm Dipole Antenna	PCS	

**BOSS MR762BRGB RDS / MP3 / USB / CD / SD / Bluetooth Radio Player**

Removable cover BOSS MR762BRGB Radio player with LCD display and 7-color backlit buttons of your choice. RDS Tuner, front USB port and AUX input protected by rubber tip, integrated MP3 player, front SD card slot, CD player, microphone with handsfree function, integrated Bluetooth with cell phone call and play music functions, Android App for complete function control. Complete with infrared remote control, slide and connection cables. D=depth



Cod.	Dim mm	Power W	V	Accessories	UM	€
5640109	181 x 54 x D206	4 x 60	12		PCS	
5640107				FM/AM 75 Ohm Dipole Antenna	PCS	

**BOSS MR500UAB RDS / MP3 / USB / DVA / Bluetooth Radio Player**

BOSS MR500UAB Radio player with DVA technology (digital voice assistant) that allows to query the smartphone assistant via Bluetooth by the Push to Talk button. With LCD display and backlit buttons, RDS radio, integrated MP3 player, front USB port protected by rubber tip and integrated Bluetooth with cell phone call and play music functions or hands-free functions from smartphone. Complete with infrared remote control, slide and connection cables. D=depth



Cod.	Dim mm	Power W	V	Accessories	UM	€
5640100	212 x 80 x D170	4 x 50	12		PCS	
5640107				FM/AM 75 Ohm Dipole Antenna	PCS	



BOSS MGR150B/250B USB / Bluetooth Marine Stereo

Round, compact dashboard MGR150B and 250B marine stereos with integrated Bluetooth for smartphone and compatibles audio streaming. Very simple to use, without display and with essential buttons, ideal for marine environment. IPx6 waterproof, with rear USB port and AUX input. Complete with connection cables, bracket and screws. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640134	ø 76 x D101	2 x 50	12		PCS	
5640135	ø 76 x D101	4 x 50	12		PCS	
5640105				USB/AUX Front Panel	PCS	

**BOSS MGR350B RDS / USB / Bluetooth Radio Player**

Round, compact but powerful dashboard BOSS MGR350B radio player with LCD display. Synthesized FM/AM radio, rear USB port and AUX input. IPx6 Waterproof. Integrated Bluetooth for MP3 or smartphone audio streaming. Complete with connection cables. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640104	ø 76 x D127	4 x 60	12		PCS	
5640105				USB/AUX Front Panel	PCS	

**BOSS MGR450B RDS / USB / Bluetooth Radio Player**

Square, compact but powerful dashboard BOSS MGR450B radio player with LCD display. Synthesized FM/AM radio with RDS, rear USB port and AUX input. IPx6 Waterproof. Integrated Bluetooth for MP3 or smartphone audio streaming. Complete with connection cables, bracket kit, screws and two frames. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640108	76 x 76 x D84	4 x 60	12		PCS	
5640105				USB/AUX Front Panel	PCS	

**Fusion MS-ARX70 Remote Control**

Wireless remote control with backlit digital buttons for Fusion stereo and radio. Compact and IPx7 waterproof, it is easily applied in any position even subject to water and splashes. Powered by an internal 3-year life battery. Compatible with all Fusion radios with ANT technology as: SA150/BB100/RA70N/SRX400/RA670/RA770

Cod.	Colour	UM	€
5640694	BLACK	PCS	
5640695	WHITE	PCS	



Fusion MS-BB100 RDS / USB / Bluetooth Black Box Marine Stereo

Fusion MS-BB100 marine stereo with hidden Black Box installation and compact dashboard control panel. RDS FM/AM DAB ready radio, USB and back AUX input. Built-in Bluetooth for smartphone and compatibles audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Multi-Zone independent settings control for two separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. D=depth


Cod.	Dim mm	Power W	V	Accessories	UM	€
5640609	155 x 60 x D94	4 x 50	12		PCS	
5640690				Wall Mount USB/Jack 3,5 Socket	PCS	



Fusion MS-RA60 RDS / Bluetooth Marine Stereo

Fusion MS-RA60 waterproof IPx7 dashboard marine stereo with backlit LCD display. RDS FM/AM DAB ready radio, back AUX input and built-in Bluetooth for smartphone and compatibles audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or compatible NMEA2000 multi-function devices. Multi-Zone independent settings control for two separate audio zones. The retrofit kit adapts the stereo to pre-existing holes of standard DIN type dashboard radios. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640603	157 x 68 x D103	4 x 22	12		PCS	
5640691				Retrofit set	PCS	



Fusion MS-RA55 RDS / USB / Bluetooth Marine Stereo

Fusion MS-RA70N dashboard marine stereo with Glass-Bonded backlit LCD display. RDS FM/AM DAB ready radio, USB and back AUX input. Built-in Bluetooth for smartphone and compatibles audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Multi-Zone independent settings control for two separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. D=depth


Cod.	Dim mm	Power W	V	Accessories	UM	€
5640602	188 x 60 x D100	4 x 50	12		PCS	
5640690				Wall Mount USB/Jack 3,5 Socket	PCS	
5640692				Remote Wired Control	PCS	



Fusion MS-SRX400 RDS / Wi-Fi / Bluetooth Marine Stereo

Fusion MS-SRX400 RS37 Wi-Fi Bluetooth marine stereo
Fusion MS-SRX400 dashboard marine stereo with Glass-Bonded LCD display. With RDS FM/AM DAB ready radio, built-in Wi-Fi and Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible wireless multi-function display. IPx7 Waterproof, it can be flat or flush mounted. D=depth

Cod.	Dim mm	Power W	V	UM	€
5640606	110 x 70 x D100	2 x 70	12	PCS	



Fusion Apollo MS-RA210 RDS / USB Bluetooth Marine Stereo

Fusion MS-RA210 dashboard marine stereo with Glass-Bonded LCD display. RDS FM/AM DAB ready radio, USB and back AUX inputs. Built-in Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Equipped with DSP (Digital Signal Processing) technology to optimize sound in real time. Multi-Zone independent settings control for four separate audio zones. IPx7 waterproof, it can be flat or flush mounted. Thanks to Retrofit kit the stereo can be adapted to 650/750/755 series existing holes. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640605	157 x 68 x D127	4 x 50	12		PCS	
5640691				Retrofit Kit	PCS	

**Fusion Apollo MS-RA670 RDS / USB / Wi-Fi / Bluetooth Marine Stereo**


Fusion MS-RA670 dashboard marine stereo with Glass-Bonded touchscreen LCD display. RDS FM/AM DAB ready radio, USB and 2 back AUX inputs. Built-in Wi-Fi and Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Equipped with DSP (Digital Signal Processing) technology to optimize sound in real time. Multi-Zone independent settings control for four separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. Thanks to Retrofit kit the stereo can be adapted to 650/750/755 series existing holes. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640607	157 x 68 x D102	3 x 90	12		PCS	
5640691				Retrofit Kit	PCS	

**Fusion Apollo MS-RA770 / USB / Wi-Fi / Bluetooth Marine Stereo**

Fusion MS-RA770 dashboard marine stereo with Glass-Bonded touchscreen LCD display. RDS FM/AM DAB ready radio, USB and 2 back AUX inputs. Built-in Wi-Fi and Bluetooth for smartphone and compatible audio streaming. Endowed with Fusion-Link remote control function which allows to control the stereo with a Garmin watch or a compatible NMEA2000 multi-function display. Equipped with DSP (Digital Signal Processing) technology to optimize sound in real time. Multi-Zone independent settings control for four separate audio zones. IPx7 Waterproof, it can be flat or flush mounted. Thanks to Retrofit kit the stereo can be adapted on 650/750/755 series existing holes. D=depth

Cod.	Dim mm	Power W	V	Accessories	UM	€
5640608	192 x 82 x D99	4 x 70	12		PCS	
5640689				Retrofit Kit	PCS	




**Fusion XS Classic Speakers**

IP65 waterproof 2-way Fusion XS marine speakers. Curved cone technology with Aluminum Dome tweeter. With white and black grid. Sold in pairs.





Cod.	Power W	Frequency Hz	Ohm	UM	€
5640650	120	100-18000	4	PR	
5640651	200	80-18000	4	PR	
5640652	240	70-18000	4	PR	

**Fusion XS Classic Subwoofer**

IP65 waterproof Fusion XS marine subwoofer. With white and black grid.




Cod.	Power W	Frequency Hz	Ohm	UM	€
5640656	600	30-2000	4	PCS	

**Fusion FM Flat Speakers**

IP65 waterproof Fusion FM marine speakers. Easy flush mount with only 2.5 mm mounting profile. Curved cone technology with Aluminum Dome tweeter. Sold in pairs.





Cod.	Power W	Frequency Hz	Ohm	UM	€
5640628	120	100-18000	4	PR	
5640629	200	80-18000	4	PR	

**Fusion FM Flat Subwoofer**

IP65 waterproof Fusion FM marine subwoofer. Easy flush mount with only 3 mm mounting profile.



Cod.	Power W	Frequency Hz	Ohm	UM	€
5640619	400	30-2000	4	PCS	




Fusion EL-F651 80W Low Profile Speakers

IP65 waterproof 2-way Fusion EL-F651 marine speakers. Ideal for narrow spaces installations. Salt and UV resistant construction. Sold in pairs.



Cod.	Power W	Frequency Hz	Ohm	UM	€
5640627	80	45-16000	4	PR	



Fusion XS Sport Speakers

IP65 waterproof 2-way Fusion XS marine speakers. Curved cone technology with Aluminum Dome tweeter. With white and black grid and RGB LED light which can be controlled by an optional wireless control. Sold in pairs.



Cod.	Power W	Frequency Hz	Ohm	Accessories	UM	€
5640654	200	80-18000	4		PR	
5640655	240	70-18000	4		PR	
5640696				RGB Wireless Control	PCS	




Fusion XS Sport Subwoofer

IP65 waterproof Fusion XS marine subwoofer. With white and black grid and RGB LED light which can be controlled by an optional wireless control.



Cod.	Power W	Frequency Hz	Ohm	Accessories	UM	€
5640658	600	30-2000	4		PCS	
5640696				RGB Wireless Control	PCS	



BOSS Tube Bluetooth Portable Speaker

Compact portable Boss Marine MRBT200 speaker enveloped by thick water resistant rubber. Composed by perfectly set 3 active drivers and 2 passive radiators in order to cover perfectly all necessary audio frequencies and to grant a linear sound. With microphone, speakerphone function, Bluetooth and NFC pairing (Android) connections, AUX input. Complete with hooking shackle and lithium battery with 8 hours autonomy rechargeable with micro USB included cable.



Cod.	Dim mm	UM	€
5640140	ø 117 x L286	PCS	

**BOSS MR4 200W Speakers**

Pair of BOSS MR4 marine speakers suitable for indoor and outdoor use. They can be used in boating, in the garden or in other outdoor activities. Ideal for places where recessed speakers can not be installed, such as inflatable boats or where there is no bulkhead with enough depth. Composed of woofer, midrange and tweeter, complete with adjustable bracket.




Cod.	Dim mm	Power W	Frequency Hz	Ohm	UM	€
5640150	135 x 135 x H210	200	80-18000	4	PR	

**BOSS MR50 150W Speakers**

BOSS MR50 speakers built with best materials. Great UV resistance in order to ensure durability over time and to keep intact speaker's sound and colour. Endowed with special grooves which gather condensed water and easily eliminates it. Made of injected polymer, 19 mm Aluminum solenoid and 25 mm Mylar tweeter.




Cod.	Power W	Frequency Hz	Ohm	UM	€
5640120	150	120-18000	4	PR	

**BOSS MR52 150W Speakers**

2-way BOSS MR52 speakers that provide an excellent output over the whole frequency spectrum, ensuring excellent sound diffusion. Equipped with Polypropylene Cloth Surround woofer to limit resonance noise and 25 mm Mylar tweeter.




Cod.	Power W	Frequency Hz	Ohm	UM	€
5640121	150	80-20000	4	PR	



BOSS MR62 200W Speakers


2-way BOSS MR62 speakers that provide an excellent output over the whole frequency spectrum, ensuring excellent sound diffusion. Equipped with Polypropylene Cloth Surround woofer to limit resonance noise and 25 mm Mylar tweeter.

Cod.	Power W	Frequency Hz	Ohm	UM	€
5640123	200	80-20000	4	PR	

**BOSS MR652C 350W Speakers**



BOSS MR652C speakers endowed with removable crossover and tweeter to easily custom audio system. Reduced dimensions are the great characteristic of this powered and good quality speaker. Made of injected polymer, 38 mm Aluminum solenoid and 25 mm Mylar tweeter.

Cod.	Power W	Frequency Hz	Ohm	UM	€
5640122	350	60-20000	4	PR	

**BOSS MR752C 400W Speakers**


BOSS MR752C speakers endowed with removable crossover and tweeter to easily custom the audio system. This elegant design and the best audio quality is the best choice for big boats. Made of injected polymer, 38 mm Aluminum solenoid and 25 mm Mylar tweeter.

Cod.	Power W	Frequency Hz	Ohm	UM	€
5640124	400	40-20000	4	PR	

**BOSS MRGB65 200W LED Speakers**

BOSS MRGB65 speakers with multiple colour and light LED system complete with driver hub synchronizer and infrared remote control. Very good frequency response, complete with connection cables. Driver dimensions mm: 90 x 50 x 23.

Cod.	Power W	Frequency Hz	Ohm	UM	€
5640126	200	70-20000	4	PR	




**Riviera Round S Speakers**

Round, non magnetic and compact waterproof speakers (sold in pairs). With antishock dumpers. Impedance 4 Ohm.




Cod.	Peak W	Frequency Hz	Woofer	Grill	UM	€
1913503	80	55-16000	No	WHITE	PR	
1913504	120	55-20000	Yes	WHITE	PR	
1913553	80	55-16000	No	CARBON	PR	
1913554	120	55-20000	Yes	CARBON	PR	
1913555	80	55-16000	No	BRIAR	PR	
1913556	120	55-20000	Yes	BRIAR	PR	

**Riviera Round L Speakers**

Non magnetic, round waterproof speakers (sold in pair). With antishock dumpers. Impedance 4 Ohm.




Cod.	Peak W	Frequency Hz	Woofer	Grill	UM	€
1913501	80	55-16000	No	WHITE	PR	
1913502	120	40-20000	Yes	WHITE	PR	
1913561	80	55-16000	No	CARBON	PR	
1913562	120	40-20000	Yes	CARBON	PR	
1913563	80	55-16000	No	BRIAR	PR	
1913564	120	40-20000	Yes	BRIAR	PR	

**Riviera Ultra Thin L Speakers**

Non magnetic, round and extremely thin waterproof speakers (sold in pairs). With antishock dumpers. Impedance 4 Ohm.




Cod.	Peak W	Frequency Hz	Grill	UM	€
1913518	80	60-16000	WHITE	PR	
1913568	80	60-16000	CARBON	PR	
1913569	80	60-16000	BRIAR	PR	

**Riviera Quadra Speakers**

Waterproof non magnetic compact speakers with antishock dumpers. Suitable for small spaces or for VHF. Impedance 4 Ohm.



Cod.	Peak W	Frequency Hz	Woofer	UM	€
1913505	60	80-18000	No	PCS	
1913506	60	80-20000	Yes	PCS	

**Riviera VHF Speakers**

Waterproof non magnetic compact speakers with antishock dumpers. Suitable for small spaces or for VHF.



Cod.	Peak W	Frequency Hz	Ohm	UM	€
1913605	10	80-18000	4	PCS	
1913606	10	80-18000	8	PCS	

